Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019

Version 06. Supersedes version: 05 Page 1 / 8

1.1 Product identifier		
		febi 26707 screw locking Article number: 26708, 26707
1.2 Relevant identified uses of the substance or mixture and uses advised against		
1.2.1 Relevant uses		
		Adhesive
1.2.2	2 Uses advised against	
	U U	None known.
1.3	Details of the supplier of the	a safatu data shaat
	Company	Ferdinand Bilstein GmbH + Co. KG
		Wilhelmstr. 47
		58256 Ennepetal / GERMANY Phone +49 2333 911-0
		Fax +49 2333 911-444
		Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
.4	Emergency telephone numb	er
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identificatio	n
2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]		
		No classification.
2.2	Label elements	
		The product does not require a hazard warning label in accordance with GHS/CLP-directives
	Hazard pictograms	none
	Hazard statements	none
	Special labelling	EUH210 Safety data sheet available on request.
2.3	Other hazards	
	Human baalth dangara	Frequent persistent contact with the skin can equal skin irritation
	Human health dangers Environmental hazards	Frequent persistent contact with the skin can cause skin irritation. No particular hazards known.
	Other hazards	Further hazards were not determined with the current level of knowledge.
		r uniter nazatus were not ueterninteu with the culterit level of Khowleuge.

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019



Version 06. Supersedes version: 05

Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

	Range [%] Substance			
			ECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8 rox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr.	
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	
SEC	TION 4: First aid	measures		
4.1	Description of first aid measures			
	General information	on	Change soaked clothing.	
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Seek medical advice immediately.	
4.2	Most important symptoms and effects, both acute and delayed			
			No information available.	
4.3 Indication of any immediate medical attention and special treatment needed		ical attention and special treatment needed		
			Treat symptomatically. Forward this sheet to the doctor.	
SEC	TION 5: Fire-fight	ting measures		
5.1	Extinguishing m	nedia		
	Suitable extinguis	hing media	Foam, dry powder, water spray jet, carbon dioxide.	
	Extinguishing meabe be used	dia that must not	Full water jet.	
5.2	Special hazards	arising from the	substance or mixture	
			Risk of formation of toxic pyrolysis products.	
5.3	Advice for firefig	ghters		
			Use self-contained breathing apparatus.	
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
SEC	TION 6: Accident	al release measu	ires	
6.1	Personal precau	itions, protective	equipment and emergency procedures Ensure adequate ventilation.	
6.2	Environmental p	precautions	Prevent spread over a wide area (e.g. by containment or oil barriers)	

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019



Version 06. Supersedes version: 05 Pag

Page 3 / 8

		Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
		Dispose of absorbed material in accordance within the regulations.
4	Reference to other sections	
		See SECTION 8+13
EC	TION 7: Handling and storage	
.1	Precautions for safe handling	
		Use only in well-ventilated areas.
		Wash hands before breaks and after work.
		Use barrier skin cream.
		Do not eat, drink or smoke when using this product.
		Take off contaminated clothing and wash before reuse.
.2	Conditions for safe storage, inclu	iding any incompatibilities
		Keep only in original container.
		Do not use metal containers.
		Protect from heat/overheating.
		Keep in a cool place. Store in a dry place.
		Recommended storage temperature: +5°C - +25°C
.3	Specific end use(s)	
		This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
EC	TION 8: Exposure controls / perso	oxygen or steam.
	TION 8: Exposure controls / perso Control parameters	oxygen or steam.
	Control parameters Ingredients with occupational	oxygen or steam.
	Control parameters	oxygen or steam.
	Control parameters Ingredients with occupational	oxygen or steam.
	Control parameters Ingredients with occupational	oxygen or steam.
.1	Control parameters Ingredients with occupational	oxygen or steam.
.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation.
.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001)
.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation.
.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information.
.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3).
.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to
SEC 3.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019



Version 06. Supersedes version: 05 F

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

-		· · · · · · · · · · · · · · · · · · ·
	Form	liquid
	Color	blue
	Odor	characteristic
	Odour threshold	No information available.
	pH-value	not applicable
	pH-value [1%]	not applicable
	Boiling point [°C]	No information available.
	Flash point [°C]	> 93
	Flammability (solid, gas) [°C]	No information available.
	Lower explosion limit	not applicable
	Upper explosion limit	not applicable
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	not determined
	Density [g/ml]	1,05 (20 °C / 68,0 °F)
	Bulk density [kg/m³]	not applicable
	Solubility in water	virtually insoluble
	Partition coefficient [n-octanol/water]	No information available.
	Viscosity	See product information
	Relative vapour density determined in air	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Autoignition temperature [°C]	No information available.
	Decomposition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents. Reactions with reducing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019



Version 06. Supersedes version: 05

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled .:
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:

Substance	
Cumene hydroperoxide, CAS: 80-15-9	
LD50, oral, Rat: 382 mg/kg IUCLID.	
LC50, inhalative, Rat: 220 ppm 4h IUCLID.	

Serious eye damage/irritation	Slight irritant effect. Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	The factor of the state of the second state and the state of the second state of the s

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.:

Substance
Cumene hydroperoxide, CAS: 80-15-9
LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l.
EC50, (24h), Daphnia magna: 7 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

12.4 Mobility in soil

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019



Version 06. Supersedes version: 05

Page 6 / 8

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Do not discharge product unmonitored into the environment. The product is insoluble in water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Coordinate disposal with the disposal contractor/authorities if necessary.
Waste no. (recommended)	080410
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Contaminated packing should be disposed of as product waste.
Waste no. (recommended)	150102 150104

SECTION 14: Transport information

14.1	UN number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019



Version 06. Supersedes version: 05 Page 7 / 8

1	4.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
		Inland navigation (ADN)	not applicable
		Marine transport in accordance with IMDG	not applicable
		Air transport in accordance with IATA	not applicable
1	14.4	Packing group Transport by land according to ADR/RID	not applicable
		Inland navigation (ADN)	not applicable
		Marine transport in accordance with IMDG	not applicable
		Air transport in accordance with IATA	not applicable
1	4.5	Environmental hazards	
		Transport by land according to ADR/RID	no
		Inland navigation (ADN)	no
		Marine transport in accordance with IMDG	no
		Air transport in accordance with IATA	no
1	4.6	Special precautions for user	
		Relevant information under SECTION 6	to 8.
1	4.7	Transport in bulk according to An	nex II of MARPOL and the IBC Code
		not applicable	
ç	SEC	TION 15: Regulatory information	
1	5.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
		EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/321; (EU) 577/

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	not determined

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Ferdinand Bilstein GmbH + Co. KG

Date printed 12.11.2019, Revision 12.11.2019

SECTION 16: Other information



Version 06. Supersedes version: 05

Page 8 / 8

16.1 Hazard statements (SECTION 03) H411 Toxic to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled. H242 Heating may cause a fire. 16.2 Abbreviations and acronyms: ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative 16.3 Other information **Customs** Tariff not determined **Classification procedure** Modified position none