Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 1 / 8

1.1	Product identifier	
		febi 26709 screw locking Article number: 26710, 26709
1.2	Relevant identified uses of	the substance or mixture and uses advised against
1.2.1	Relevant uses	
		Adhesive
1.2.2	Uses advised against	
	-	None known.
1.3	Details of the supplier of the	e safety data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG
		Wilhelmstr. 47
		58256 Ennepetal / GERMANY Phone +49 2333 911-0
		Fax +49 2333 911-444
		Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency telephone numb	ber
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identificatio	n
2.1	Classification of the substa	nce or mixture [REGULATION (EC) No 1272/2008]
		No classification.
2.2	Label elements	
		The product does not require a hazard warning label in accordance with GHS/CLP-directives.
	Hazard pictograms	none
	Hazard statements	none
	Special labelling	EUH210 Safety data sheet available on request.
2.3	Other hazards	
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
	Environmental hazards	No particular hazards known.
	Other hazards	Further hazards were not determined with the current level of knowledge.
		-

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page

Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

	Range [%] Substance			
<1 Cumene hydroperoxide CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8			vide	
			rox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr.	
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	
SEC	TION 4: First aid	measures		
4.1	Description of first aid measures			
	General information	on	Change soaked clothing.	
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Seek medical advice immediately.	
4.2	Most important	symptoms and e	ffects, both acute and delayed	
			No information available.	
4.3	3 Indication of any immediate medical attention and special treatment needed		ical attention and special treatment needed	
			Treat symptomatically. Forward this sheet to the doctor.	
SEC	TION 5: Fire-fight	ing measures		
5.1	Extinguishing m	edia		
	Suitable extinguis	hing media	Foam, dry powder, water spray jet, carbon dioxide.	
	Extinguishing med be used	•	Full water jet.	
5.2	Special hazards	arising from the	substance or mixture	
			Risk of formation of toxic pyrolysis products.	
5.3	Advice for firefig	ghters		
			Use self-contained breathing apparatus.	
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	
SEC	TION 6: Accident	al release measu	ires	
6.1	Personal precau	itions, protective	equipment and emergency procedures Ensure adequate ventilation.	
6.2	Environmental p	precautions	Prevent spread over a wide area (e.g. by containment or oil barriers)	

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 26709 screw locking Article number 26710, 26709

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Pa

Page 3 / 8

6.3 Methods and material for containment and cleaning up		
		Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
		Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	CTION 7: Handling and storage	
7.1	Precautions for safe handling	
	C C	Use only in well-ventilated areas.
		Wash hands before breaks and after work.
		Use barrier skin cream.
		Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
		Take on contaminated clothing and wash before reuse.
.2	Conditions for safe storage, inclu	iding any incompatibilities
		Keep only in original container.
		Do not use metal containers.
		Protect from heat/overheating.
		Keep in a cool place. Store in a dry place.
		Recommended storage temperature: +5°C - +25°C
		Recommended storage temperature: +5°C - +25°C
7.3	Specific end use(s)	
7.3	Specific end use(s)	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
-	Specific end use(s) CTION 8: Exposure controls / perso	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC	CTION 8: Exposure controls / perso	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC	CTION 8: Exposure controls / perso Control parameters	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC	CTION 8: Exposure controls / perso Control parameters	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
GEC	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
GEC	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB)	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB)	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection not applicable
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation.
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information.
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection Intervention In
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3). light protective clothing
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection Intervention In
SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection Inot applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to
7.3 SEC 3.1	CTION 8: Exposure controls / perso Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	This product is not recommended for use in joints which will be in contact with either pure oxygen or steam. nal protection not applicable Ensure adequate ventilation on workstation. safety glasses (EN 166:2001) The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Viton, >480 min (EN 374-1/-2/-3). Iight protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 26709 screw locking Article number 26710, 26709

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	viscous
Color	green
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 93
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	1,05 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	No information available.
Viscosity	See product information
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents. Reactions with reducing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 26709 screw locking Article number 26710, 26709

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product	
inhalative, Based on the available information, the classification criteria are not fulfilled .:	
dermal, Based on the available information, the classification criteria are not fulfilled .:	
oral, Based on the available information, the classification criteria are not fulfilled .:	

Substance	
Cumene hydroperoxide, CAS: 80-15-9	
LD50, oral, Rat: 382 mg/kg IUCLID.	
LC50, inhalative, Rat: 220 ppm 4h IUCLID.	

Serious eye damage/irritation	Slight irritant effect. Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.:

Substance
Cumene hydroperoxide, CAS: 80-15-9
LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l.
EC50, (24h), Daphnia magna: 7 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

12.4 Mobility in soil

No information available.

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 6 / 8

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Do not discharge product unmonitored into the environment. The product is insoluble in water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	Coordinate disposal with the disposal contractor/authorities if necessary.
Waste no. (recommended)	080410
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
	Contaminated packing should be disposed of as product waste.
Waste no. (recommended)	150102
	150104

SECTION 14: Transport information

14.1	UN number Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06 Page 7 / 8

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6 t	o 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
	- Observe employment restrictions for people	no
	- VOC (2010/75/CE)	not determined
15.2	Chemical safety assessment	

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet 1907/2006/EC - REACH (GB) febi 26709 screw locking Article number 26710, 26709

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.11.2019, Revision 04.11.2019



Version 07. Supersedes version: 06

Page 8 / 8

SECTION 16: Other information

16.1	Hazard statements (SECTION 03)	
		H411 Toxic to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage. H373 May cause damage to organs through prolonged or repeated exposure. H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled. H242 Heating may cause a fire.
16.2	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level ECS0 = Median effective concentration ECB = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances ELINCS = Linternational Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = International Maritime Code for Dangerous Goods IUCLID = International Maritime Code for Dangerous Goods IUCLID = International Onye LOAEL = lowest-observed-adverse effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOAEL = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance PNEC = No Observed Adverse Effect Level NOEC = No Observed Theot Concentration REACH = Registration,
		vPvB = very Persistent and very Bioaccumulative
16.3	Other information	
	Customs Tariff	not determined
	Classification procedure	
	Madified position	2020

Modified position

none