febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10

Page 1 / 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

febi 29449 automatic transmission fluid (ATF) Article number: 29449, 36449, 38901, 38902

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

# .3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

Company +49 2333 911-0

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictogramsnoneSignal wordnoneHazard statementsnone

**Special labelling** EUH210 Safety data sheet available on request.

2.3 Other hazards

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Other hazards none

# **SECTION 3: Composition / Information on ingredients**

#### 3.1 Substances

not applicable

febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10

Page 2 / 10

#### 3.2 Mixtures

#### The product is a mixture.

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Get medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

# **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

# 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Cool containers at risk with water spray jet.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

# febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10

Page 3 / 10

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3 Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Use only in well-ventilated areas.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

#### **SECTION 8: Exposure controls / personal protection**

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

#### **DNEL**

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

Industrial, inhalative, Long-term - local effects, 5.6 mg/m³ 5.6 mg/m³,

Industrial, dermal, Long-term - systemic effects, 1 mg/kg bw/day 5.6 mg/m³,

Industrial, inhalative, Long-term - systemic effects, 2.7 mg/m<sup>3</sup>

general population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day 5.6 mg/m³,

#### **PNEC**

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

oral (food), 9,33 mg/kg.

# febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021 Version 11. Supersedes version: 10 Page 4 / 10

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance

requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection safety glasses (EN 166:2001)

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Avoid contact with eyes and skin.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid
Color red

Odor characteristic
Odour threshold not applicable
pH-value not applicable
pH-value [1%] not applicable

Boiling point [°C]

Flash point [°C]

Flash point [°C]

Flammability (solid, gas) [°C]

Lower explosion limit

No information available.

Upper explosion limit

No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

**Density [g/ml]** 0,84 (DIN 51757) (15 °C / 59,0 °F)

Bulk density [kg/m³] not applicable
Solubility in water immiscible

Solubility other solvents No information available.

Partition coefficient [n-octanol/water] No information available.

Kinematic viscosity 29,6 mm²/s (40° C) (DIN 51562)

Relative vapour density

Evaporation speed

Melting point [°C]

Auto-ignition temperature

Decomposition temperature [°C]

Particle characteristics

No information available.

No information available.

No information available.

No information available.

#### 9.2 Other information

none

# Safety Data Sheet REACH(UK) (GB) febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

# Version 11. Supersedes version: 10 Page 5 / 10

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reactions known if used as directed.

# 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

# 10.3 Possibility of hazardous reactions

Reactions with acids and strong oxidizing agents. Reactions with alkalies (lyes).

# 10.4 Conditions to avoid

Strong heating.

# 10.5 Incompatible materials

Oxidizing agent Strong acids. Strong basic compounds

# 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# Safety Data Sheet REACH(UK) (GB) febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10 Page 6 / 10

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.,

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, >= 5000 mg/kg (OECD 401),

#### Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, >= 2000 mg/kg (OECD 402),

#### Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.,

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, >= 5,53 mg/l (OECD 403).

Serious eye damage/irritation

Skin corrosion/irritation

Respiratory or skin sensitisation

Specific target organ toxicity —

single exposure

Specific target organ toxicity —

repeated exposure

Mutagenicity

Reproduction toxicity

Carcinogenicity

**Aspiration hazard** 

General remarks

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

# Safety Data Sheet REACH(UK) (GB) febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

#### Version 11. Supersedes version: 10

#### Page 7 / 10

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.,

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

EL50, (24h), Daphnia magna, >10000 mg/l (OECD),

LL50, (96h), Pimephales promelas, >100 mg/l (OECD),

NOEL, (72h), Pseudokirchneriella subcapitata, >100 mg/l (OECD),

NOEL, (21d), Daphnia magna, 10 mg/l (OECD),

# 12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

# 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

# 12.6 Endocrine disrupting properties

No information available.

# 12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10

Page 8 / 10

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

For recycling, consult manufacturer.

Waste no. (recommended) 130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

150110\* packaging containing residues of or contaminated by hazardous substances

# **SECTION 14: Transport information**

#### 14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

# 14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

# 14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

**IMDG** 

Air transport in accordance with IATA not applicable

febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10

Page 9 / 10

#### 14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

**IMDG** 

not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

no

Marine transport in accordance with no

**IMDG** 

Air transport in accordance with IATA no

# 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 %

# 15.2 Chemical safety assessment

not applicable

# **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

febi 29449 automatic transmission fluid (ATF) Article number 29449, 36449, 38901, 38902



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 22.02.2021, Revision 22.02.2021

Version 11. Supersedes version: 10

Page 10 / 10

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

none

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

# 16.3 Other information

Classification procedure

Modified position