Revision: 30.03.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2022

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CarpetPro Cleaner, powder RM 760 Classic
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Spray extraction cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britan

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 1)

Revision: 30.03.2022

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

isotridecanolethoxylate + 12 EO isotridecanolethoxylate + 8 EO

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280

Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description: Cleaning agent

· Dangerous components:		
CAS: 69011-36-5	isotridecanolethoxylate + 12 EO	≥1-<3%
	💠 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302	
CAS: 15763-76-5	sodium p-cumenesulphonate	1-5%
EINECS: 239-854-6	◆ Eye Irrit. 2, H319	
Reg.nr.: 01-2119489411-37-xxxx		
CAS: 69011-36-5	isotridecanolethoxylate + 8 EO	≥1-<3%
	📀 Eye Dam. 1, H318; 🕚 Acute Tox. 4, H302	

· Regulation (EC) No 648/2004 on detergents / Labelling for contents			
phosphates		≥30%	
non-ionic surfactants		<5%	
perfumes			

· Additional information For the wording of the listed hazard phrases refer to section 16.



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 2)

Revision: 30.03.2022

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

 \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 3)

Revision: 30.03.2022

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs		
15763-76-	15763-76-5 sodium p-cumenesulphonate	
Oral	DNEL	3.8 mg/kg*d (consumer)
Dermal	DNEL	136.25 mg/kg*d (employee)
		68.1 mg/kg*d (consumer)
Inhalative	DNEL	26.9 mg/m3 (employee)
		6.6 mg/m3 (consumer)
· PNECs		
15763-76-	5 sodi	um p-cumenesulphonate
PNEC		0.23 mg/l (freshwater)
		0.023 mg/l (marine water)
		100 mg/l (STP)
PNEC sed	liment	0.862 mg/kg (freshwater)
		0.086 mg/kg (marine water)

· 8.2 Exposure controls

PNEC soil

· Appropriate engineering controls No further data; see item 7.

0.037 mg/kg (soil)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.

(Contd. on page 5)



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 4)

Revision: 30.03.2022

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:Odour:Solid.Whitefresh

Odour threshold: Not determined.Melting point/freezing point: undetermined

Boiling point or initial boiling point and boiling range

range undetermined • Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.

Flash point:
 Ignition temperature:
 Decomposition temperature:
 pH at 20 °C
 Not applicable not applicable
 Not determined.
 7-9 (10%)

• pH-value 1 %: 8-10

· Viscosity:

Kinematic viscositydynamic:Not applicable.Not applicable.

· Solubility

· Water: Soluble

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not applicable.

· Density and/or relative density

Relative density
 Bulk density:
 Vapour density
 Not determined.
 780 kg/m³
 Not applicable.

(Contd. on page 6)



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 5)

Revision: 30.03.2022

· 9.2 Other information

· Appearance:

· Form: Powder

 Important information on protection of health and environment, and on safety.

Auto-ignition temperature:

Product is not selfigniting.

Product does not present an explosion hazard.

· Solvent content:

· Solids content: 96.8 %

· Change in condition

· Explosive properties:

• Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

• Explosives Void
• Flammable gases Void
• Aerosols Void
• Oxidising gases Void
• Gases under pressure Void
• Flammable liquids Void

Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures

· Substances and mixtures, which emit flammable gases in contact with water

gases in contact with water Void
Oxidising liquids
Oxidising solids
Organic peroxides
Void

Organic peroxides
Corrosive to metals
Desensitised explosives

Void
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 6)

Revision: 30.03.2022

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

LD/LC50 values relevant for classification:			
69011-36-5 isotridecanolethoxylate + 12 EO			
Oral	ATE	500 mg/kg (Rat)	
15763-76-5 sodium p-cumenesulphonate			
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (Rabbit)	
69011-36-5 isotridecanolethoxylate + 8 EO			
Oral	ATE	500 mg/kg (Rat)	

- · Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

1506-02-1 1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)

List II

SECTION 12: Ecological information

· 12.1 Toxicity

1211 TOXION			
· Aquatic toxicity:			
15763-76-5 sodium p-cumenesulphonate			
LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)		
EC50/48 h (static)	>100 mg/l (Daphnia magna)		
EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)		
69011-36-5 isotridecanolethoxylate + 8 EO			
LC50/96 h	>1-10 mg/l (Leuciscus idus)		
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)		
EC50/72 h	>1-10 mg/l (Aquatic plants)		
· 12.2 Persistence and degradability			
69011-36-5 isotridecanolethoxylate + 8 EO			
Bismuth-act. sup.	≥90 % (mod. OECD 301 E)		
	- Aquatic toxicity 15763-76-5 sodius LC50/96 h (static) EC50/48 h (static) EC50/96 h (static) 69011-36-5 isotric LC50/96 h EC50/48 h EC50/72 h - 12.2 Persistence 69011-36-5 isotric		

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)



Printing date 01.04.2022 Version number 4 (replaces version 3) Revision: 30.03.2022

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 7)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- · Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void
- · 14.3 Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- · Class Void

(Contd. on page 9)

Revision: 30.03.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

		(Contd. of page 8
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Department issuing SDS: CSD-D

· Contact:

Department CSD-D Tel.: +49-7195-14-0

 $products a fety. management @\,de.kaercher.com$

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 10)



Printing date 01.04.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner, powder RM 760 Classic

(Contd. of page 9)

Revision: 30.03.2022

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (GB REACH)

PNEC: Predicted No-Effect Concentration (GB REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· * Data compared to the previous version altered.

0-011-330-0

RM 760/7·1

2.484

GB -