

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**· 1.1 Product identifier****· Trade name: Disinfectant Cleaner, liquid RM 732****· 1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· Application of the substance / the mixture

Disinfectant

High pressure cleaner

· 1.3 Details of the supplier of the safety data sheet**· Manufacturer/Supplier:****Alfred Kärcher SE & Co. KG**

Alfred-Kärcher-Str. 28-40

D - 71364 Winnenden

Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House

Brookhill Way

Banbury

Oxon OX16 3ED

Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com**· Further information obtainable from:**

Department CSD-D

Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com**· 1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification**· 2.1 Classification of the substance or mixture****· Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Acute 1 H400 Very toxic to aquatic life.

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 1)

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS09

Signal word Danger

Hazard-determining components of labelling:

N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)

Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:

CAS: 2372-82-9 EINECS: 219-145-8 Reg.nr.: 01-2119980592-29	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine) Acute Tox. 3, H301; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	≥5-<10%
--	---	---------

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 2)

CAS: 69011-36-5	isotridecanoethoxylate + 8 EO Eye Dam. 1, H318; Acute Tox. 4, H302	≥1-<3%
CAS: 79-33-4 EINECS: 201-196-2 Index number: 607-743-00-5	L-Lactic acid (2-hydroxy propionic acid) Skin Corr. 1C, H314; Eye Dam. 1, H318, EUH071	≥1-<3%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX	sodium lauryl ether sulfate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 %	≥1-<2.5%
CAS: 5538-95-4 EINECS: 226-902-6	N-Dodecylpropane-1,3-diamine Skin Corr. 1A, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302	≥0.25-<1%
CAS: 124-22-1 EINECS: 204-690-6	dodecylamine STOT RE 2, H373; Asp. Tox. 1, H304; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302	≥0.025-<0.1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, anionic surfactants	<5%
disinfectants	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Involve doctor immediately.
Immediately remove any clothing soiled by the product.

After inhalation

Take affected persons into fresh air and keep quiet.
Do not use mouth to mouth or mouth to nose resuscitation.
Use a respiratory bag or breathing device.
Call a doctor immediately.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.

After skin contact

Call a doctor immediately.
Immediately wash with water and soap and rinse thoroughly.

After eye contact

Ophthalmologic follow-up care
Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.
A person vomiting while laying on their back should be turned onto their side.
Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 3)

If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** Corneal damage
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
· **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
Nitrogen oxides (NO_x)
Hydrogen chloride (HCl)
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
· **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

GB

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 4)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with eyes and skin.

· **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles:

Ensure good ventilation of storage rooms.
Provide floor trough without outlet.
Store only in the original receptacle.

· Information about storage in one common storage facility:

Do not store together with acids.
Keep away from food, beverages and feed.

· Further information about storage conditions:

Store under lock and key and out of the reach of children.
Keep receptacle tightly sealed.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

2372-82-9 N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)

Oral	DNEL	0.2 mg/kg*d (consumer)
Dermal	DNEL	0.91 mg/kg*d (employee) 0.54 mg/kg*d (consumer)
Inhalative	DNEL	2.35 mg/m3 (employee) 0.7 mg/m3 (consumer)

· PNECs

2372-82-9 N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)

PNEC	0.001 mg/l (freshwater) 0 mg/l (marine water) 0.18 mg/l (STP)
PNEC sediment	8.5 mg/kg (freshwater) 0.13 mg/kg (marine water)

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 5)

PNEC soil	45.34 mg/kg (soil)
-----------	--------------------

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· **Hand protection**



Protective gloves.

· **Material of gloves** Butyl rubber, BR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

* butyl rubber 0,7 mm, 480 min (EN 374)

· **As protection from splashes gloves made of the following materials are suitable:**

* nitril rubber 0,4 mm, 30 min (EN 374)

· **Eyel/face protection**



Tightly sealed goggles (EN 166)

· **Body protection:**

Apron

Boots

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Odour:**

Amine-like

· **Odour threshold:**

Not determined.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 6)

· Melting point/freezing point:	undetermined
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH at 20 °C	9.9
· pH-value 1 %:	9-10
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	8 mPas
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.026 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	not applicable
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	20.2 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 7)

- | | |
|---|-----------------------------|
| · Self-heating substances and mixtures | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| · Corrosive to metals | May be corrosive to metals. |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Strong exothermic reaction with acids
Reacts with light alloys to form hydrogen
Corrodes aluminium
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

2372-82-9 N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)

Oral	LD50	261 mg/kg (Rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (Rat)

69011-36-5 isotridecanoethoxylate + 8 EO

Oral	ATE	500 mg/kg (Rat)
------	-----	-----------------

124-22-1 dodecylamine

Inhalative	LC50	1,020 mg/kg (Rat)
------------	------	-------------------

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 8)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2372-82-9 N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine (Diamine)

LC50/96 h	0.68 mg/l (F26) (OECD 203)
	0.45 mg/l (Lepomis macrochirus) (US-EPA)
EC50/48 h	0.073 mg/l (Daphnia magna) (US-EPA)
ErC50/96h	0.054 mg/l (Pseudokirchneriella subcapitata)
NOEC	0.0069 mg/l (Desmodesmus subspicatus)
	0.024 mg/l (Daphnia magna) (OECD 211, 21d)

69011-36-5 isotridecanoethoxylate + 8 EO

LC50/96 h	1-10 mg/l (Leuciscus idus)
EC50/48 h	1-10 mg/l (Aquatic invertebrates)
EC50/72 h	1-10 mg/l (Aquatic plants)

68891-38-3 sodium lauryl ether sulfate

LC50/96 h	>1-10 mg/l (Brachydanio rerio) (OECD 203)
EC50/48 h	>1-10 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	>10-100 mg/l (Algae) (OECD 201)
EC50 (static)	>10,000 mg/l (Pseudomonas putida)
NOEC (dynamic)	0.27 mg/l /(21 d) (Daphnia magna) (OECD 211)
	0.14 mg/l /(28 d) (Oncorhynchus mykiss) (OECD 204)

· 12.2 Persistence and degradability

69011-36-5 isotridecanoethoxylate + 8 EO

Bismuth-act. sup.	≥90 % (mod. OECD 301 E)
-------------------	-------------------------

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 9)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **COD-value:** 425000 mg/l

- **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Directive on liquid waste.

The product does not contain organically bounded halogens (AOX-free).

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Must be specially treated adhering to official regulations.

- **European waste catalogue**

20 01 29*	detergents containing hazardous substances
-----------	--

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA**

UN1760

(Contd. on page 11)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 10)

· 14.2 UN proper shipping name

· ADR

1760 CORROSIVE LIQUID, N.O.S. (N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine), ENVIRONMENTALLY HAZARDOUS

· IMDG

CORROSIVE LIQUID, N.O.S. (N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine), MARINE POLLUTANT

· IATA

CORROSIVE LIQUID, N.O.S. (N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine)

· 14.3 Transport hazard class(es)

· ADR



· Class

8 (C9) Corrosive substances.

· Label

8

· IMDG



· Class

8 Corrosive substances.

· Label

8

· IATA



· Class

8 Corrosive substances.

· Label

8

· 14.4 Packing group

· ADR, IMDG, IATA

III

· 14.5 Environmental hazards:

· Marine pollutant:

Product contains environmentally hazardous substances:
N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine

Yes

Symbol (fish and tree)

· Special marking (ADR):

Symbol (fish and tree)

· 14.6 Special precautions for user

· Hazard identification number (Kemler code):

Warning: Corrosive substances.

80

· EMS Number:

F-A,S-B

· Stowage Category

A

(Contd. on page 12)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 11)

· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE), 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E1** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **National regulations**
- **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
A product information sheet can be provided if requested.

(Contd. on page 13)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2022

Version number 7 (replaces version 6)

Revision: 01.12.2021

Trade name: Disinfectant Cleaner, liquid RM 732

(Contd. of page 12)

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: CSD-D**· Contact:**

Department CSD-D
Tel.: +49-7195-14-0
productsafety.management@de.kaercher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· * Data compared to the previous version altered.

0-011-688-0

RM 732/4

2-479