

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Spray extraction cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 1)

Revision: 13.01.2020

· Hazard pictograms



· Signal word Warning

· Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P102

Keep out of reach of children.

P264 P280 Wash hands thoroughly after handling. Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture of substances listed below with non-hazardous additions.

CAS: 497-19-8	sodium carbonate	20-30%
EINECS: 207-838-8	♦ Eye Irrit. 2, H319	
Index number: 011-005-00-2		
Reg.nr.: 01-2119485498-19-xxxx		
CAS: 5949-29-1	citric acid ⋅H□O	10-20%
EINECS: 201-069-1	① Eye Irrit. 2, H319	
Reg.nr.: 01-2119457026-42-0000		
CAS: 28348-53-0	sodium cumene sulfonate	1-5%
EINECS: 248-983-7	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 144-62-7	oxalic acid	≥1-<3%
EINECS: 205-634-3	Eye Dam. 1, H318; 🕔 Acute Tox. 4, H302; Acute Tox. 4, H312	
Index number: 607-006-00-8		
Reg.nr.: 01-2119534576-33-xxxx		
CAS: 9004-34-6	Cellulose	1-5%
EINECS: 232-674-9	substance with a Community workplace exposure limit	
CAS: 68439-46-3	C9-11 alcohol ethoxylate	1-5%
	① Eye Irrit. 2, H319	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

CAS: 68439-49-6	fatty alkohol ethoxylate © Eye Irrit. 2, H319	(Contd. of page 2)
· Regulation (EC) No 64	8/2004 on detergents / Labelling for contents	
non-ionic surfactants		≥5 - <15%
polycarboxylates, anionic	surfactants	<5%
perfumes		
· Additional information	For the wording of the listed hazard phrases refer to	section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

 \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

. (Contd. on page 4)



Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 3)

Revision: 13.01.2020

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

- · 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
144-6	2-7 oxalic acid		
WEL	Short-term value: 2 mg/m³		
	Long-term value: 1 mg/m ³		

9004-34-6 Cellulose

•••	· · · · · · · · · · · · · · · · · · ·
WEL	Short-term value: 20* mg/m³
	Long-term value: 10* 4** mg/m³
	*inhalable dust **respirable

· DNELs

497-19-8 sodium carbonate				
Inhalative	DNEL	10 mg/m3 (employee)		

15763-76-5 sodium p-cumenesulphonate

Oral	DNEL	3.8 mg/kg*d (consumer)
Dermal	DNEL	136.25 mg/kg*d (employee)

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

		(Contd. of page 4)
		68.1 mg/kg*d (consumer)
Inhalative	DNEL	26.9 mg/m3 (employee)
		6.6 mg/m3 (consumer)
· PNECs		
15763-76-5	15763-76-5 sodium p-cumenesulphonate	
PNEC		0.23 mg/l (freshwater)
	-	0.023 mg/l (marine water)
	İ	100 mg/l (STP)
PNEC sedi	ment	0.862 mg/kg (freshwater)
	-	0.086 mg/kg (marine water)
PNEC soil		0.037 mg/kg (soil)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles (EN 166)

- 00



Printing date 03.06.2022 Version number 4 (replaces version 3) Revision: 13.01.2020

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colouriess
Odour:
Odour threshold:

Odour threshold:Melting point/freezing point:Not determined.undetermined

 $\boldsymbol{\cdot}$ Boiling point or initial boiling point and boiling

range undetermined • Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Ignition temperature: not applicable
Decomposition temperature: Not determined.

pH
 pH-value 1 %:
 pH-value 10 %:

8.7
8.8

· Viscosity:

Kinematic viscositydynamic:Not applicable.Not applicable.

Solubility

· Water: Soluble

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not applicable.

· Density and/or relative density

Relative density
 Bulk density:
 Vapour density
 Not determined.
 850 kg/m³
 Not applicable.

· 9.2 Other information

· Appearance:

· Form: Powder

· Important information on protection of health and environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

- Solids content: 100.0 %

· Change in condition

• Evaporation rate Not applicable.

 \cdot Information with regard to physical hazard

classes

Explosives VoidFlammable gases Void

(Contd. on page 7)



Printing date 03.06.2022 Version number 4 (replaces version 3) Revision: 13.01.2020

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

		(Contd. of page 6)
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamn	nable	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Acute to	Aicity		
· LD/LC50 values relevant for classification:			
497-19-8 sodium carbonate			
Oral	LD50	2,800 mg/kg (Rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50	2,300 mg/kg (Rat)	
5949-29-1 citric acid ⋅H□O			
Oral	LD50	5,400 mg/kg (mouse) (OECD 401)	
			(Contd. on page 8

(Contd. on page 8)

List II

Revision: 13.01.2020



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

		(Co	ontd. of page 7)
15763-76-	5 sodi	ium p-cumenesulphonate	
Oral	LD50	>5,000 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>2,000 mg/kg (Rabbit)	
144-62-7 c	oxalic	acid	
Oral	LD50	1,080 mg/kg (Rat)	
Dermal	LD50	20,000 mg/kg (Rat)	
68439-46-	3 C9-1	11 alcohol ethoxylate	
Oral	LD50	>5,000 mg/kg (Rat)	
		amage/irritation Causes serious eye irritation. on other hazards	
· Endocrin	· Endocrine disrupting properties		

SECTION 12: Ecological information

· 12.1 Toxicity

118-58-1 Benzyl salicylate

_					
	· Aquatic toxicity:				
	497-19-8 sodium carbonate				
	EC50/48 h	200-227 mg/l (Ceriodaphnia dubia)			
	EC50/96 h	300 mg/l (Lepomis macrochirus)			
	5949-29-1 citric ad	cid ·H _□ O			
	LC50/96 h	440-760 mg/l (Leuciscus idus) (OECD 203)			
	LC50/24 h	1,535 mg/l (Daphnia magna)			
	LC50/168 h	425 mg/l (Scenedesmus quadricauda)			
	LC50/16 h	>10,000 mg/l (Pseudomonas putida)			
	EC50/72 h	120 mg/l (Daphnia magna)			
	15763-76-5 sodium p-cumenesulphonate				
	LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)			
	EC50/48 h (static)	>100 mg/l (Daphnia magna)			
	EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)			
	68439-46-3 C9-11 alcohol ethoxylate				
	LC50/96 h	1-10 mg/l (Oncorhynchus mykiss)			
	EC50/48 h	1-10 mg/l (Daphnia magna)			
	EC50/72 h	1-10 mg/l (Algae)			

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 9)



Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 8)

Revision: 13.01.2020

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- Uncleaned packaging:
- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void

(Contd. on page 10)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 9) · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to **IMO** instruments Not applicable. · UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Department issuing SDS: CSD-D

(Contd. on page 11)



Printing date 03.06.2022

Version number 4 (replaces version 3)

Trade name: CarpetPro Cleaner iCapsol, powder RM 760 OA

(Contd. of page 10)

Revision: 13.01.2020

· Contact:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (GB REACH)

PNEC: Predicted No-Effect Concentration (GB REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * Data compared to the previous version altered.

0.011-331.0

RM760PF/9

2.054