

**Product name :** CEPSA MOTO 2T RACING  
**Code:** 51420

**Date of issue:** 14/02/2019  
**Version:** 1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

**Name** : CEPSA MOTO 2T RACING  
**Product code** : 51420  
**Other means of identification / Product description** : Product formulated with base oils and high quality additives.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

| Specific uses               |
|-----------------------------|
| Oil two-stroke motorcycles. |

**1.3 Details of the supplier of the safety data sheet**

**Supplier/Manufacturer, Distributor or Importer** : CEPSA Comercial Petróleo, S.A.U.  
Torre CEPSA, Paseo de la Castellana 259 A  
28046 Madrid - España  
**Email** : tuteladeproducto@cepsa.com / productstewardship@cepsa.com  
**Telephone number** : +34 913 376 000  
**Hours of operation** : 07:30 - 19:30 (CET)

**1.4 Emergency telephone number****Supplier/Manufacturer, Distributor or Importer**

**Telephone number** : +44 1865 407333 (Europe, English) +44 1235 239670 (Europe, multiple languages)  
+34 91 114 2520 (Spain) +33 1 72 11 00 03 (France)  
+351 30880 4750 (Portugal) +49 69 222 25285 1 (Germany)  
+46 8 566 42573 (Sweden) +47 2103 4452 (Norway)  
+45 8988 2286 (Denmark) +358 9 7479 0199 (Finland)  
+39 02 3604 2884 (Italy) +48 22 307 3690 (Poland)  
+31 10 713 8195 (The Netherlands) +420 228 882 830 (Czechoslovakia)  
+30 21 1198 3182 (Greece) +90 212 375 5231 (Turkey)  
+1 866 928 0789, +1 215 207 0061 +1 202 464 2554 (United States and Canada)  
+52 55 5004 8763 (Mexico) +55 11 3197 5891 (Brazil) +56 2 2582 9336 (Chile)  
+44 1235 239671 (Middle East / Africa) +973 1619 8321 (Middle East / Bahrain)  
+27 21 300 2732 (Africa / South Africa) 007 803 011 0293 (East / Southeast Asia)  
+65 3158 1074 (Indonesia) 001 800 120 666 751 (Thailand)  
+65 3158 1203 (Philippines) +60 3 6207 4347 (Malaysia)  
+86 512 8090 3042 (China and Taiwan) +886 2 8793 3212 (Taiwan)  
+86 532 8388 9090 (Mainland China) +91 11 6641 1405 (India)  
+65 3158 1329 (Pakistan) +65 3158 1195 (Sri Lanka)  
+65 3158 1285 (Korea) +82 2 3479 8401 (South Korea)  
+84 8 4458 2388 (Vietnam) +81 3 4578 9341 (Japan)  
+61 2 8014 4558 (Australia) +64 9 929 1483 (New Zealand)  
**Hours of operation** : 24/7

Product name : CEPSA MOTO 2T RACING  
Code: 51420

Date of issue: 14/02/2019  
Version: 1

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Product definition : Mixture  
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] : Not classified.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.  
See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Signal word : No signal word.  
Hazard statements : No known significant effects or critical hazards.  
Precautionary statements  
General : P103 - Read label before use.  
P102 - Keep out of reach of children.  
P101 - If medical advice is needed, have product container or label at hand.  
Prevention : Not applicable.  
Response : Not applicable.  
Storage : Not applicable.  
Disposal : Not applicable.  
Supplemental label elements : EUH210 - Safety data sheet available on request.  
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.  
Special packaging requirements  
Containers to be fitted with child-resistant fastenings : Not applicable.  
Tactile warning of danger : Not applicable.

### 2.3 Other hazards

Other hazards which do not result in classification : None known.

## SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture  
Product description : Product formulated with base oils and high quality additives.

**Product name :** CEPSA MOTO 2T RACING  
**Code:** 51420

**Date of issue:** 14/02/2019  
**Version:** 1

| Product/ingredient name  | Identifiers   | %         | Regulation (EC) No. 1272/2008 [CLP] | Type |
|--|---|-----------|-------------------------------------|------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | REACH #:<br>01-2119457273-39<br>EC: 918-481-9<br>CAS: 64742-48-9                        | ≥25 - ≤50 | Asp. Tox. 1, H304<br>EUH066         | [1]  |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic              | REACH #:<br>01-2119471299-27<br>EC: 265-169-7<br>CAS: 64742-65-0<br>Index: 649-474-00-6 | ≤10       | Not classified.                     | [2]  |
| Mineral Oil  | -   | ≤3        | Asp. Tox. 1, H304                   | [1]  |

**See Section 16 for the full text of the H statements declared above.**

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

**4.2 Most important symptoms and effects, both acute and delayed**

**Over-exposure signs/symptoms**

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Product name :** CEPSA MOTO 2T RACING  
**Code:** 51420

**Date of issue:** 14/02/2019  
**Version:** 1

**Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable** : In case of fire, use water spray, foam, dry chemical or CO<sub>2</sub>.

**Not suitable** : Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

**Hazardous thermal decomposition products** : No specific data.

### 5.3 Advice for firefighters

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### 6.3 Methods and material for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Product name : **CEPSA MOTO 2T RACING**  
Code: **51420**

Date of issue: 14/02/2019  
Version: 1

**Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

**Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid release to the environment.

**Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

**Recommendations/Remarks** : **naphtha (petroleum), heavy fraction treated with hydrogen**: Recommended: Steel. For painting tanks, use zinc silicate, epoxy resins.

### 7.3 Specific end use(s)

**Recommendations** : Not available.

**Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

#### Occupational exposure limits

| Product/ingredient name                                   | Exposure limit values   |
|---|---|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | <b>ACGIH TLV (Europe).</b><br>STEL: 5 mg/m <sup>3</sup> 15 minutes. |

Product name : **CEPSA MOTO 2T RACING**  
Code: **51420**

Date of issue: 14/02/2019  
Version: 1

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### Derived effect levels

No DELs available.

#### Predicted effect concentrations

No PECs available.

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Goggles, face shield or other full-face protection should be worn if there is a risk of direct exposure to aerosols or splashes or when material is handled hot.

#### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Personnel should wear protective clothing. PVC gloves. Synthetic or rubber gloves

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Suitable protective footwear.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: In case of insufficient ventilation, wear suitable respiratory equipment.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



Product name : **CEPSA MOTO 2T RACING**  
Code: **51420**

Date of issue: 14/02/2019  
Version: 1

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Physical state                               | : Liquid.   |
| Colour                                       | : Red.  |
| Odour  | : Characteristic.   |
| Odour threshold                              | : Not available.  |
| pH   | : Not available.  |
| Melting point/freezing point                 | : -18°C   |
| Initial boiling point and boiling range      | : >316°C  |
| Flash point                                  | : Open cup: >70°C   |
| Evaporation rate                             | : Not available.  |
| Flammability (solid, gas)                    | : Not available.  |
| Burning time                                 | : Not applicable.   |
| Burning rate                                 | : Not applicable.   |
| Upper/lower flammability or explosive limits | : Not available.  |
| Vapour pressure                              | : <0,013 kPa [room temperature]   |
| Vapour density                               | : Not available.  |
| Relative density                             | : Not available.  |
| Density                                      | : 0,8686 g/cm <sup>3</sup> [15°C (59°F)]  |
| Solubility(ies)                              | : Insoluble in the following materials: cold water and hot water.   |
| Solubility in water                          | : Not available.  |
| Partition coefficient: n-octanol/ water      | : Not available.  |
| Auto-ignition temperature                    | : Not available.  |
| Decomposition temperature                    | : Not available.  |
| Viscosity                                    | : Kinematic (room temperature): 0,08893 cm <sup>2</sup> /s<br>Kinematic (40°C): 0,5495 cm <sup>2</sup> /s |
| Explosive properties                         | : Not available.  |
| Oxidising properties                         | : Not available.  |

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

**10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : No specific data.

Product name : **CEPSA MOTO 2T RACING**  
Code: **51420**

Date of issue: 14/02/2019  
Version: 1

**10.5 Incompatible materials** : No specific data.

**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**
**11.1 Information on toxicological effects**
**Acute toxicity**

| Product/ingredient name   | Result                 | Species | Dose                    | Exposure |
|---|------------------------|---------|-------------------------|----------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics<br><br>Distillates (petroleum), solvent-dewaxed heavy paraffinic | LC50 Inhalation Vapour | Rat     | 8500 mg/m <sup>3</sup>  | 4 hours  |
|   | LC50 Inhalation Vapour | Rat     | >4951 mg/m <sup>3</sup> | 4 hours  |
|   | LD50 Dermal            | Rabbit  | >3000 mg/kg             | -        |
|   | LD50 Dermal            | Rat     | >2000 mg/kg             | -        |
|   | LD50 Oral              | Rat     | >5000 mg/kg             | -        |
|   | LD Dermal              | Rabbit  | >5 g/kg                 | -        |
|   | LD Oral                | Rat     | >5 g/kg                 | -        |
|   | LD50 Dermal            | Rabbit  | >5000 mg/kg             | -        |
|   | LD50 Oral              | Rat     | >5000 mg/kg             | -        |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Acute toxicity estimates**

Not available.

**Irritation/Corrosion**

| Product/ingredient name  | Result                            | Species | Score | Exposure | Observation |
|--|-----------------------------------|---------|-------|----------|-------------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | Skin - Erythema/Eschar            | Rabbit  | 2     | -        | -           |
|  | Skin - Oedema                     | Rabbit  | 0     | -        | -           |
|  | Eyes - Oedema of the conjunctivae | Rabbit  | 0     | -        | -           |

**Conclusion/Summary:**

**Eyes** : Based on available data, the classification criteria are not met.

**Skin** : Based on available data, the classification criteria are not met.

**Respiratory** : Based on available data, the classification criteria are not met.

**Sensitisation**

| Product/ingredient name  | Route of exposure | Species    | Result          |
|--|-------------------|------------|-----------------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | skin              | Guinea pig | Not sensitizing |
|  | skin              | Man        | Not sensitizing |

**Conclusion/Summary:**

**Skin** : Based on available data, the classification criteria are not met.

**Respiratory** : Based on available data, the classification criteria are not met.

**Mutagenicity**



**Product name :** CEPSA MOTO 2T RACING  
**Code:** 51420

**Date of issue:** 14/02/2019  
**Version:** 1

| Product/ingredient name  | Test | Experiment  | Result   |
|--|------|---|----------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | -    | Experiment: In vitro<br>Subject: Bacteria         | Negative |
|  | -    | Experiment: In vitro<br>Subject: Mammalian-Animal | Negative |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Reproductive toxicity**

| Product/ingredient name  | Maternal toxicity | Fertility | Developmental toxin | Species | Dose | Exposure |
|--|-------------------|-----------|---------------------|---------|------|----------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | Negative          | Negative  | -                   | Rat     | Oral | -        |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Teratogenicity**

| Product/ingredient name  | Result                | Species | Dose | Exposure |
|--|-----------------------|---------|------|----------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | Negative - Inhalation | Rat     | -    | -        |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

| Product/ingredient name  | Result                         |
|--|--------------------------------|
| Hidrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | ASPIRATION HAZARD - Category 1 |
| Mineral Oil  | ASPIRATION HAZARD - Category 1 |

**Information on likely routes of exposure** : Not available.

**Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Product name : **CEPSA MOTO 2T RACING**  
 Code: **51420**

Date of issue: 14/02/2019  
 Version: 1

**Short term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Potential chronic health effects**

| Product/ingredient name  | Result                              | Species | Dose                     | Exposure |
|--|-------------------------------------|---------|--------------------------|----------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | Sub-chronic NOAEL Oral              | Rat     | >5000 mg/kg              | 90 days  |
|  | Sub-chronic NOAEL Inhalation Vapour | Rat     | >10400 mg/m <sup>3</sup> | 90 days  |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Other information** : Not available.

**SECTION 12: Ecological information**
**12.1 Toxicity**

| Product/ingredient name  | Result                | Species                    | Exposure |
|--|-----------------------|----------------------------|----------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | Acute EC50 >1000 mg/l | Daphnia - Daphnia magna    | 48 hours |
|  | Acute EC50 >1000 mg/l | Fish - Oncorhynchus mykiss | 96 hours |

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

**12.2 Persistence and degradability**

| Product/ingredient name  | Test | Result                     | Dose | Inoculum |
|--|------|----------------------------|------|----------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | OECD | 89,9 % - Readily - 28 days | -    | -        |

| Product/ingredient name  | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|------------------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | -                 | -          | Readily          |

**Conclusion/Summary** : Not available.

**12.3 Bioaccumulative potential**

**Product name :** CEPSA MOTO 2T RACING  
**Code:** 51420

**Date of issue:** 14/02/2019  
**Version:** 1

| Product/ingredient name  | LogP <sub>ow</sub> | BCF        | Potential |
|--|--------------------|------------|-----------|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclical, < 2% aromatics | -                  | 10 to 2500 | high      |

#### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

#### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

##### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

##### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### SECTION 14: Transport information

|  | ADR/RID        | ADN            | IMDG           | IATA           |
|--|----------------|----------------|----------------|----------------|
| <b>14.1 UN number</b>                  | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| <b>14.2 UN proper shipping name</b>    | -              | -              | -              | -              |
| <b>14.3 Transport hazard class(es)</b> | -              | -              | -              | -              |

Product name : **CEPSA MOTO 2T RACING**  
Code: **51420**

Date of issue: 14/02/2019  
Version: 1

|                            |     |     |     |     |
|----------------------------|-----|-----|-----|-----|
| 14.4 Packing group         | -   | -   | -   | -   |
| 14.5 Environmental hazards | No. | No. | No. | No. |
| Additional information     | -   | -   | -   | -   |

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not available.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1272/2008 [CLP]

International Convention for the Prevention of Pollution From Ships, MARPOL 73 in its amended form.

International Maritime Dangerous Goods (Code IMDG) according to chapter VII of the International Convention for the Safety of Life at Sea, 1974.

#### Annex XIV - List of substances subject to authorisation

##### Annex XIV

None of the components are listed.

##### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.

#### Other EU regulations

**Europe inventory** : Not determined.

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

#### Substances that may be used as drug precursors according to Regulations (EC) 273/2004 and 111/2005.

| Ingredient name | Annex | Status |
|-----------------|-------|--------|
| Not listed.     |       |        |

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Product name : CEPSA MOTO 2T RACING  
Code: 51420

Date of issue: 14/02/2019  
Version: 1

**Montreal Protocol (Annexes A, B, C, E)**

Not listed.

**Stockholm Convention on Persistent Organic Pollutants**

Not listed.

**Rotterdam Convention on Prior Informed Consent (PIC)**

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

**International lists****National inventory**

|                   |  |
|-------------------|--|
| Australia         | : Not determined.  |
| Canada            | : Not determined.  |
| China             | : Not determined.  |
| Japan             | : <b>Japan inventory (ENCS):</b> Not determined.<br><b>Japan inventory (ISHL):</b> Not determined. |
| Malaysia          | : Not determined.  |
| New Zealand       | : Not determined.  |
| Philippines       | : Not determined.  |
| Republic of Korea | : Not determined.  |
| Taiwan            | : Not determined.  |
| Turkey            | : Not determined.  |
| United States     | : Not determined.  |

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments are still required.

**SECTION 16: Other information**

✔ Mark: Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
DNEL = Derived No Effect Level  
EUH statement = CLP-specific Hazard statement  
PNEC = Predicted No Effect Concentration  
RRN = REACH Registration Number

**Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

| Classification  | Justification |
|-----------------|---------------|
| Not classified. |               |

**Full text of abbreviated H statements**

|      |   |
|------|---|
| H304 | May be fatal if swallowed and enters airways. |
|------|---|

**Full text of classifications [CLP/GHS]**

|                             |  |
|-----------------------------|--|
| Asp. Tox. 1, H304<br>EUH066 | ASPIRATION HAZARD - Category 1<br>EUH066 - Repeated exposure may cause skin dryness or cracking. |
|-----------------------------|--|

**Date of printing** : 14/02/2019

**Date of issue/ Date of revision** : 14/02/2019

---

**Product name :** CEPSA MOTO 2T RACING  
**Code:** 51420

**Date of issue:** 14/02/2019  
**Version:** 1

---

**Version** : 1  
**Date of previous issue** : No previous validation

**Notice to reader:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.