

## SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758 DYNATRANS LS 80W-90

**SDS no.** 38188

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**1.1 Product identifier** 

Product name

: PYNATRANS LS 80W-90

- Product code Product description Product type Other means of identification
- : 38188
- : Not available.
- : Liquid.
- : Not available.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

Not applicable.

# Uses advised against Not applicable.

Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

TotalEnergies Lubrifiants 562 Avenue du Parc de L'ile 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71 rm.msds-lubs@totalenergies.com

TotalEnergies Marketing UK Limited 10 Upper Bank Street (19th floor) Canary Wharf, London E14 5BF UNITED KINGDOM Tel: +44 (0)20 7339 8000 Fax: +44 (0)20 7339 8033 rm.gb-msds@totalenergies.com

H.S.E

### 1.4 Emergency telephone number

### National advisory body/Poison Centre

Telephone number <u>Supplier</u>	: National Poisons Information Service (NPIS): 111	
Telephone number	: Emergency telephone: +44 1235 239670	
Hours of operation	: Edit the content of sentence <gb -="" hours="" number="" of="" operation="" supplier="" telephone=""> to define this output</gb>	
Information limitations	: Edit the content of sentence <gb -="" information<br="" number="" supplier="" telephone="">limitations&gt; to define this output</gb>	n



SDS no. 38188 :

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Product definition** 

### : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements		
Signal word	:	No signal word.
Hazard statements	1	₩412 - Harmful to aquatic life with long lasting effects.
Precautionary statements		
Prevention	:	₽273 - Avoid release to the environment.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	₱501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Contains Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl and Reaction product of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and phenol,heptyl derivs May produce an allergic reaction.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
2.3 Other hazards		
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII		This mixture does not contain any substances that are assessed to be a PBT or a vPvB in a concentration >= 0,1 %. This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.
Other hazards which do not result in classification	:	Hazard of slipping on spilt product.
SECTION 3. Compos	iti	ion/information on ingredients

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures** 

: Mixture



SDS no. : 38188

Product/ingredient name	Identifiers	%	Classification	Туре
Distillates (petroleum), hydrotreated heavy paraffinic	REACH #: 01-2119484627-25 EC: 265-157-1 CAS: 64742-54-7 Index: 649-467-00-8	≤3	Asp. Tox. 1, H304	[1]
Reaction products of 4-methyl- 2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	REACH #: 01-2119493620-38 EC: 931-384-6	≤3	Acute Tox. 4, H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 2, H411	[1]
Reaction products of alcohols, c14-18, c18 unsat, esterified with phosphorus pentoxide and with amines, c12-14, tert-alkyl	REACH #: 01-2119978530-33 EC: 939-591-3 CAS: 1471315-74-8	≤3	Aquatic Chronic 3, H412	[1]
C16-18-(even numbered, saturated and unsaturated)- alkylamines	REACH #: 01-2119473797-19 EC: 627-034-4 CAS: 1213789-63-9	<1	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	[1]
Reaction product of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and phenol,heptyl derivs.	REACH #: 01-2119971727-23 EC: 939-460-0	≤0.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	[1]
			See Section 16 for the full text of the H statements declared above.	

Additional information

: Mineral oil of petroleum origin Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.



SDS no. : 38188

## **SECTION 4: First aid measures**

4.1 Description of first aid r	neasures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: ₩ash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	<ul> <li>Respective data:</li> <li>Reverse symptoms may include the following: irritation dryness cracking</li> </ul>
Ingestion	: No specific data.
4.3 Indication of any imm	ediate medical attention and special treatment needed
Notes to physician	<ul> <li>Freat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:
Unsuitable extinguishing media	: ₱o not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the	: <b>I</b> a fire or if heated, a pressure increase will occur and the container may burst.	
substance or mixture	This material is harmful to aquatic life with long lasting effects. Fire water	
	contaminated with this material must be contained and prevented from being	
	discharged to any waterway, sewer or drain.	



SDS no.

38188

Hazardous combustion products	carbon monoxide carbon dioxide nitrogen oxides phosphorus oxides sulfur oxides Hydrogen sulfide Mercaptans	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Fromptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.	f
Special protective equipment for fire-fighters	Fre-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, pro-	ective equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: For specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	• Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and material for	containment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.



SDS no.

38188

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Fut on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

#### 7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

No exposure limit value known.

# Reportable hazardous constituent(s) contained in UVCB- and/or multi-constituent substance(s) complying with the classification criteria and/or with an exposure limit (OEL)

No exposure limit value known.

Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Advisory OEL	: Mineral oil mist: USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH (TLV) TWA 5 mg/m3 (highly refined)
DNELs/DMELs	



SECTION 8: Exposure controls/personal protection

# **DYNATRANS LS 80W-90**

SDS no. : 38188

Product/substance	Туре	Exposure	Value	Population	Effects
Sistillates (petroleum), hydrotreated heavy paraffinic	DNEL	Long term Inhalation	5.58 mg/m <sup>3</sup>	Workers	Local
	DNEL	Long term Oral	0.74 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.97 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2.73 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Oral	0.74 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Dermal	0.97 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	1.19 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	2.73 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	5.58 mg/m³	Workers	Local
Reaction products of 4-methyl- 2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines,	DNEL	Long term Dermal	12.5 mg/kg	Workers	Systemic
C12-14- tert-alkyl	DNEL	Long term Inhalation	4.28 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	6.25 mg/kg	General population	Systemic
	DNEL	Long term Inhalation	1.09 mg/m³	General population	Systemic
	DNEL	Long term Oral	0.25 mg/ day	General population	Systemic
	DNEL	Long term Dermal	0.16 mg/ cm <sup>2</sup>	Workers	Local
Reaction products of alcohols, c14-18, c18 unsat, esterified with phosphorus pentoxide and with amines, c12-14, tert-alkyl	DNEL	Long term Inhalation	1.76 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	2.5 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0.434 mg/ m³	General population	Systemic
	DNEL	Long term Dermal	1.25 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Oral	0.25 mg/ kg bw/day	General population	Systemic
C16-18-(even numbered, saturated and unsaturated)-alkylamines	DNEL	Long term Oral	40 µg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	0.38 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	1 mg/m³	Workers	Local
	DNEL	Short term Inhalation	1 mg/m³	Workers	Local
	DNEL	Long term	0.035 mg/	General	Systemic



SDS no. : 38188

		Inhalation	m³	population	
	DNEL	Long term Dermal	0.09 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	0.06 %	Workers	Local
	DNEL	Long term Inhalation	0.035 mg/ m³	General population	Systemic
	DNEL	Short term Inhalation	1 mg/m³	Workers	Local
	DNEL	Long term Inhalation	1 mg/m³	Workers	Local
Reaction product of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and phenol,heptyl derivs.	DNEL	Long term Inhalation	2.35 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	66.7 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	0.58 mg/m <sup>3</sup>	General population	Systemic
	DNEL	Long term Dermal	33.33 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Oral	0.33 mg/ kg bw/day	General population	Systemic

#### PNECs

Product/substance	Compartment Detail	Value	Method Detail
Sistillates (petroleum), hydrotreated heavy paraffinic	Secondary Poisoning	9.33 mg/kg	-
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- rert-alkyl	Fresh water	2.4 µg/l	-
,	Marine water	240 ng/l	-
	Fresh water sediment	12.9 µg/kg dwt	-
	Marine water sediment	1.29 µg/kg dwt	-
	Soil	1.17 µg/kg dwt	-
	Sewage Treatment Plant	24.33 mg/l	-
	Secondary Poisoning	10 mg/kg	-
Reaction products of alcohols, c14-18, c18 unsat, esterified with phosphorus pentoxide and with amines, c12-14, tert-alkyl	Fresh water	0.0024 mg/l	-
	Marine water	0.00024 mg/l	-
	Fresh water sediment	1085.06 mg/kg dwt	-
	Marine water sediment	108.51 mg/kg dwt	-
	Soil	880.82 mg/kg dwt	-
	Sewage Treatment Plant	32 mg/l	-
C16-18-(even numbered, saturated and unsaturated)-alkylamines	Marine water	0.000026 mg/l	-
, <u>-</u>	Fresh water sediment	3.76 mg/kg dwt	-
	Marine water sediment	0.376 mg/kg dwt	-
	Soil	10 mg/kg	-
	Sewage Treatment Plant	0.55 mg/l	-



# **DYNATRANS LS 80W-90**

SDS no. : 38188

Reaction product of 1,3,4-thiadiazolidine-	Fresh water	0.026 mg/l	_
2,5-dithione,formaldehyde and phenol,heptyl		0.020 mg/l	
derivs.			
	Marine water	0.0026 mg/l	-
	Fresh water sediment	1108.6 mg/kg dwt	-
	Marine water sediment	110.86 mg/kg dwt	-
	Soil	221.48 mg/kg dwt	
	Sewage Treatment	45.5 mg/l	-
	Plant	Ŭ	

8.2 Exposure controls		
Appropriate engineering controls	:	Sood general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.EN 166
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
		Hydrocarbon-proof gloves
		nitrile rubber Fluorinated rubber
		Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. In case of prolonged contact with the product, it is recommended to wear gloves complying with ISO 21420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Repropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



SDS no. : 38188

## **SECTION 8: Exposure controls/personal protection**

Respiratory protection	:	Ensure adequate ventilation and check that a safe, breathable atmosphere is present before entry into confined spaces In case of inadequate ventilation wear respiratory protection: Type A/P1 Warning ! filters have a limited use duration The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature (20°C / 68°F) and pressure (1013 hPa) unless otherwise indicated

#### 9.1 Information on basic physical and chemical properties

o. I information on basic physica							
<u>Appearance</u>							
Physical state	:	Liquid.					
Colour	:	Brown.					
Odour	:	Characteristic.					
Odour threshold	:	Not available.					
Melting point/freezing point	:	Fechnically not possible to measure					
Initial boiling point and boiling range	:	▶300°C (>572°F) [ISO 3405]					
Flammability (solid, gas)	:	Not applicable.					
Upper/lower flammability or explosive limits	:	∠ower: 0.9% Upper: 7%					
Flash point	:	Øpen cup: 222°C (431.6°F) [ISO 2592]					
Auto-ignition temperature	:	▶250°C (>482°F) [ASTM E 659]					
Decomposition temperature	:	Not applicable.					
рН	1	Not applicable.					
pH Viscosity	1	Not applicable. Product is non-soluble (in water). Kinematic (40°C): 1.43 cm²/s [ASTM D 445]					
	1						
Viscosity	:						
Viscosity Solubility(ies)	:	Kinematic (40°C): 1.43 cm²/s [ASTM D 445]					
Viscosity Solubility(ies) Media	:	Kinematic (40°C): 1.43 cm²/s [ASTM D 445]					
Viscosity Solubility(ies) Media water		Kinematic (40°C): 1.43 cm²/s [ASTM D 445]           Result           Not soluble					
Viscosity Solubility(ies) Media Water Solubility in water	:	Kinematic (40°C): 1.43 cm²/s [ASTM D 445]          Result         Not soluble         Not available.         No.					
Viscosity Solubility(ies) Media Water Solubility in water Miscible with water Partition coefficient: n-octanol/	:	Kinematic (40°C): 1.43 cm²/s [ASTM D 445]          Result         Not soluble         Not available.         No.					
Viscosity Solubility(ies) Media Water Solubility in water Miscible with water Partition coefficient: n-octanol/ water		Kinematic (40°C): 1.43 cm²/s [ASTM D 445]     Result   Not soluble   Not available.   No.   Not applicable.   Ø.013 kPa (<0.1 mm Hg) [room temperature]   Not applicable. [50°C (122°F)]   Ø.901 [ISO 12185]					
Viscosity Solubility(ies) Media Water Solubility in water Miscible with water Partition coefficient: n-octanol/ water Vapour pressure Relative density Density		Kinematic (40°C): 1.43 cm²/s [ASTM D 445]     Result   Not soluble   Not available.   No.   Not applicable.     © 0.013 kPa (<0.1 mm Hg) [room temperature]   Not applicable. [50°C (122°F)]   Ø.901 [ISO 12185]   Ø.901 g/cm³ [15°C (59°F)] [ISO 12185]					
Viscosity Solubility(ies) Media Water Solubility in water Miscible with water Partition coefficient: n-octanol/ water Vapour pressure Relative density Density Vapour density		Kinematic (40°C): 1.43 cm²/s [ASTM D 445]     Result   Not soluble   Not available.   No.   Not applicable.   Ø.013 kPa (<0.1 mm Hg) [room temperature]   Not applicable. [50°C (122°F)]   Ø.901 [ISO 12185]					
Viscosity Solubility(ies) Media Water Solubility in water Miscible with water Partition coefficient: n-octanol/ water Vapour pressure Relative density Density		Kinematic (40°C): 1.43 cm²/s [ASTM D 445]         Result         Not soluble         Not available.         No.         Not applicable.         Ø.013 kPa (<0.1 mm Hg) [room temperature]         Not applicable. [50°C (122°F)]         Ø.901 [ISO 12185]         Ø.901 g/cm³ [15°C (59°F)] [ISO 12185]					

#### 9.2 Other information



## SECTION 10: Stability and reactivity

10.1 Reactivity	:	$\mathbf{M}$ o specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	:	Moder normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Reep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	Farbon monoxidecarbon dioxidenitrogen oxidesphosphorus oxidessulfur oxidesHydrogen sulfideMercaptans

## **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	Result	Species	Dose	Exposure	Test
Distillates (petroleum), hydrotreated heavy paraffinic	LC50 Inhalation Dusts and mists	Rat - Male, Female	>5 mg/l	4 hours	OECD 403 Read across
	LD50 Dermal	Rabbit - Male, Female	>5000 mg/kg	-	OECD 402 Read across
	LD50 Oral	Rat - Male, Female	>5000 mg/kg	-	OECD 401 Read across
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	LC50 Inhalation Dusts and mists	Rat	5.1 mg/l	4 hours	-
	LC50 Inhalation Vapour	Rat	80.4 mg/l	1 hours	-
	LC50 Inhalation Vapour	Rat Rabbit	20.1 mg/l 2201 mg/kg	4 hours -	-
	LD50 Oral	Rat	2000 mg/kg	-	OECD 401
Reaction products of alcohols, c14-18, c18 unsat, esterified with phosphorus pentoxide and with amines, c12-14, tert-alkyl	LD50 Dermal	Rabbit	>2000 mg/kg	-	OECD 402
	LD50 Oral	Rat - Female	>2000 mg/kg	-	OECD 420
C16-18-(even numbered, saturated and unsaturated)- alkylamines	LC50 Inhalation Dusts and mists	Rat - Male	>0.099 mg/l	1 hours	OECD
	LD50 Dermal	Rabbit -	>2000 mg/kg	-	OECD 402



SDS no.

:

38188

#### **SECTION 11: Toxicological information** Male, Female LD50 Oral 1689 mg/kg **OECD 401** Rat - Male, Female Reaction product of LD50 Dermal Rat >2000 mg/kg **OECD 402** 1,3,4-thiadiazolidine-2,5-dithione,formaldehyde and phenol, heptyl derivs. LD50 Oral Rat >2000 mg/kg

### **Conclusion/Summary**

: Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

Product/substance	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
YNATRANS LS 80W-90 Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by	123076.9 2000	N/A 2201	N/A N/A	N/A 20.1	N/A 5.1
amines, C12-14- tert-alkyl C16-18-(even numbered, saturated and unsaturated)-alkylamines	1689	N/A	N/A	N/A	N/A

#### Irritation/Corrosion

Product/substance	Result	Species	Score	Exposure	Test
✓16-18-(even numbered, saturated and unsaturated)- alkylamines	Eyes - Severe irritant	Rabbit	-	-	OECD 405
	Skin - Visible necrosis	Rabbit	-	-	OECD 404

#### Conclusion/Summary

: Based on available data, the classification criteria are not met.

: Based on available data, the classification criteria are not met. **Eyes** 

## Respiratory

Skin

: Based on available data, the classification criteria are not met.

### **Sensitisation**

Product/substance	Route of exposure	Species	Result
☑16-18-(even numbered, saturated and unsaturated)- alkylamines	skin	Guinea pig	Not sensitizing
Conclusion/Summary	:		
Skin		ble data, the classification criteri allergic reaction.	a are not met. Contains sensitizer.

## Respiratory

: Based on available data, the classification criteria are not met.

### **Mutagenicity**

Product/substance	Test	Experiment	Result
16-18-(even numbered, saturated and unsaturated)- alkylamines	OECD 471	Experiment: In vitro Subject: Bacteria	Negative

**Conclusion/Summary** : Based on available data, the classification criteria are not met.



SDS no. : 38188

## **SECTION 11: Toxicological information**

#### **Carcinogenicity**

Conclusion/Summary

: Based on available data, the classification criteria are not met.

**Reproductive toxicity** 

Product/substance	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
✓16-18-(even numbered, saturated and unsaturated)- alkylamines	Negative	Negative	Negative	Rat - Male, Female	Oral	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### **Teratogenicity**

Product/substance	Result	Species	Dose	Exposure
16-18-(even numbered, saturated and unsaturated)- alkylamines	Negative - Oral	Rabbit - Male, Female	>30 mg/kg NOAEL	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

Product/substance	Category	Route of exposure	Target organs
C16-18-(even numbered, saturated and unsaturated)- alkylamines	Category 3	-	Respiratory tract irritation

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure)

Product/substance	Category	Route of exposure	Target organs
16-18-(even numbered, saturated and unsaturated)- alkylamines	Category 2	-	-

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

#### Aspiration hazard

Product/substance	Result
♥istillates (petroleum), hydrotreated heavy paraffinic	ASPIRATION HAZARD - Category 1
C16-18-(even numbered, saturated and unsaturated)-alkylamines	ASPIRATION HAZARD - Category 1

**Conclusion/Summary** : Based on available data, the classification criteria are not met.

Information on likely routes : Not available. of exposure

Potential acute nearth effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.
Ingestion	: No known significant effects or critical hazards.

## Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.



SDS no. 38188

### **SECTION 11: Toxicological information**

Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation dryness cracking
Ingestion	: 📈 specific data.

Delayed and immediate effect	ts as well as chronic effects from short and long-term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.

Potential delayed effects : Not available.

#### Potential chronic health effects

Product/substance	Result	Species	Dose	Exposure	
16-18-(even numbered, saturated and unsaturated)- alkylamines	Sub-acute LOAEL Dermal	Rat - Male, Female	12.5 mg/kg	-	
	Sub-acute NOAEL Oral	Rat - Male, Female	3.25 mg/kg	-	
Conclusion/Summary	: Not available.				
General	: No known significant effects or critical hazards.				
Carcinogenicity	No known significant effects or critical hazards.				

hicity: No known significant effects or critical hazards.ity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.Reproductive toxicity: No known significant effects or critical hazards.

#### **11.2 Information on other hazards**

#### **11.2.1 Endocrine disrupting properties**

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

#### **11.2.2 Other information**

## **SECTION 12: Ecological information**

✓armful to aquatic life with long lasting effects. Expert judgment

#### 12.1 Toxicity



SDS no. : 38188

## **SECTION 12: Ecological information**

Product/substance	Result	Species	Exposure	Test
Distillates (petroleum), hydrotreated heavy paraffinic	Acute EC50 >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	OECD 201
	Acute EC50 >10000 mg/l	Crustaceans - Daphnia magna	48 hours	OECD 202
	Chronic NOEL >100 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours	OECD 201
	Chronic NOEL >1000 mg/l	Crustaceans - Daphnia magna	21 days	-
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines,	Acute EC50 6.4 mg/l	Algae - Pseudokirchneriella subcapitata	96 hours	OECD 201
C12-14- tert-alkyl	Acute EL50 91.4 mg/l	Crustaceans - Daphina Magna	48 hours	OECD 202
	Acute LL50 24 mg/l	Fish - Oncorhynchus mykiss	96 hours	OECD 203
	Chronic NOEC 1.7 mg/l	Algae - Pseudokirchneriella subcapitata	96 hours	OECD 201
	Chronic NOEL 0.12 mg/l	Crustaceans - Daphina Magna	21 days	OECD 211
Reaction products of alcohols, c14-18, c18 unsat, esterified with phosphorus pentoxide and with amines, c12-14, tert-alkyl	Acute EC50 2.4 mg/l	Algae - Pseudokirchnerella subcapitata	72 hours	OECD 201
	Acute EC50 91 mg/l Chronic NOEL 1 mg/l	Daphnia - Daphnia Magna Algae - Pseudokirchnerella subcapitata	48 hours 21 days	OECD 202 OECD 201
C16-18-(even numbered, saturated and unsaturated)- alkylamines	Acute EL50 0.04 mg/l	Algae - Selenastrum capricornutum	72 hours	-
	Acute EL50 0.011 mg/l Acute EL50 222.5 mg/l Acute LL50 0.06 mg/l	Daphnia - Daphnia magna Micro-organism Fish - Pimephales	48 hours 3 hours 96 hours	- - -
Reaction product of 1,3,4-thiadiazolidine- 2,5-dithione,formaldehyde and phenol,heptyl derivs.	Chronic NOEL 0.013 mg/l Acute EC50 25 mg/l	promelas Daphnia - Daphnia magna Algae - Pseudokirchnerella subcapitata	21 days 72 hours	-
· , , , ,	Acute EC50 75 mg/l Acute LC50 26 mg/l Chronic NOEC 0.12 mg/l	Daphnia - Daphnia magna Fish Daphnia - Daphnia magna	96 hours	- - -

**Conclusion/Summary** 

: Not available.

### 12.2 Persistence and degradability



SDS no. : 38188

## **SECTION 12: Ecological information**

Product/substance	Test	Result	Dose	Inoculum
Sistillates (petroleum), hydrotreated heavy paraffinic	OECD 301F	31 % - Not readily - 28 days	-	Activated sludge
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl	STDMETH, ASTM and USEPA	3 % - Not readily - 28 days	-	Activated sludge
C16-18-(even numbered, saturated and unsaturated)- alkylamines	OECD 301B Ready Biodegradability - CO2 Evolution Test	66 % - Readily - 20 days	-	-

Conclusion/Summary	: Not available.
--------------------	------------------

Product/substance	Aquatic half-life	Photolysis	Biodegradability
☑istillates (petroleum),	-	-	Not readily
hydrotreated heavy paraffinic			
Reaction products of	-	-	Not readily
4-methyl-2-pentanol and			
diphosphorus pentasulfide,			
propoxylated, esterified with			
diphosphorus pentaoxide,			
and salted by amines,			
C12-14- tert-alkyl			
Reaction products of	-	-	Not readily
alcohols, c14-18, c18 unsat,			
esterified with phosphorus			
pentoxide and with amines,			
c12-14, tert-alkyl			
C16-18-(even numbered,	-	-	Readily
saturated and unsaturated)-			
alkylamines			

#### 12.3 Bioaccumulative potential

Product/substance	LogPow	BCF	Potential
♥istillates (petroleum), hydrotreated heavy paraffinic	>4	-	high
Reaction products of 4-methyl-2-pentanol and diphosphorus pentasulfide, propoxylated, esterified with	0.3 to 7.1	-	low
diphosphorus pentaoxide, and salted by amines, C12-14- tert-alkyl Reaction products of alcohols, c14-18, c18 unsat,	5.7	8	low
esterified with phosphorus pentoxide and with amines, c12-14, tert-alkyl			



SDS no.	38188	
•		

## **SECTION 12: Ecological information**

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
Mobility in soil	: Given its physical and chemical characteristics, the product generally shows low soil mobility The product is insoluble and floats on water. Loss by evaporation is limited

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

This product does not contain any substance present at a concentration equal to or greater than 0.1% by mass, included in the list drawn up in accordance with article 59, paragraph 1 of the REACh Regulation, due to its endocrine disrupting properties, or a substance known to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation 2018/605.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: 🔀es.
	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used The following Waste Codes are only suggestions: 13 02 05*
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.



SDS no. :

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ICAO/IATA
14.1 UN number or ID number	Not regulated.	9006	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C16-18-(even numbered, saturated and unsaturated)- alkylamines)	-	-
14.3 Transport hazard class(es)	-	9	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	Yes.	No.	No.

#### **Additional information**

: The product is only regulated as a dangerous good when transported in tank vessels.

**14.6 Special precautions for user**: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Maritime transport in** : Not available. bulk according to IMO instruments

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### UK (GB) /REACH

Annex XIV - List of substances subject to authorisation

#### <u>Annex XIV</u>

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

#### **Ozone depleting substances**

Not listed.

#### **Prior Informed Consent (PIC)**

Not listed.

ADN



SDS no. 38188

### **SECTION 15: Regulatory information**

#### Persistent Organic Pollutants Not listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### Seveso Directive

This product is not controlled under the Seveso Directive.

#### **EU regulations**

Industrial emissions<br/>(integrated pollution<br/>prevention and control) -<br/>Air: Not listedIndustrial emissions<br/>(integrated pollution<br/>prevention and control) -: Not listed

Water

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

**Montreal Protocol** 

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

#### **Inventory list**

Australia inventory (AIIC) Canada inventory China inventory (IECSC) Europe inventory Japan inventory

New Zealand Inventory of Chemicals (NZIoC) Philippines inventory (PICCS) Korea inventory (KECI) Taiwan Chemical Substances Inventory (TCSI) Thailand inventory

- : All components are listed or exempted.
- : Japan inventory (CSCL): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted.
- : All components are listed or exempted.
- : All components are listed or exempted.
- : 🕅 components are listed or exempted.
- : All components are listed or exempted.
- : Not determined.



SDS no. :

38188

## **SECTION 15: Regulatory information**

### **Turkey inventory**

: Not determined.

United States inventory (TSCA 8b)

: All components are listed or exempted.

Vietnam inventory

: Not determined.

The information stated in this section relates solely to the conformity of the chemical product with the countries Inventories. The information used to confirm the inventory status of this product may be based on additional data to the chemical composition shown in Section 3. Other regulations may apply for importation or marketing authorizations.

15.2 Chemical safety	: This product contains substances for which Chemical Safety Assessments are still
assessment	required.

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative PNEC = Predicted No Effect Concentration LC50 = Median lethal concentration LD50 = Median lethal dose OEL = Occupational Exposure Limit VOC = Volatile Organic Compound UVCB Substance of unknown or Variable composition, Complex reaction products or Biological material NOEC No Observed Effect Concentration</li> </ul>
	NOEC No Observed Effect Concentration QSAR = Quantitative Structure–Activity Relationship

#### Procedure used to derive the classification

Classification	Justification
Aquatic Chronic 3, H412	Expert judgment

#### Full text of abbreviated H statements

<b>⊮</b> 302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Full text of classifications



SDS no. : 38188

### **SECTION 16: Other information**

Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 2	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Skin Corr. 1B	SKIN CORROSION/IRRITATION - Category 1B
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
Skin Sens. 1B	SKIN SENSITISATION - Category 1B
STOT RE 2	SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
Date of printing	: 2022/09/29
Date of issue/ Date of	: 2022/09/29
revision	
Date of previous issue	e : 2022/01/06
Version	: 2
Notice to reader	

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.