



# SAFETY DATA SHEET

**Gulf ATF DX III H**

04114/2EU

Issuing Date 05-17-2022

Revision Date 05-17-2022

Version 1.1

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Name** Gulf ATF DX III H  
**Product Code(s)** 04114/2EU

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Automatic transmission fluids

**Uses advised against** Any other purpose.

### 1.3. Details of the supplier of the safety data sheet

**Supplier** Gulf Oil Supply Company Limited  
B2 Industry Street, Qormi, QRM 3000, Malta  
Tel: +44 207 321 6219  
E-mail: products@gulfoilltd.com, sds@gulfoilltd.com

### 1.4. Emergency telephone number

Europe: (+) 44 808 189 0979 (Code 334276)  
(+) 1 760 476 3961 (Code 334276 )  
(+) 32 (0) 3241 33 55

**Poison Information Center telephone number** (IE) +353 (0)1 809 2166 (08:00 - 22:00), (IS) +354 543 2222

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Chronic aquatic toxicity</b>	Category 3 - (H412)
---------------------------------	---------------------

### 2.2. Label elements

**Signal word**  
None

**Hazard statements**  
H412 - Harmful to aquatic life with long lasting effects

**Precautionary statements**  
P273 - Avoid release to the environment  
P501 - Dispose of contents/ container to an approved waste disposal plant

**2.3. Other hazards**

No information available

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures**

This product is a mixture. Health hazard information is based on its ingredients

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	-	-	25% - 50%	Asp. Tox. 1 (H304) (EUH066)	-
Highly refined base oil (Viscosity >20.5 cSt @40°C)	-	-	25% - 50%	**	-
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	-	-	10% - 25%	Asp. Tox. 1 (H304) (EUH066)	-
Short-, medium- and long-chain alkyl methacrylates and short-chain alkyl methacrylamide copolymer	-	ACC-QT664993-91	2.5% - 10%	Eye Irrit. 2 (H319)	****
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	620-540-6	1218787-32-6	0% - 1%	Acute Tox. 4 (H302) Skin Corr. 1C (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) M-Factor: Acute 10, Chronic 1	01-2119510877-33-xxxx
3-((C9-11-iso,C10-rich)alkoxy)propan-1-amine	939-485-7	NOT AVAILABLE	0% - 1%	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Chronic 1 (H400) Aquatic Chronic 1 (H410) M-Factor: Acute 100, Chronic 1	01-2119974116-35-xxxx

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346. See Section 15 for additional information on base oils. The highly refined base oil may be described by one or more of the following generic CAS identifiers: 64742-54-7, 64742-65-0, 64742-52-5, 64742-53-6, 64742-62-7, 64742-57-0, 64742-01-4, 64741-88-4, 64741-96-4, 64741-97-5, 64742-55-8, 64742-56-9, 64741-89-5, 8042-47-5.

\*\* Substances for which there are Community workplace exposure limits



## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Remove all sources of ignition. Ensure adequate ventilation. Extremely slippery when spilled.
<b>For emergency responders</b>	Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Should not be released into the environment.

### 6.3. Methods and material for containment and cleaning up

<b>Methods for containment</b>	Dike to collect large liquid spills.
<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in appropriate containers for disposal.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

<b>Advice on safe handling</b>	Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice.
<b>General hygiene considerations</b>	When using do not eat, drink or smoke. Take off contaminated clothing and wash before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep container tightly closed in a dry and well-ventilated place. Keep cool. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition.
<b>Materials to Avoid</b>	Oxidizing agent

### 7.3. Specific end use(s)

Automatic transmission fluids

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

*Legend*

(s) - Skin; TWA - Time-Weighted Average; STEL - Short Term Exposure Limit; Ceiling - Ceiling Value; TLV® - Threshold Limit Value; PEL (Permissible Exposure Limit)

Chemical name	European Union	United Kingdom	France	Spain
Highly refined, low viscosity				VLA-EC: 10 mg/m <sup>3</sup>

mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)				VLA-ED: 5 mg/m <sup>3</sup>
Highly refined base oil (Viscosity >20.5 cSt @40°C)				VLA-EC: 10 mg/m <sup>3</sup> VLA-ED: 5 mg/m <sup>3</sup>
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)				VLA-EC: 10 mg/m <sup>3</sup> VLA-ED: 5 mg/m <sup>3</sup>

Spain Límites de Exposición Profesional Para Agentes Químicos en España (Ley 31/1995).

Chemical name	Germany	Italy	Portugal	Netherlands
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Highly refined base oil (Viscosity >20.5 cSt @40°C)		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)		TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

Italy Istituto Superiore per la Prevenzione e la Sicurezza del Lavoro (ISPESL), Allegato XXXVIII e Allegato XLIII - Valori Limite di Esposizione Professionale.

Portugal Valores-limite e índices biológicos de exposição profissional a agentes químicos. Quadro 1 - Valores Limite de Exposição (Norma Portuguesa NP 1796:2014).

Netherlands Grenswaarden gezondheidsschadelijke stoffen; Arbeidsomstandighedenregeling.

Chemical name	Austria	Switzerland	Poland	Ireland
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			TWA: 5 mg/m <sup>3</sup> frakcja wdychalna	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (Mist)
Highly refined base oil (Viscosity >20.5 cSt @40°C)			TWA: 5 mg/m <sup>3</sup> frakcja wdychalna	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (Mist)
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)			TWA: 5 mg/m <sup>3</sup> frakcja wdychalna	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (Mist)

Poland Rozporządzenie Ministra Pracy i Polityki Społecznej z dnia 6 czerwca 2014 w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy (Dz.U. 2016 Nr. 944).

Ireland 2016 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001.

Chemical name	Finland	Denmark	Norway	Sweden
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	TWA: 5mg/m <sup>3</sup> (Öljysumu)	TWA: 1 mg/m <sup>3</sup> (Olietåge)	TWA: 1 mg/m <sup>3</sup> (Oljetåke)	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup> (Oljedimma)
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5mg/m <sup>3</sup> (Öljysumu)	TWA: 1 mg/m <sup>3</sup> (Olietåge)	TWA: 1 mg/m <sup>3</sup> (Oljetåke)	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup> (Oljedimma)
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	TWA: 5mg/m <sup>3</sup> (Öljysumu)	TWA: 1 mg/m <sup>3</sup> (Olietåge)	TWA: 1 mg/m <sup>3</sup> (Oljetåke)	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup> (Oljedimma)

Finland Förordningen om koncentrationer som befunnits skadliga, 268/2014 - HTP-arvot 2014.

Denmark Bekendtgørelse om grænseværdier for stoffer og materialer. Arbejdstilsynets bekendtgørelse nr. 507 Bilag 2 Afsnit A.

Norway Forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (Forskrift om tiltaks- og grenseverdier), FOR-2011-12-06-1358, FOR-2016-06-21-760, FOR-2016-12-22-1860.

Sweden Arbetsmiljöverkets föreskrifter om hygieniska gränsvärden och allmänna råd om tillämpningen av föreskrifterna.

Chemical name	Czech Republic	Hungary	Bulgaria	Romania
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	TWA: 5 mg/m <sup>3</sup> Ceiling: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5 mg/m <sup>3</sup> Ceiling: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	TWA: 5 mg/m <sup>3</sup> Ceiling: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>

Czech Republic Narizeni vlady 93/2012, kterym se meni narizeni vlady c.361/2007 Sb., kterym se stanoví podmínky ochrany zdraví při práci, ve znění narizeni vlady c.68/2010 Sb.

Hungary 25/2000. (IX. 30.) EüM-SzCsM együttes rendelet a munkahelyek kémiai biztonságáról (62/2016. (XII.29.)).

Bulgaria НАРЕДБА #13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа.

Romania Valori Limit Obligatorii Nationale de expunere profesională ale agenților chimic - Anex Nr.1 Publicat în Monitorul Oficial, Partea I nr. 845.

Chemical name	Greece	Cyprus	Turkey	Malta
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	TWA: 5 mg/m <sup>3</sup>			
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5 mg/m <sup>3</sup>			
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	TWA: 5 mg/m <sup>3</sup>			

Greece Οριακές Τιμές Επαγγελματικής Έκθεσης - Προστασία της υγείας και της ασφάλειας των εργαζομένων που εκτίθενται σε ορισμένους καρκινογόνους και μεταλλαξιογόνους παράγοντες 127/2000.

Chemical name	Belgium	Luxembourg	Iceland	Croatia
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>			
Highly refined base oil (Viscosity >20.5 cSt @40°C)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>			
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>			

Belgium Arrêté royal relatif à la protection de la santé et de la sécurité des travailleurs contre les risques liés à des agents chimiques sur le lieu de travail.

Chemical name	Russia	Estonia	Latvia	Lithuania
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Highly refined base oil (Viscosity >20.5 cSt @40°C)			TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)			TWA: 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>

Latvia Ministru Kabineta noteikumi Nr. 325 - Darba aizsardzības prasības, saskaroties ar ķīmiskajām vielām darba vietās.

Lithuania Del Lietuvos higienos normos HN 23:2011 "Cheminiu medžiagu profesinio poveikio ribiniai dydžiai. Matavimo ir poveikio vertinimo bendrieji reikalavimai".

Chemical name	Belarus	Ukraine	Slovakia	Slovenia
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)			TWA: 5mg/m <sup>3</sup>	
Highly refined base oil (Viscosity >20.5 cSt @40°C)			TWA: 5mg/m <sup>3</sup>	
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)			TWA: 5mg/m <sup>3</sup>	

Slovakia Nariadenie Vlády Slovenskej republiky z 16. januára 2002 o ochrane zdravia pri práci s karcinogénnymi a mutagénnymi faktormi.

**Derived No Effect Level (DNEL)****Workers Systemic toxicity**

Chemical name	Long term - Oral exposure	Long term - Dermal exposure	Long term - Inhalation exposure	Short term - Oral Exposure	Short term - Dermal exposure	Short term - Inhalation exposure
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol		0.3 mg/kg				
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine		0.7 mg/kg	4.9 mg/m <sup>3</sup>			

**Workers Local effects**

Not determined

**Consumers Systemic toxicity**

Chemical name	Long term - Oral exposure	Long term - Dermal exposure	Long term - Inhalation exposure	Short term - Oral Exposure	Short term - Dermal exposure	Short term - Inhalation exposure
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.21 mg/kg	0.21 mg/kg				
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	0.25 mg/kg	0.25 mg/kg	0.74 mg/m <sup>3</sup>			

**Consumers Local effects**

Not determined

**Predicted No Effect Concentration (PNEC)**

Chemical name	Fresh water	Sea water	Fresh water sediment	Sea sediment	Soil
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.00021 mg/L				
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	0.00042 mg/L	0.000042 mg/L	3.19 mg/kg	0.32 mg/kg	1.59 mg/kg

**8.2. Exposure controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

**Personal protective equipment**

Engineering controls should be considered as the first line of protection against adverse exposure to harmful substances. Administrative controls and PPE should be used in the absence of engineering controls or as supplemental controls where engineering controls are insufficient in reducing specific exposures to an acceptable level.

**Eye Protection**

Safety glasses with side-shields.

**Hand Protection**

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. The following glove type may be suitable for handling this product: Protective gloves complying with EN 374.

*Nitrile rubber**Glove thickness => 0.38 mm Break through time => 480 min**Butyl rubber**Glove thickness => 0.64 mm Break through time => 480 min*

Glove material suitability will vary depending on specific use conditions. Consideration should be given to variables such as operational characteristics, anticipated contact time, task requirements and other factors relevant to the selection of PPE. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take

into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Any specific glove information provided is based on published literature and glove manufacturer data. Barrier creams may help to protect the exposed areas of skin. Barrier creams should not be applied after exposure has occurred. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

#### Skin and body protection

Long sleeved clothing.

#### Respiratory protection

No special protective equipment required. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

*This information is based on the state in which the specific product is delivered and on the intended use specified within this SDS. This information is provided based on literature reference, manufacturer specifications and recommendations and/or derived by analogy with similar substances. The level of protection and types of exposure controls will vary depending on potential exposure conditions.*

#### Hygiene measures

Regular cleaning of equipment, work area and clothing is recommended.

#### Environmental Exposure Controls

Do not allow material to contaminate ground water system.

#### Thermal hazards

None under normal use conditions

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Color	Red clear
Odor	Hydrocarbon-like

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flammability	Ignitable substance	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	216 °C / 421 °F	ASTM D 92
Autoignition temperature	No data available	
Decomposition temperature	No data available	
pH	No data available	
Kinematic viscosity	35 cSt @ 40 °C	ASTM D 445
Solubility	Insoluble in water	Soluble in hydrocarbons
Partition coefficient	Not applicable	
Vapor pressure	No data available	
Relative density	0.8571 @ 15 °C	
Vapor density	No data available	
Particle characteristics	Not applicable	

### 9.2. Other information

Viscosity, kinematic (100°C)	7.3 cSt @ 100°C	ASTM D 445
Pour Point	-49 °C / -56 °F	ASTM D 97



## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal use conditions

### 10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Extremes of temperature and direct sunlight.

### 10.5. Incompatible materials

Oxidizing agent.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors; Carbon monoxide; Carbon dioxide (CO<sub>2</sub>)

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information - Principle Routes of Exposure

<b>Inhalation</b>	None known
<b>Eye contact</b>	None known
<b>Skin contact</b>	None known
<b>Ingestion</b>	None known

#### Acute toxicity - Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

#### Acute toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	>5 mg/L
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>2000 mg/kg	>2000 mg/kg	>5 mg/L
Highly refined, low viscosity base oil	>2000 mg/kg	>2000 mg/kg	>5 mg/L

(Viscosity <7 cSt @40°C)			
Short-, medium- and long-chain alkyl methacrylates and short-chain alkyl methacrylamide copolymer	>2000 mg/kg (Rat)		
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	1350 mg/kg (Rat)	>2000 mg/kg (Rabbit)	220 ppm (Rat) 1 h
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	500 - 2000 mg/kg (Rat)		

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Sensitization**

**Respiratory Sensitization**

Based on available data, the classification criteria are not met.

**Skin sensitization**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Specific target organ systemic toxicity (single exposure)**

Based on available data, the classification criteria are not met

**Specific target organ systemic toxicity (repeated exposure)**

Based on available data, the classification criteria are not met

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2. Information on other hazards**

**Endocrine Disruptor Information** None known

**Other information** No information available

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C)	>100: 72 h mg/L	>100: 96 h mg/L	>100: 48 h mg/L
Highly refined base oil (Viscosity >20.5 cSt @40°C)	>100: 72 h mg/L	>100: 96 h mg/L	>100: 48 h mg/L
Highly refined, low viscosity base oil (Viscosity <7 cSt @40°C)	>100: 72 h mg/L	>100: 96 h mg/L	>100: 48 h mg/L
Short-, medium- and long-chain alkyl methacrylates and short-chain alkyl methacrylamide copolymer	>100: 72 h Pseudokirchneriella subcapitata mg/L EC50	>100: 96 h Gobiocypris rarus mg/L LC50	>100: 48 h Daphnia magna mg/L EC50
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	0.0538: 72 h Pseudokirchneriella subcapitata mg/L LC50	> 0.1: 96 h Danio rerio mg/L LC50	0.043: 48 h Daphnia magna mg/L LC50
3-((C9-11-iso,C10-rich)alkyloxy)propan-1-amine	0.0544: 72 h Pseudokirchneriella subcapitata mg/L LC50	2.14: 96 h Danio rerio mg/L LC50	1.05: 48 h Daphnia magna mg/L LC50

**12.2. Persistence and degradability**

The product is not readily biodegradable, but it can be degraded by micro-organisms, it is regarded as being inherently biodegradable.

**12.3. Bioaccumulative potential**

Chemical name	Partition coefficient
2,2'-(C16-18 (evennumbered, C18 unsaturated) alkyl imino) diethanol	3.6

**12.4. Mobility in soil**

The product is insoluble and floats on water. Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment**

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT) This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

**12.6. Endocrine Disruptor Information**

None known

**12.7. Other adverse effects**

None known

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods****Waste from residues/unused products**

Should not be released into the environment. Dispose of in accordance with local regulations.

**Contaminated packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Observe all label precautions until container is cleaned, reconditioned or destroyed

**Waste codes / waste designations according to EWC / AVV**

Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: TRANSPORT INFORMATION

**14.1. UN-Number**

Not regulated

**14.2. UN proper shipping name**

Not regulated

**14.3. Transport hazard class**

Not regulated

**14.4. Packing Group**

Not regulated

**14.5. Environmental Hazards**

None

**14.6. Special precautions for users**

None

**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable

**IMDG** Not regulated**ADR** Not regulated**IATA** Not regulated**ADN** Not regulated**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU legislation**

The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)  
 Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)  
 European Agreement concerning the International Carriage of Dangerous Goods by Road  
 Safety Data Sheet according to Regulation EC 1907/2006 (REACH) with its amendment regulation EU 2020/878  
 European Agreement concerning the International Carriage of Dangerous Goods by Road/ Regulations concerning the  
 International Carriage of Dangerous Goods by Rail  
 International Civil Aviation Organization / International Air Transport Association Dangerous Goods Regulation

**Substance(s) of Very High Concern**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59).

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII). This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV).

**National regulations**

**Germany Water hazard class (WGK)** Hazard to water/Class 2

**Product Registration number**  
 Denmark Registration (DK) No information available

**International Regulations**

**Ozone-depleting substances (ODS)**  
 Not applicable

**The Stockholm Convention on Persistent Organic Pollutants**

Not applicable

**The Rotterdam Convention**

Not applicable

**International Inventories****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

All ingredients are on the inventory or exempt from listing

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

All ingredients are on the inventory or exempt from listing

**AICS** - Australian Inventory of Chemical Substances

All ingredients are on the inventory or exempt from listing

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

Contact supplier for inventory compliance status

**KECL** - Korean Existing and Evaluated Chemical Substances

Contact supplier for inventory compliance status

**IECSC** - China Inventory of Existing Chemical Substances

Contact supplier for inventory compliance status

**ENCS** - Japan Existing and New Chemical Substances

Contact supplier for inventory compliance status

**TCSI** - Taiwan National Existing Chemical Inventory

Contact supplier for inventory compliance status

**NZIoC** - New Zealand Inventory of Chemicals

All ingredients are on the inventory or exempt from listing

**Other Information****The highly refined base oil (Viscosity >20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:**

Chemical name	CAS No	EC No	REACH registration number
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated	101316-72-7	309-877-7	01-2119489969-06-xxxx
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	265-090-8	01-2119488706-23-xxxx
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	265-091-3	01-2119487081-40-xxxx
Residual oils (petroleum), solvent deasphalted	64741-95-3	265-096-0	01-2119487081-40-xxxx
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4	265-097-6	01-2119483621-38-xxxx
Distillates (petroleum), solvent-refined light naphthenic	64741-97-5	265-098-1	01-2119480374-36-xxxx
Residual oils (petroleum), solvent-refined	64742-01-4	265-101-6	01-2119488707-21-xxxx
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	01-2119467170-45-xxxx
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6	01-2119480375-34-xxxx
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	01-2119484627-25-xxxx
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7	01-2119487077-29-xxxx
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	265-159-2	01-2119480132-48-xxxx
Residual oils (petroleum), hydrotreated	64742-57-0	265-160-8	01-2119489287-22-xxxx
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	265-161-3	
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0	01-2119480472-38-xxxx
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	01-2119471299-27-xxxx
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7	265-174-4	01-2119487080-42-xxxx

Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8	265-176-5	01-2119485040-48-xxxx
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7	276-735-8	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity	72623-85-9	276-736-3	01-2119555262-43-xxxx
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	276-737-9	01-2119474878-16-xxxx
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	276-738-4	01-2119474889-13-xxxx
Lubricating oils	74869-22-0	278-012-2	01-2119495601-36-xxxx
White mineral oil (petroleum)	8042-47-5	232-455-8	

The highly refined, low viscosity mineral oils/hydrocarbons (Viscosity >7 - <20.5 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS No	EC No	REACH registration number
Distillates (petroleum), heavy hydrocracked	64741-76-0	265-077-7	01-2119486951-26-xxxx
Distillates (petroleum), solvent-refined heavy paraffinic	64741-88-4	265-090-8	01-2119488706-23-xxxx
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	265-091-3	01-2119487067-30-xxxx
Residual oils (petroleum), solvent deasphalted	64741-95-3	265-096-0	01-2119487081-40-xxxx
Distillates (petroleum), solvent-refined heavy naphthenic	64741-96-4	265-097-6	01-2119483621-38-xxxx
Distillates (petroleum), solvent-refined light naphthenic	64741-97-5	265-098-1	01-2119480374-36-xxxx
Residual oils (petroleum), solvent-refined	64742-01-4	265-101-6	01-2119488707-21-xxxx
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	01-2119467170-45-xxxx
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6	01-2119480375-34-xxxx
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	265-157-1	01-2119484627-25-xxxx
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7	01-2119487077-29-xxxx
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	265-159-2	01-2119480132-48-xxxx
Residual oils (petroleum), hydrotreated	64742-57-0	265-160-8	01-2119489287-22-xxxx
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	265-161-3	
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0	01-2119480472-38-xxxx
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	01-2119471299-27-xxxx
Paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7	265-174-4	01-2119487080-42-xxxx
Paraffin oils (petroleum), catalytic dewaxed light	64742-71-8	265-176-5	01-2119485040-48-xxxx
Dec-1-ene, homopolymer, hydrogenated	68037-01-4	500-183-1	01-2119486452-34-xxxx
Lubricating oils (petroleum), C>25, hydrotreated bright stock-based	72623-83-7	276-735-8	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, high-viscosity	72623-85-9	276-736-3	01-2119555262-43-xxxx
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	72623-86-0	276-737-9	01-2119474878-16-xxxx
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	72623-87-1	276-738-4	01-2119474889-13-xxxx
Lubricating oils	74869-22-0	278-012-2	01-2119495601-36-xxxx

The highly refined, low viscosity base oil (Viscosity <7 cSt @40°C) contains one or more substance with the following CAS/EC numbers/REACH registration numbers:

Chemical name	CAS No	EC No	REACH registration number
Distillates (petroleum), hydrotreated heavy paraffinic	63742-54-7	265-157-1	01-2119484627-25-xxxx
Distillates (petroleum), hydrotreated light	64742-47-8	265-149-8	01-2119484819-18-xxxx
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	265-156-6	01-2119480375-34-xxxx
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	265-158-7	01-2119487077-29-xxxx
Distillates (petroleum), solvent-dewaxed light paraffinic	64742-56-9	265-159-2	01-2119480132-48-xxxx
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	01-2119471299-27-xxxx
Distillates (petroleum), hydrodesulfurized middle	64742-80-9	265-183-3	01-2119448343-41-xxxx
Dec-1-ene, dimers, hydrogenated	68649-11-6	500-228-5	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	NOT AVAILABLE	926-141-6	01-2119456620-43-xxxx

**15.2. Chemical Safety Assessment**

A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

**SECTION 16: OTHER INFORMATION****Key or legend to abbreviations and acronyms used in the safety data sheet**

Repr.-Reproduction toxicity  
 Asp. Tox. - Aspiration Toxicity  
 Acute Tox. - Acute Toxicity  
 Aquatic Acute - Acute Aquatic Toxicity  
 Aquatic Chronic - Chronic Aquatic Toxicity  
 Eye Dam. - Eye Damage  
 Eye Irrit. - Eye Irritation  
 Skin Corr. - Skin Corrosion  
 Skin Irrit. - Skin Irritation  
 Skin Sens. - Skin Sensitizer  
 Resp. Sens. - Respiratory Sensitizer  
 STOT SE - Specific target organ systemic toxicity (Single exposure)  
 STOT RE - Specific target organ systemic toxicity (repeated exposure)  
 VOC - Volatile organic compounds

**Full text of H-Statements referred to under section 3**

H302 - Harmful if swallowed  
 H304 - May be fatal if swallowed and enters airways  
 H314 - Causes severe skin burns and eye damage  
 H318 - Causes serious eye damage  
 H319 - Causes serious eye irritation  
 H400 - Very toxic to aquatic life  
 H410 - Very toxic to aquatic life with long lasting effects

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 RTECS (Registry of Toxic Effects of Chemical Substances)  
 World Health Organization

**Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]**

<b>Physical hazards</b>	On basis of test data
<b>Health Hazards</b>	Calculation Method
<b>Environmental Hazards</b>	Calculation Method

**Revision Date** 05-17-2022

**Revision Note** This SDS has been revised in the following section(s), 9.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.