

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Spec Diesel SHPD CH-4 10W/40

Creation date 07th June 2024  
Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier** Spec Diesel SHPD CH-4 10W/40  
Substance / mixture mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Engine Oils.  
For specific application advice see appropriate Technical Data Sheet or consult our company representative.  
**Mixture uses advised against**  
Not defined.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name SPECOL Sp. z o.o.  
Address ul. Kluczborska 31, Chorzów, 41-508  
Poland  
VAT Reg No PL6272453121  
Phone 32 245 91 33  
E-mail info@specol.com.pl  
Web address www.specol.com.pl
- Competent person responsible for the safety data sheet**  
Name SPECOL Sp. z o.o.  
E-mail info@specol.com.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.
- 2.2. Label elements**  
none
- 2.3. Other hazards**  
The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### SECTION 3: Composition/information on ingredients

- 3.2. Mixtures**  
**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 64742-54-7 EC: 265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	≥60	not classified as dangerous	1
CAS: 64742-65-0 EC: 265-169-7 Registration number: 01-2119471299-27	Distillates (petroleum), solvent-dewaxed heavy paraffinic	0,4-0,8	Asp. Tox. 1, H304	
CAS: 64741-88-4 EC: 265-090-8 Registration number: 01-2119488706-23	Distillates (petroleum), solvent-refined heavy paraffinic	0,4-0,8	not classified as dangerous	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 64742-55-8 EC: 265-158-7 Registration number: 01-2119487077-29	Distillates (petroleum), hydrotreated light paraffinic	0,08-0,24	not classified as dangerous	
CAS: 64742-56-9 EC: 265-159-2 Registration number: 01-2119480132-48	Distillates (petroleum), solvent-dewaxed light paraffinic	0,08-0,24	not classified as dangerous	
CAS: 64742-54-7 EC: 265-157-1 Registration number: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic	0-0,2	Asp. Tox. 1, H304	
CAS: 64742-56-9 EC: 265-159-2 Registration number: 01-2119480132-48	Distillates (petroleum), solvent-dewaxed light paraffinic	0-0,2	Asp. Tox. 1, H304	

### Notes

- Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

Not expected.

#### If on skin

Not expected.

#### If in eyes

Not expected.

#### If swallowed

Not expected.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

##### Unsuitable extinguishing media

not available

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

After removal of the product, wash the contaminated site with plenty of water.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

##### DNEL

Distillates (petroleum), hydrotreated heavy paraffinic					
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Inhalation	5.4 mg/m <sup>3</sup>	Chronic effects local		
Consumers	Inhalation	1.2 mg/m <sup>3</sup>	Chronic effects local		

##### PNEC

Distillates (petroleum), hydrotreated heavy paraffinic			
Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg of food		

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

Hand protection: Protective gloves resistant to the product. When handling in long-term or repeatedly, use protective gloves.

#### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	not applicable
Odour	not applicable
Melting point/freezing point	not applicable
Boiling point or initial boiling point and boiling range	not applicable
Flammability	not applicable
Lower and upper explosion limit	not applicable
Flash point	220 °C
Auto-ignition temperature	not applicable
Decomposition temperature	not applicable
pH	non-soluble (in water)
Kinematic viscosity	90 mm <sup>2</sup> /s at 40 °C
Solubility in water	not applicable
Partition coefficient n-octanol/water (log value)	not applicable
Vapour pressure	not applicable
Density and/or relative density	
Density	0.860-0.870 g/cm <sup>3</sup> at 15 °C
Relative vapour density	not applicable
Particle characteristics	not applicable
Form	data not available
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)	liquid

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

## Spec Diesel SHPD CH-4 10W/40

Creation date  
Revision date

07th June 2024

Version

1.0

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

Distillates (petroleum), hydrotreated heavy paraffinic						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation	LC <sub>50</sub>		5.53 mg/l		Rat (Rattus norvegicus)	
Skin	LD <sub>50</sub>		5000 mg/kg		Rabbit	
Oral	LD <sub>50</sub>		5000 mg/kg		Rat (Rattus norvegicus)	

Distillates (petroleum), hydrotreated light paraffinic						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (dust/mist)	LC <sub>50</sub>	OECD 403	>5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	OECD 402	>5000 mg/kg		Rabbit	
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (vapor)	LC <sub>50</sub>	OECD 403	>5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Dermal	LD <sub>50</sub>	OECD 402	>5000 mg/kg		Rabbit	
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed light paraffinic						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (vapor)	LC <sub>50</sub>	OECD 403	>2.18 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD <sub>50</sub>	OECD 402	>5000 ml/kg		Rabbit	
Oral	LD <sub>50</sub>	OECD 401	>5000 ml/kg		Rat (Rattus norvegicus)	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### Distillates (petroleum), solvent-refined heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Inhalation (vapor)	LC <sub>50</sub>	OECD 403	>5.53 mg/l	4 hours	Rat (Rattus norvegicus)	
Skin	LD <sub>50</sub>		>2000 mg/kg		Rabbit	
Skin	LD <sub>50</sub>		>5000 mg/kg		Rat (Rattus norvegicus)	

### Skin corrosion/irritation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit
Skin	Slightly irritating	OECD 404		Rabbit
Skin	Not irritating			Rabbit

### Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit
Eye	Not irritating	OECD 405		Rabbit

### Distillates (petroleum), solvent-dewaxed light paraffinic

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit
Skin	Not irritating			Rabbit

### Distillates (petroleum), solvent-refined heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit
Dermal	Not irritating	OECD 404		Rabbit

### Serious eye damage/irritation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### Respiratory or skin sensitisation

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### Sensitization

#### Distillates (petroleum), hydrotreated light paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

### Distillates (petroleum), solvent-dewaxed light paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Skin	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

### Distillates (petroleum), solvent-refined heavy paraffinic

Route of exposure	Result	Method	Exposure time	Species	Sex
Dermal	Not sensitizing	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

### Germ cell mutagenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### Distillates (petroleum), hydrotreated light paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473			Mammals	

### Distillates (petroleum), solvent-dewaxed heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473			Mammals	

### Distillates (petroleum), solvent-dewaxed light paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 473			Mammals	

### Distillates (petroleum), solvent-refined heavy paraffinic

Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 471			Bacteria (Salmonella typhimurium)	
Negative	OECD 471			Mammals	

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### Carcinogenicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
	NOAEL	OECD 451		78 weeks	Negative	Mouse	

#### Distillates (petroleum), solvent-refined heavy paraffinic

Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Skin	NOAEL	OECD 451		78 weeks	Negative	Mouse	

### Reproductive toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### Distillates (petroleum), hydrotreated light paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Maternal toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Maternal toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 414		Negative	Rat (Rattus norvegicus)	

#### Distillates (petroleum), solvent-dewaxed light paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Maternal toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	

#### Distillates (petroleum), solvent-refined heavy paraffinic

Effect	Parameter	Method	Value	Result	Species	Sex
Effects on fertility		OECD 421		Negative	Rat (Rattus norvegicus)	
Maternal toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	
Developmental toxicity		OECD 421		Negative	Rat (Rattus norvegicus)	



## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

### Toxicity for specific target organ - repeated exposure

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

### Repeated dose toxicity

Distillates (petroleum), hydrotreated light paraffinic							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 411	30 mg/kg	90 days	Rat (Rattus norvegicus)	
Skin	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	
Inhalation (dust/mist)	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	
Inhalation (dust/mist)	NOAEL			0.22 mg/l	4 weeks	Rat (Rattus norvegicus)	
Inhalation (dust/mist)	NOAEL		OECD 412	0.05 mg/l	28 days	Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Skin	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	
Inhalation (vapor)	NOAEL			0.05 mg/l	13 weeks	Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-dewaxed light paraffinic							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
	LOAEL		OECD 408	125 mg/kg	90 days	Rat (Rattus norvegicus)	
	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rat (Rattus norvegicus)	
	NOAEL			0.98 mg/l	4 weeks	Rat (Rattus norvegicus)	

Distillates (petroleum), solvent-refined heavy paraffinic							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Dermal	NOAEL		OECD 410	1000 mg/kg	21/28 days	Rabbit	
Inhalation (vapor)	NOAEL			0.15 mg/l	13 weeks	Rat (Rattus norvegicus)	
Inhalation (vapor)	NOAEL			0.22 mg/l	28 days	Rat (Rattus norvegicus)	

### Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

Data for the mixture are not available. Based on the available data, the criteria for classification of the mixture are not met.

#### Acute toxicity

Distillates (petroleum), hydrotreated heavy paraffinic				
Parameter	Value	Exposure time	Species	Environment
EC <sub>50</sub>	>10000 mg/l	48 hours	Invertebrates (Daphnia magna)	
NOEL	100 mg/l	21 days	Invertebrates (Daphnia magna)	
EC <sub>50</sub>	>100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
LC <sub>50</sub>	>100 mg/l	96 hours	Fish (Pimephales promelas)	
Distillates (petroleum), hydrotreated light paraffinic				
Parameter	Value	Exposure time	Species	Environment
EL <sub>50</sub>	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>	>100 mg/l	96 hours	Fish (Pimephales promelas)	
Distillates (petroleum), solvent-dewaxed heavy paraffinic				
Parameter	Value	Exposure time	Species	Environment
EL <sub>50</sub>	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>	>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
Distillates (petroleum), solvent-dewaxed light paraffinic				
Parameter	Value	Exposure time	Species	Environment
EL <sub>50</sub>	>10000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>	>100 mg/l	96 hours	Fish (Pimephales promelas)	
Distillates (petroleum), solvent-refined heavy paraffinic				
Parameter	Value	Exposure time	Species	Environment
EL <sub>50</sub>	>1000 mg/l	48 hours	Daphnia (Daphnia magna)	
LL <sub>50</sub>	>100 mg/l	96 hours	Fish (Pimephales promelas)	

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### Chronic toxicity

Distillates (petroleum), hydrotreated heavy paraffinic				
Parameter	Value	Exposure time	Species	Environment
NOEL	>1000 mg/l	28 days	Fish (Oncorhynchus mykiss)	

Distillates (petroleum), hydrotreated light paraffinic				
Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	≥1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

Distillates (petroleum), solvent-dewaxed heavy paraffinic				
Parameter	Value	Exposure time	Species	Environment
NOEL	>100 mg/l	72 hours	Algae and other aquatic plants (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

Distillates (petroleum), solvent-dewaxed light paraffinic				
Parameter	Value	Exposure time	Species	Environment
NOEL	≥100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEL	≥10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	≥1000 mg/l	14 days	Fish (Oncorhynchus mykiss)	

Distillates (petroleum), solvent-refined heavy paraffinic				
Parameter	Value	Exposure time	Species	Environment
NOEL	>100 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
NOEL	10 mg/l	21 days	Daphnia (Daphnia magna)	
NOEL	1000 mg/l	14 days	Daphnia (Daphnia magna)	

### 12.2. Persistence and degradability

Data for the mixture are not available.

## Spec Diesel SHPD CH-4 10W/40

Creation date

07th June 2024

Revision date

Version

1.0

### Biodegradability

Distillates (petroleum), hydrotreated heavy paraffinic					
Parameter	Method	Value	Exposure time	Environment	Result
		2-31 %	28 days		Hardly biodegradable

Distillates (petroleum), hydrotreated light paraffinic					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

Distillates (petroleum), solvent-dewaxed heavy paraffinic					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

Distillates (petroleum), solvent-dewaxed light paraffinic					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		

Distillates (petroleum), solvent-refined heavy paraffinic					
Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301F	31 %	28 days		Hardly biodegradable

### 12.3. Bioaccumulative potential

Data for the mixture are not available.

Distillates (petroleum), solvent-refined heavy paraffinic					
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]
Log Pow	3.9-6				

### 12.4. Mobility in soil

No data are available for either the mixture or the components.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**Spec Diesel SHPD CH-4 10W/40**

Creation date

07th June 2024

Revision date

Version

1.0

**Waste type code**

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

**SECTION 14: Transport information****14.1. UN number or ID number**

not subject to transport regulations

**14.2. UN proper shipping name**

not relevant

**14.3. Transport hazard class(es)**

not relevant

**14.4. Packing group**

not relevant

**14.5. Environmental hazards**

not relevant

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H304 May be fatal if swallowed and enters airways.

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>50</sub>	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association

# SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

## Spec Diesel SHPD CH-4 10W/40

Creation date	07th June 2024	Version	1.0
Revision date			

IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>50</sub>	Lethal Loading for 50% of tested organisms
LOAEL	Lowest observed adverse effect level
log K <sub>ow</sub>	Octanol-water partition coefficient
NOAEL	No observed adverse effect level
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

Asp. Tox. Aspiration hazard

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.