

according to Commission Regulation (EU) 2020/878 as amended

## Spec Premium C2/C3 SN/SM/CF 5W/30

Creati	on date 10th March 2023			
Revisi	on date	Version 1.0		
SECT	ON 1: Identification of the substance/m	ixture and of the company/undertaking		
1.1.	Product identifier	Spec Premium C2/C3 SN/SM/CF 5W/30		
	Substance / mixture	mixture		
1.2.	Relevant identified uses of the substan	ce or mixture and uses advised against		
	Mixture's intended use			
	Engine Oils.			
		ate Technical Data Sheet or consult our company representative.		
	Mixture uses advised against			
	Not defined.			
1.3. Details of the supplier of the safety data sheet				
	Manufacturer			
	Name or trade name	SPECOL Sp. z o.o.		
	Address	ul. Kluczborska 31, Chorzów, 41-508		
		Poland		
	VAT Reg No	PL6272453121		
	Phone	32 245 91 33		
	E-mail	info@specol.com.pl		
	Web address	www.specol.com.pl		
	Competent person responsible for the	•		
	Name	SPECOL Sp. z o.o.		
	E-mail	info@specol.com.pl		
1.4.	Emergency telephone number			
	European emergency number: 112			

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

#### 2.2. Label elements

none

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### SECTION 3: Composition/information on ingredients

3.2. Mixtures

# Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7	Distillates (petroleum), solvent-dewaxed heavy paraffinic	1,0-2,1	Asp. Tox. 1, H304	
CAS: 36878-20-3 EC: 253-249-4	Benzenamine, ar-nonyl-N-(nonylphenyl)-	0,3-1,0	Aquatic Chronic 4, H413	

Full text of all classifications and hazard statements is given in the section 16.



according to Commission Regulation (EU) 2020/878 as amended

## Spec Premium C2/C3 SN/SM/CF 5W/30

Creation date Revision date

Version

1.0

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

#### If on skin

Remove contaminated clothes.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

#### 4.2. Most important symptoms and effects, both acute and delayed

10th March 2023

#### . If inhaled

Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Not expected.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Accommodate extinguishing components to the location of fire.

### Unsuitable extinguishing media

not available

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

#### **SECTION 6: Accidental release measures**

- **6.1. Personal precautions, protective equipment and emergency procedures** Follow the instructions in the Sections 7 and 8.
- 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

- 6.3. Methods and material for containment and cleaning up
- After removal of the product, wash the contaminated site with plenty of water.
- **6.4.** Reference to other sections See the Section 7, 8 and 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.



according to Commission Regulation (EU) 2020/878 as amended

## Spec Premium C2/C3 SN/SM/CF 5W/30

Creation date Revision date 10th March 2023

Version

1.0

7.3. Specific end use(s)

not available

#### SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

The mixture contains substances for which occupational exposure limits are set.

#### DNEL

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	0.62 mg/kg	Chronic effects systemic		
Workers	Inhalation	4.73 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Dermal	0.31 mg/kg	Chronic effects systemic		
Consumers	Inhalation	1.09 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	0.31 mg/kg	Chronic effects systemic		

Jistillate es (petroleum), solvent-dewaxed heavy paraffinio

Consumers	Inhalation	1.2 mg/m <sup>3</sup>	Chronic effects local		
Workers	Inhalation	5.4 mg/m <sup>3</sup>	Chronic effects local		
Workers / consumers	Route of exposure	Value	Effect	Value determination	Source

#### PNEC

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Value	Value determination	Source
Drinking water	0.1 mg/l		
Marine water	0.01 mg/l		
Water (intermittent release)	1 mg/l		
Microorganisms in sewage treatment	1 mg/l		
Freshwater sediment	132000 mg/kg		
Sea sediments	13200 mg/kg		
Soil (agricultural)	263000 mg/kg		
Distillates (petroleum), solve	nt-dewaxed heavy pa	araffinic	

Route of exposure	Value	Value determination	Source
Oral	9.33 mg/kg		

#### 8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

It is not needed.

#### Skin protection

When handling in long-term or repeatedly, use protective gloves.

#### **Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### **Thermal hazard**

Not available.

#### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.



according to Commission Regulation (EU) 2020/878 as amended

# Spec Premium C2/C3 SN/SM/CF 5W/30

10th March 2023 Creation date 1.0 Revision date Version **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state liquid Colour data not available Odour data not available Melting point/freezing point data not available Boiling point or initial boiling point and boiling range data not available Flammability data not available Lower and upper explosion limit data not available 220 °C Flash point Auto-ignition temperature data not available Decomposition temperature data not available data not available pН Kinematic viscosity 70 mm<sup>2</sup>/s at 40 °C Solubility in water data not available Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available Density and/or relative density 0,850-0,860 g/cm3 at 15 °C Density Relative vapour density data not available Particle characteristics data not available Form data not available Benzenamine, ar-nonyl-N-(nonylphenyl)- (CAS: 36878 liquid -20-3) Benzenamine, ar-nonyl-N-(nonylphenyl)- (CAS: 36878 solid: bulk -20-3) Distillates (petroleum), hydrotreated light paraffinic liquid (CAS: 64742-55-8) Distillates (petroleum), solvent-dewaxed heavy liquid paraffinic (CAS: 64742-65-0) Molybdenum polysulphide long chain alkyl liquid dithiocarbamate complex Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) liquid phosphorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4) Zinc, bis[O-(6-methylheptyl) O-(1-methylpropyl) solid: bulk phosphorodithioato-S,S']-, (T-4)- (CAS: 93819-94-4) Zinc, bis[0,0-bis(1,3-dimethylbutyl) phosphorodithioato-.kappa.S,.kappa.S']-, (T-4)- (CAS: liquid 2215-35-2) 9.2. Other information

#### not available

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity not available 10.2. Chemical stability The product is stable under normal conditions. 10.3. Possibility of hazardous reactions Unknown.



according to Commission Regulation (EU) 2020/878 as amended

### Spec Premium C2/C3 SN/SM/CF 5W/30

Creation date Revision date

Version

1.0

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10th March 2023

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD50	OECD 401	>5000 mg/kg		Rat (Rattus norvegicus)	
Dermal	LD50	OECD 402	>2000 mg/kg		Rat (Rattus norvegicus)	

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Result	Method	Exposure time	Species
Dermal	Not irritating	OECD 404		Rabbit

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405		Rabbit

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Route of exposure	Result	Method	Exposure time	Species	Sex
Eye	Not irritating	OECD 406		Guinea-pig (Cavia aperea f. porcellus)	

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met. **Reproductive toxicity** 

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met. **Aspiration hazard** 

Based on available data the classification criteria are not met.



according to Commission Regulation (EU) 2020/878 as amended

### Spec Premium C2/C3 SN/SM/CF 5W/30

Creation date Revision date

Version

1.0

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Acute toxicity

Benzenamine, ar-nonyl-N-(nonylphenyl)-

10th March 2023

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	>100 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC₅o	OECD 202	>100 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	OECD 201	>100 mg/l	72 hours	Algae (Selenastrum capricornutum)	

#### 12.2. Persistence and degradability

#### Biodegradability

Benzenamine, ar-nonyl-N-(nonylphenyl)-

Parameter	Value	Exposure time	Environment	Result
	1 %	28 days		Not biodegradable
not available				

#### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

#### Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### **12.6.** Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

13 02 06 synthetic engine, gear and lubricating oils \*

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

not subject to transport regulations



according to Commission Regulation (EU) 2020/878 as amended

## Spec Premium C2/C3 SN/SM/CF 5W/30

Creation date		10th March 2023			
Revision date			Version	1.0	
14.2.	UN proper ship	ping name			
	not relevant				
14.3.	Transport haza	rd class(es)			
	not relevant				
14.4.	Packing group				
	not relevant				
14.5.	Environmental	hazards			
	not relevant				
14.6.	Special precautions for user				
	Reference in the	Sections 4 to 8.			
14.7.	Maritime transport in bulk according to IMO instruments				
	not relevant				

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

A list of standard risk phra	ses used in the safety data sheet					
H304	May be fatal if swallowed and enters airways.					
H413	May cause long lasting harmful effects to aquatic life.					
Other important information	on about human health protection					
	less specifically approved by the manufacturer/importer - used for purposes other than $r$ is responsible for adherence to all related health protection regulations.					
Key to abbreviations and acronyms used in the safety data sheet						
ADR	European agreement concerning the international carriage of dangerous goods by road					
BCF	Bioconcentration Factor					
CAS	Chemical Abstracts Service					
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures					
EC	Identification code for each substance listed in EINECS					
EC50	Concentration of a substance when it is affected 50% of the population					
EINECS	European Inventory of Existing Commercial Chemical Substances					
EmS	Emergency plan					
EU	European Union					
EuPCS	European Product Categorisation System					
ΙΑΤΑ	International Air Transport Association					
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals					
ICAO	International Civil Aviation Organization					
IMDG	International Maritime Dangerous Goods					
IMO	International Maritime Organization					
INCI	International Nomenclature of Cosmetic Ingredients					
ISO	International Organization for Standardization					
IUPAC	International Union of Pure and Applied Chemistry					



according to Commission Regulation (EU) 2020/878 as amended

### Spec Premium C2/C3 SN/SM/CF 5W/30

Creation date	10th March 2023			
Revision date	Version 1.0			
LC50	Lethal concentration of a substance in which it can be expected death of 50% of the population			
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population			
log Kow	Octanol-water partition coefficient			
OEL	Occupational Exposure Limits			
PBT	Persistent, Bioaccumulative and Toxic			
ppm	Parts per million			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals			
RID	Agreement on the transport of dangerous goods by rail			
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations			
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials			
VOC	Volatile organic compounds			
vPvB	Very Persistent and very Bioaccumulative			
Aquatic Chronic	Hazardous to the aquatic environment (chronic)			
Asp. Tox.	Aspiration hazard			
Training guideline	25			
Inform the personn ways of handling th	el about the recommended ways of use, mandatory protective equipment, first aid and prohibit e product.			

#### Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.