

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 **GREASE**

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Valvoline™ MULTIPURPOSE SYNTHETIC 2

GREASE

Product code : 891041

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : lubricant

1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline

> Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

Telephone +31 (0)78 654 3500 (in the Netherlands), or contact your local

CSR contact person

E-mail address of person responsible for the SDS

SDS@valvoline.com

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard,

H412: Harmful to aquatic life with long lasting

Category 3

effects.

Valvoline_{TM}

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH208 Contains Naphthenic acids, bismuth salts, Tolytriazole derivative. May produce

an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
NONANEDIOIC ACID, DILITHIUM SALT	38900-29-7 254-184-4 01-2120119814-57- 0033	Acute Tox. 4; H302	>= 2.5 - < 5
ANTIMONY DIALKLYLDITHIOCARBAMATE	15991-76-1 240-130-7 051-003-00-9	Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Chronic 2; H411	>= 1 - < 2.5
1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.	61791-39-7 263-171-2	Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0.25 - < 0.5



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

		H410	
Naphthenic acids, bismuth salts	85736-59-0 288-470-5 01-2120769500-56- xxxx	Eye Irrit. 2; H319 Skin Sens. 1B; H317	>= 0.1 - < 0.5
OLEYL N-METHYLGLYCINE	110-25-8 203-749-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412 M-Factor (Acute aquatic toxicity): 1	>= 0.25 - < 0.5
Tolytriazole derivative	94270-86-7 939-700-4 01-2119982395-25- xxxx	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1	>= 0.1 - < 0.25

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Valvoline_{IM}

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

carbon dioxide and carbon monoxide

5.3 Advice for firefighters

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Use personal protective equipment.



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 **GREASE**

Revision Date: 29.03.2023 Version: 2.0 Print Date: 04/07/2023

6.2 Environmental precautions

Environmental precautions Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

General industrial hygiene practice. Hygiene measures

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations /

working materials must comply with the technological safety

standards.

Advice on common storage No materials to be especially mentioned.

Further information on

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) No data available



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ANTIMONY DIALKLYLDITHIO CARBAMATE	15991-76-1	TWA	0.5 mg/m3 (antimony)	GB EH40

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : neoprene, nitrile rubber

Break through time : >= 240 min Glove thickness : >= 0.35 mm

Directive : Equipment should conform to EN 374

Remarks : The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the

protective glove.

Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally

required.

В

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Appearance : liquid

Odour : No data available

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : $ca. > 230 \, ^{\circ}C$

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 0.9 g/cm3

Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : ca. 40 mm2/s (40 °C)

Oxidizing properties : No data available



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

9.2 Other information

Self-ignition : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Valvoline,

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Acute oral toxicity : LD50 (Rat, female): > 300 - < 2,000 mg/kg

Remarks: The toxicological data has been taken from

products of similar composition.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: The toxicological data has been taken from

products of similar composition.

1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.:

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg

Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Naphthenic acids, bismuth salts:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral

toxicity

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

OLEYL N-METHYLGLYCINE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 1.01 - 1.85 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Tolytriazole derivative:

Acute oral toxicity : LD50 (Rat): > 3,313 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Remarks: No mortality observed at this dose.

Skin corrosion/irritation

Not classified based on available information.

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Method : Regulation (EC) No. 440/2008, Annex, B.40

Result : No skin irritation

ANTIMONY DIALKLYLDITHIOCARBAMATE:

Assessment : Slight, transient irritation
Result : Slight, transient irritation

1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes to 1 hour of exposure

OLEYL N-METHYLGLYCINE:

Result : Irritating to skin.

Tolytriazole derivative:

Species : Rabbit

Assessment : Irritating to skin.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Species : Rabbit

Result : Slight, transient irritation

ANTIMONY DIALKLYLDITHIOCARBAMATE:

Assessment : Slight, transient irritation
Result : Slight, transient irritation

1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.:

Species : Rabbit



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Result : Corrosive

Naphthenic acids, bismuth salts:

Result : Irritating to eyes.

OLEYL N-METHYLGLYCINE:

Result : Corrosive

Tolytriazole derivative:

Species : Rabbit

Result : Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Test Type : Local lymph node assay

Assessment : Does not cause skin sensitisation.

Method : OECD Test Guideline 429

Naphthenic acids, bismuth salts:

Assessment : The product is a skin sensitiser, sub-category 1B.

OLEYL N-METHYLGLYCINE:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : Does not cause skin sensitisation.

Tolytriazole derivative:

Test Type : Maximisation Test

Species : Guinea pig

Assessment : The product is a skin sensitiser, sub-category 1B.

Method : OECD Test Guideline 406



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Germ cell mutagenicity

Not classified based on available information.

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Genotoxicity in vitro : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

OLEYL N-METHYLGLYCINE:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Tolytriazole derivative:

Genotoxicity in vitro : Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Valvoline...

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 **GREASE**

Revision Date: 29.03.2023 Version: 2.0 Print Date: 04/07/2023

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

LC50 (Cyprinus carpio (Carp)): > 100 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test

aguatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 23 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

ANTIMONY DIALKLYLDITHIOCARBAMATE:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.4 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: semi-static test Test substance: WAF



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 **GREASE**

Revision Date: 29.03.2023 Print Date: 04/07/2023 Version: 2.0

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 0.098 mg/l

Exposure time: 48 h Test Type: semi-static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.084

ma/l

End point: Growth inhibition Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity Chronic aquatic toxicity Category 1; Very toxic to aquatic life

with long lasting effects.

Naphthenic acids, bismuth salts:

Ecotoxicology Assessment

Acute aquatic toxicity . Not classified based on available information.

Chronic aquatic toxicity Not classified based on available information.

OLEYL N-METHYLGLYCINE:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): 0.93 mg/l

> Exposure time: 96 h Test Type: static test

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.43 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): 6.3 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test

M-Factor (Acute aquatic

toxicity)

Valvoline...

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 **GREASE**

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Ecotoxicology Assessment

Acute aquatic toxicity

Very toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

Tolytriazole derivative:

: LC50 (Danio rerio (zebra fish)): 1.3 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.05 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): 0.976 mg/l

End point: Growth inhibition Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic

toxicity)

Ecotoxicology Assessment

Acute aquatic toxicity

Acute aquatic toxicity Category 1; Very toxic to aquatic life.

Chronic aquatic toxicity Toxic to aquatic life with long lasting effects.

Chronic aquatic toxicity Category 2; Toxic to aquatic life with

long lasting effects.

12.2 Persistence and degradability

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Biodegradability Result: Readily biodegradable.

Remarks: The toxicological data has been taken from



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

products of similar composition.

1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.:

Biodegradability : Result: Inherently biodegradable.

Biodegradation: 31 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Naphthenic acids, bismuth salts:

Biodegradability : Result: Inherently biodegradable.

Tolytriazole derivative:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 7 - 10 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

NONANEDIOIC ACID, DILITHIUM SALT:

Partition coefficient: n-

octanol/water

: log Pow: -3.5

1H-Imidazole-1-ethanol, 4,5-dihydro-, 2-nortall-oil alkyl derivs.:

Partition coefficient: n- : log Pow: 5.4 (35 °C)

octanol/water

Naphthenic acids, bismuth salts:

Partition coefficient: n- : log Pow: 5 (20 °C)

octanol/water

OLEYL N-METHYLGLYCINE:

Partition coefficient: n- : log Pow: 3.5 - 4.2

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting : The substance/mixture does not contain components

potential

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological

information

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Waste Code : The Waste code should be assigned in discussion between

the user and the waste disposal company.

The following Waste Codes are only suggestions:

13 02 05, mineral-based non-chlorinated engine, gear and

lubricating oils

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA P : Not regulated as a dangerous good

14.2 UN proper shipping name



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA_P : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA_P : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA_P (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureRelevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the

following entries should be

considered: Number on list 3

UK REACH Candidate list of substances of very high : Not applicable



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Not applicable

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great

Britain)

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

UK REACH List of substances subject to authorisation

(Annex XIV)

Control of Major Accident Hazards Regulations E2 ENVIRONMENTAL HAZARDS

2015 (COMAH)

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA: Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

Valvoline_{TM}

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H332 : Harmful if inhaled. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
 H411 : Toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect



according to Regulation (EC) No. 1907/2006 Valvoline™ MULTIPURPOSE SYNTHETIC 2 GREASE

Version: 2.0 Revision Date: 29.03.2023 Print Date: 04/07/2023

Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information: 000000276954

Classification of the mixture:

Classification procedure:

Aquatic Chronic 3 H412 Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN