

Printing date 18.01.2022 Version number 2 Revision: 18.01.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Cartechnic CT 12 ++

· UFI: W8RV-N0TX-C00W-XMDV

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Antifreeze

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Auto-Teile Ring GmbH

Marie-Curie-Str. 3

D-73770 Denkendorf

Tel: +49 (0)711 918979-99

E-Mail: info@cartechnic.de

· Further information obtainable from:

Tel: +49 (0) 711 918979-99 E-Mail: info@cartechnic.de

· 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen

des Landes Nordrhein-Westfalen

Tel.: +49 (0) 228 / 19 240

# **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07

07 GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

ethanediol

sodium 2-ethylhexanoate

· Hazard statements

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 2 Revision: 18.01.2022 Printing date 18.01.2022

Trade name: Cartechnic CT 12 ++

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Do not breathe dust/fume/gas/mist/vapours/spray. P260 P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.

107-21-1	ethanediol	♦ STOT RE 2, H373; ♦ Acute Tox. 4, H302	80-98%			
19766-89-3	sodium 2-ethylhexanoate	♦ Repr. 2, H361d	3-<5%			

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Printing date 18.01.2022 Version number 2 Revision: 18.01.2022

Trade name: Cartechnic CT 12 ++

(Contd. of page 2)

# **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

### · 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Keep contaminated washing water and dispose of appropriately.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### · 6.3 Methods and material for containment and cleaning up:

Dispose of the material collected according to regulations.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

# · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

### · Information about fire - and explosion protection:

Protect against electrostatic charges.

Keep ignition sources away - Do not smoke.

### · 7.2 Conditions for safe storage, including any incompatibilities

- ·Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store under lock and key and out of the reach of children.
- · Storage class:
- 10 13 (No further differentiation is made, as there are no

there are legal restrictions on joint storage.)

· 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

### · Ingredients with limit values that require monitoring at the workplace:

### 107-21-1 ethanediol

AGW (Germany) Long-term value: 26 mg/m<sup>3</sup>, 10 ppm 2(I);DFG, EU, H, Y, 11

- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

# · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

Printing date 18.01.2022 Version number 2 Revision: 18.01.2022

Trade name: Cartechnic CT 12 ++

(Contd. of page 3)

Filter A/P2

### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

PVC gloves

Nitrile rubber, NBR

Neoprene gloves

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and c	chemical properties
General Information	nement properties
Appearance:	
Form:	Fluid
Colour:	Red
Odour:	Mild
Odour threshold:	Not determined.
pH-value at 20 °C:	8,4-8,55
Change in condition	
Melting point/freezing point:	-12,4 °C
Initial boiling point and boiling range	2: ≥170 °C
Flash point:	122 °C
Flammability (solid, gas):	Not applicable.
Ignition temperature:	410 °C
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
Lower:	3,2 Vol %
Upper:	53 Vol %
Vapour pressure at 20 °C:	0,08 hPa
Density at 20 °C:	1,114 g/cm <sup>3</sup>
Relative density at 15 °C	1,1
Vapour density	>1
Evaporation rate	Not determined.
Solubility in / Miscibility with water at 20 °C:	1 000 ~/1
water at 20 °C:	1.000 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.

(Contd. on page 5)

Printing date 18.01.2022 Version number 2 Revision: 18.01.2022

Trade name: Cartechnic CT 12 ++

	(Contd. of	page 4)
Kinematic:	Not determined.	
· Solvent content: VOC (EC)	0,00 %	
· 9.2 Other information	No further relevant information available.	

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Explosive reaction with oxidising agents such as calcium chlorate and or peroxides.

Reacts with strong acids and oxidising agents.

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Aldehyde

### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· LD/LC50 values relevant for classification:

· Acute toxicity

Harmful if swallowed.

Oral	LD50	1.720 mg/kg (ATE)
107-21-1 €	ethanediol	
Oral	LD50	1.600 mg/kg (Katze / Cat)
Dermal	LD50	>3.500 mg/kg (mouse)
	LC50/4 h	>2,5 mg/1/6 H (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging the unborn child.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing date 18.01.2022 Version number 2 Revision: 18.01.2022

Trade name: Cartechnic CT 12 ++

(Contd. of page 5)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- ·Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 01 14\* antifreeze fluids containing hazardous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	ation	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 7)

Printing date 18.01.2022 Version number 2 Revision: 18.01.2022

Trade name: Cartechnic CT 12 ++

· REGULATION (EU) 2019/1148

(Contd. of page 6)

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# · Relevant phrases

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· Contact: Herr Klebanov

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.