according to UK REACH Regulation

Cartechnic 5W-40 Product code:

Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cartechnic 5W-40

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

engine oil

Uses advised against

none

1.3. Details of the supplier of the safety data sheet

Company name:	Auto-Teile-Ring GmbH
Street:	Marie-Curie-Strasse 3
Place:	D-73770 Denkendorf
Telephone:	+49 0711 918979-99
Responsible Department:	info@cartechnic.de
1.4. Emergency telephone	Poison Information Center Mainz, Germany, Tel: +49(0)6131/19240
•	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium
	salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

2.3. Other hazards

Endocrine disrupting properties: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

For information or further instructions, see also section 11 or 12.

phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched: This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No REACH No		
	Classification (GB CLP Regulation)			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified		40 - < 45 %	
	265-157-1	649-467-00-8	01-2119484627-25	

according to UK REACH Regulation

Cartechnic 5W-40

Revision date: 02.03.2023

Product code:

Page 2 of 16

	Asp. Tox. 1; H304			
64741-88-4	Highly refined mineral oil (C15-C50)*		12 - < 15 %
	Asp. Tox. 1; H304			
68784-26-9	Phenol, dodecyl-, sulfurized, carbor	nates, calcium salts, overbased		1 - < 3 %
	701-251-5		01-2119524004-56	
	Aquatic Chronic 4; H413		·	
68784-31-6	Phosphorodithioic acid, mixed O,O	bis(sec-Bu and 1,3-dimethylbutyl) es	sters, zinc salts	1 - < 3 %
	272-238-5 01-2119657973-23		01-2119657973-23	
	Eye Dam. 1, Aquatic Chronic 2; H3	18 H411		
722503-68-6	Benzenesulfonic acid, methyl-, mor	o-C20-24-branched alkyl derivs., cal	lcium salts	0.5 - < 1 %
	682-816-2			
	Skin Sens. 1B; H317	•		
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched		0.1 - < 0.2 %	
	310-154-3 604-092-00-9 01-2119513207-49		01-2119513207-49	
	Repr. 1B, Skin Corr. 1C, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H360F H314 H318 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	40 - < 45 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
68784-26-9	701-251-5	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	1 - < 3 %
	dermal: LD50	= > 4000 mg/kg; oral: LD50 = > 5000 mg/kg	
68784-31-6	84-31-6 272-238-5 Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts		1 - < 3 %
	dermal: LD50 = >5000 mg/kg; oral: LD50 = >2000 mg/kg		
121158-58-5 310-154-3		phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched	0.1 - < 0.2 %
		= 15000 mg/kg; oral: LD50 = 2100 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=10	

Further Information

The mineral oil contained can be described by one or more of the following numbers. 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-166-0, 265-169-7, 265-176-5, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

01-2119484627-25, 01-2119487077-29, 01-2119471299-27

Note L : The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

according to UK REACH Regulation

Revision date: 02.03.2023

Cartechnic 5W-40 Product code:

Page 3 of 16

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest.

In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand. Foam. Carbon dioxide (CO2). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke. Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2). Sulphur dioxide (SO2). Nitrogen oxides (NOx). Phosphorus oxides.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

according to UK REACH Regulation

Revision date: 02.03.2023

Cartechnic 5W-40

Product code:

Page 4 of 16

General advice

Ventilate affected area.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special precautionary measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.) Avoid formation of oil dust.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B

Advice on general occupational hygiene

Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Further information on handling

Do not breathe vapour/aerosol. Avoid contact with eyes and skin. General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Hints on joint storage

Do not store together with: Gas. Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances.

according to UK REACH Regulation

Cartechnic 5W-40			
Revision date: 02.03.2023	Product code:	Page 5 of 16	
Infectious substances			
Further information on storage conditions			
Temperature control required.			
Protect from light.			
Keep container tightly closed.			
Do not allow contact with air.			
7.3. Specific end use(s)			
See section 1.			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, ov	verbased		
Worker DNEL,	acute	inhalation	systemic	133,6 mg/m³
Consumer DN	EL, acute	dermal	systemic	40 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	80 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	50 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,25 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,87 mg/m³
Worker DNEL,	long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day
Consumer DN	EL, acute	inhalation	systemic	0,067 mg/m³
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dir	nethylbutyl) esters, zinc	salts	_
Worker DNEL,	long-term	inhalation	systemic	2.93 mg/m ³
Worker DNEL,	acute	inhalation	systemic	496.4 mg/m ³
Worker DNEL,	long-term	dermal	systemic	10.42 mg/kg bw/day
Worker DNEL,	acute	dermal	systemic	100 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	11.75 mg/m³
Consumer DN	EL, acute	inhalation	systemic	198.6 mg/m³
Consumer DN	EL, long-term	dermal	systemic	2.1 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0.21 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	29 mg/kg bw/day
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched branched	; phenol, 3-dodecyl-, bra	anched; phenol, 4-dode	ecyl-,
Worker DNEL,	acute	inhalation	systemic	44,18 mg/m³
Worker DNEL,	acute	dermal	systemic	166 mg/kg bw/day
Consumer DN	EL, acute	inhalation	systemic	13,26 mg/m³
Consumer DN	EL, acute	dermal	systemic	50 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	1,26 mg/kg bw/day

according to UK REACH Regulation

Cartechnic 5W-40			
Revision date: 02.03.2023	Page 6 of 16		
Worker DNEL, long-term	inhalation	systemic	1.762 mg/m ³
Worker DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,79 mg/m³
Consumer DNEL, long-term	dermal	systemic	0,075 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,075 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental	compartment	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary poi	soning	9,33 mg/kg
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	
Freshwater		0,5 mg/l
Freshwater (in	termittent releases)	5 mg/l
Marine water		0,04 mg/l
Freshwater se	diment	43500 mg/kg
Marine sedime	nt	3480 mg/kg
Secondary poi	soning	13,333 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l
Soil		8850 mg/kg
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	
Freshwater		0,04 mg/l
Marine water 0,0046 mg/l		
Freshwater se	diment	0,07 mg/kg
Marine sedime	nt	0,007 mg/kg
Secondary poi	soning	8,33 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	3,8 mg/l
Soil		0,055 mg/kg
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; branched	phenol, 4-dodecyl-,
Freshwater		0,000074 mg/l
Freshwater (in	termittent releases)	0,00037 mg/l
Marine water		0,000007 mg/l
Freshwater se	diment	0,226 mg/kg
Marine sedime	nt	0,027 mg/kg
Secondary poi	soning	4 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l
Soil		0,118 mg/kg

Additional advice on limit values

Air limit values: Possibility of exposure to Aerosol (Mineral oil) Limit value (TLV-TWA) = 5 mg/ m3 - Source: ACGIH Limit value (TLV-STEL) = 10 mg/ m3 - Source: ACGIH

according to UK REACH Regulation

Revision date: 02.03.2023

Cartechnic 5W-40 Product code:

Page 7 of 16

STEL: short-term exposure limits TLV: Threshold Limiting Value TWA: time weighted average

ACGIH: American Conference of Governmental Industrial Hygienists

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. BS/EN 166

Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 374/EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Gloves must be periodically inspected and changed in case of wear, perforations or contaminations.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Oil-resistant and hardly inflammable protective clothing.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-aerosol or mist formation

-Exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Thermal hazards

Wear protective clothing for operations with hot material: heat resistant coveralls (with trousers legs over boots and sleeves over cuffs of gloves), heat resistant heavy duty antiskid boots (e. g. leather).

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	clear
Odour:	characteristic

No information available.

Test method



according to UK REACH Regulation

Cartechnic 5W-40			
Revision date: 02.03.2023	Product code:		Page 8 of 16
Boiling point or initial boiling point and	No information available.		
boiling range:			
Flammability:	No information available.		
Lower explosion limits:	No information available.		
Upper explosion limits:	No information available.		
Flash point:	236 °C		
Auto-ignition temperature:	No information available.		
Decomposition temperature:	No information available.		
pH-Value:	No information available.		
Viscosity / kinematic:		DIN EN ISO 3104	
(at 40 °C)	00,02 mm/0		
Water solubility:	Immiscible		
Solubility in other solvents			
No information available.			
Partition coefficient n-octanol/water:	No information available.		
Vapour pressure:	No information available.		
(at 20 °C)			
Vapour pressure:	No information available.		
(at 50 °C)			
Density (at 15 °C):	0,8543 g/cm³	DIN 51757	
Bulk density:	No information available.		
Relative vapour density:	No information available.		
Particle characteristics:	No information available.		
9.2. Other information			
Information with regard to physical hazard classes			
Explosive properties			
none			
Sustaining combustion:	No data available		
Self-ignition temperature			
Solid:	No information available.		
Gas:	No information available.		
Oxidizing properties			
none			
Other safety characteristics			
Evaporation rate:	No information available.		
Solvent separation test:	No information available.		
Solvent content:	No information available.		
Solid content:	No information available.		
Sublimation point:	No information available.		
Softening point:	No information available.		
Pour point:	_	ISO 3016	
Viscosity / dynamic:	No information available.		
Flow time:	No information available.		
Further Information			
No information available.			

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

according to UK REACH Regulation

Revision	date:	02.03.2023	
1 10 101011	auto.	02.00.2020	

Cartechnic 5W-40 Product code:

Page 9 of 16

10.3. Possibility of hazardous reactions

No hazardous reactions known. Refer to chapter 10.5.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-54-7	Distillates (petroleum), hy	/drotreated h	eavy paraffi	nic; Baseoil - unspecified	-		
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	OECD 401	
	dermal	LD50 mg/kg	>2000	Rabbit	ECHA Dossier	OECD 402	
68784-26-9	Phenol, dodecyl-, sulfuriz	ed, carbonat	tes, calcium	salts, overbased			
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier	OECD Guideline 401	
	dermal	LD50 mg/kg	> 4000	Rabbit	ECHA Dossier	OECD Guideline 402	
68784-31-6	Phosphorodithioic acid, n	nixed O,O-bi	s(sec-Bu an	d 1,3-dimethylbutyl) esters	s, zinc salts		
	oral	LD50 mg/kg	>2000	Rat.	ECHA Dossier	OECD Guideline 401	
	dermal	LD50 mg/kg	>5000	Rabbit	ECHA Dossier	OECD Guideline 402	
121158-58-5	phenol, dodecyl-, branch branched	ed; phenol, 2	-dodecyl-, b	ranched; phenol, 3-dodec	yl-, branched; phenol, 4-d	odecyl-,	
	oral	LD50 mg/kg	2100	Rat	ECHA Dossier	OECD 401	
	dermal	LD50 mg/kg	15000	Rabbit	ECHA Dossier	OECD 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met. Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts: Irritant effect on the eye: Not an irritant. By analogy. Raw material classification

Sensitising effects

according to UK REACH Regulation

	Cartechnic 5W-40	
Revision date: 02.03.2023	Product code:	Page 10 of 16
Contains Benzenesulfonic acid, methyl-, mono allergic reaction. May cause sensitisation especially in sensitive	p-C20-24-branched alkyl derivs., calcium salts. May produce an e humans.	
Carcinogenic/mutagenic/toxic effects for repro		
Based on available data, the classification crit Distillates (petroleum), hydrotreated heavy pa In vitro mutagenicity/genotoxicity	eria are not met.	
Carcinogenicity: Method: OECD Guideline 453 (Combined Chr Species: Mouse. ;Results: Non-carcinogenic i	onic Toxicity / Carcinogenicity Studies) f DMSO extract as measured by IP346 is less than 3% w/w.;	
Literature information: ECHA dossier Reproductive toxicity: Species: Rat (Sprague-Dawley); Method: OE0	CD Guideline 421 (Reproduction / Developmental Toxicity	
Screening Test) Results: NOAEL > 1000 mg/kg; Literature info		
Developmental toxicity/teratogenicity: Species: Rat (Sprague-Dawley); Method: OE0 Results: NOAEL >= 2000 mg/kg; Literature int	CD Guideline 414 (Prenatal Developmental Toxicity Study) formation: ECHA dossier	
Phosphorodithioic acid, mixed O,O-bis(sec-Bu In-vitro mutagenicity:	and 1,3-dimethylbutyl) esters, zinc salts:	
Method: OECD Guideline 471 (Bacterial Reve Result: negative. ; Literature information: ECH		
Phenol, dodecyl-, sulfurized, carbonates, calc Reproductive toxicity:	um salts, overbased:	
Developmental Toxicity Screening Test); Spec		
Result: NOAEL = 200 mg/kg; Literature inform Method:		
-OECD Guideline 471 (Bacterial Reverse Mut -OECD Guideline 476 (In vitro Mammalian Ce		
Result: negative. ; Literature information: ECH Reproductive toxicity:		
Method: OECD Guideline 416 (Two-Generati Result: NOAEL = 50 mg/kg. Literature information of the second sec	on Reproduction Toxicity Study). Species: Rat. tion: ECHA dossier	
phenol, dodecyl-, branched; phenol, 2-dodecy branched:	I-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-,	
	Method: OECD Guideline 408 ; Species: Rat; Results: NOAEL = me: 28d. Method: OECD Guideline 407 ; Species: Rat ; Results: CHA dossier	
STOT-single exposure Based on available data, the classification crit	eria are not met.	
STOT-repeated exposure		
Based on available data, the classification crit Distillates (petroleum), hydrotreated heavy pa Subacute inhalative toxicity:		
Method: - ; Exposure time: 28d; Species: Rat Results: NOAEL >980 mg/m3; Literature info	rmation: ECHA dossier	
Subacute dermal toxicity : Method: OECD Guideline 410 (Repeated Dos Exposure time: 28d; Species: Rabbit	e Dermal Toxicity: 21/28-Day Study)	

according to UK REACH Regulation

Carte	chnic 5W-40	
Revision date: 02.03.2023 Pr	roduct code:	Page 11 of 16
Results: 1000 mg/kg ; Literature information: ECHA dos	sier	
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-o Subacute oral toxicity:	dimethylbutyl) esters, zinc salts:	
Method: OECD Guideline 407 (Repeated Dose 28-Day Species: Rat	Oral Toxicity in Rodents)	
Exposure duration: 28 d; Results: NOAEL = 125 mg/kg;	Literature information: ECHA dossier	
Phenol, dodecyl-, sulfurized, carbonates, calcium salts,	overbased:	
Subacute oral toxicity: Method: OECD Guideline 410 (Repeated Dose Dermal Species: Dog.; Exposure duration: 28 d.	Toxicity: 21/28-Day Study)	
Results: NOAEL >250 mg/kg(bw)/day ; Literature inform	nation: ECHA dossier	
phenol, dodecyl-, branched; phenol, 2-dodecyl-, branche branched:	ed; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-,	
In vitro mutagenicity/genotoxicity: OECD Guideline 476 Guideline 471 (Bacterial Reverse Mutation Assay); Res		
Developmental toxicity/teratogenicity: Species: Rat ; Me Toxicity Study); Result: NOAEL 100 mg/kg; Literature in		
Species: Sprague-Dawley Rat; Method: OECD Guidelin Study);Result: NOAEL 15 mg/kg; Literature information	· · ·	
Aspiration hazard		

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched. No information available.

Other information

Frequent contact specially if dried out may cause skin and eye irritations.

SECTION 12: Ecological information

12.1. Toxicity

If this product contains phenol, dodecyl, branched (EC No. 310-154-3), this product is not to be classified as dangerous for the environment (H410, H411, H412). Raw materials containing this substance have not been classified by our suppliers as hazardous to the environment (H410, H411) on the basis of test data, expert judgement or analogy assessments.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d] Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated heavy paraffi	iic; Baseoil - unspec	ified	
	Crustacea toxicity	NOEC 10 mg/l	21 d Daphnia m (OECD 21 ²	•	
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased				
	Acute fish toxicity	LC50 LL50 >1000 mg/l	96 h Pimephales	s promelas ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 > 500 mg/l	96 h Pseudokiro subcapitata		OECD Guideline 201
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h Daphnia m	agna Study report (1993)	OECD Guideline 202
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts				

according to UK REACH Regulation

			Car	techni	c 5W-40		
Revision date	: 02.03.2023			Produc	t code:		Page 12 of 1
	Acute fish toxicity	LC50 4,4 mg/l	LL50 =	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 410 mg/l	EL50 =	72 h	Desmodesmus subspicatus	ECHA Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 75 mg/l	EL50 =	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	ECHA Dossier	OECD Guideline 211
121158-58-5	phenol, dodecyl-, branche branched	ed; phenol, 2	-dodecyl-, br	anched;	phenol, 3-dodecyl-, brar	nched; phenol, 4-dod	ecyl-,
	Acute fish toxicity	LC50 40 mg/l	EL 50 =	96 h	Pimephales promelas	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	(0,36)	72 h	Desmodesmus subspicatus	ECHA Dossier	
	Crustacea toxicity	NOEC mg/l	0,0037	21 d	daphnia magna	ECHA Dossier	OECD 211

12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation							
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - u	Inspecified						
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).	-	-					
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbas	ed						
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C (READ ACROSS)	13,4 %	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).	-	-					
68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethyl	butyl) esters, zinc salts						
	EU Method C.6	< 5%	27	ECHA Dossier				
	Easily biodegradable (concerning to the criteria of the OECD)						
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phen branched	ol, 3-dodecyl-, branched;	phenol,	4-dodecyl-,				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	25%	28	ECHA Dossier				
	Not easily bio-degradable (according to OECD-criteria).							

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	9,5
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched	7,1

BCF

CAS No	Chemical name	BCF	Species	Source
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	2,2	lipid triolein	ECHA Dossier

according to UK REACH Regulation

		Cartechni	c 5W-40	
Revision date:	02.03.2023	Produc	t code:	Page 13 of 16
121158-58-5	phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched	2,9		

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %.

12.6. Endocrine disrupting properties

Endocrine disrupting properties: phenol, dodecyl-, branched; phenol, 2-dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-, branched.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1 %

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Inland waterways transport (ADN)14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

according to UK REACH Regulation

	Cartechnic 5W-40	
Revision date: 02.03.2023	Product code:	Page 14 of 16
<u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
 14.6. Special precautions for user Informations for safe handling see chap Informations for personal protective eq 14.7. Maritime transport in bulk according to not relevant 	uipment see chapter 8.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information Authorisations (REACH, annex XIV): Substances of very high concern, SVH phenol, dodecyl-, branched; phenol, 2- branched	C (REACH, article 59): dodecyl-, branched; phenol, 3-dodecyl-, branched; phenol, 4-dodecyl-,	
Restrictions on use (REACH, annex XVII): Entry 28, Entry 30, Entry 75 2010/75/EU (VOC):	No information available.	
2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III):	No information available. Not subject to 2012/18/EU (SEVESO III)	
Additional information Safety Data Sheet according to UK-RE This mixture is classified as not hazard UK REACH Appendix XVII, No (mixture Observe in addition any national regula	ous according to GHS (GB CLP). e): not relevant	
National regulatory information		
Water hazard class (D): Additional information Regulation (EC) No 649/2012 of the Eu of dangerous chemicals: not relevant	2 - obviously hazardous to water uropean Parliament and of the Council concerning the export and import	
15.2 Chemical Safety Assessment not applicable.		
SECTION 16: Other information		
Changes Rev.: 1,00 - 08.04.2015 Rev.: 1,01 - 28.04.2015 Rev.: 1,10 - 02.02.2016 Rev.: 2,00 - 28.03.2017 Rev.: 3,00 - 29.03.2018 Rev.: 4,00 - 27.03.2019 Rev.: 5,00 - 31.03.2020 Changes in ch Rev.: 6.00 - 17.03.2021; Changes in ch	apter: 3.2, 8.1, 10.3, 15.1, 16 hapter: 3.2, 6.1, 6.2, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 15.1, 16	

- Rev.: 6.00 17.03.2021; Changes in chapter: 3.2, 6.1, 6.2, 6.3, 8.1, 11.1, 11.2, 12.1, 12.2, 12.3, 12.7, 15.1, 16
- Rev.: 7,00 10.03.2022, Changes in chapter:, 2.3, 3.2, 8.2, 11.2, 12.5, 12.6, 15.1, 16

according to UK REACH Regulation

Cartechnic 5W-40

Revision date: 02.03.2023

Product code:

Page 15 of 16

Rev.: 8,00 - 02.03.2023, Changes in chapter: 2.3, 9.1, 12.5, 16

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service DNFL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect concentration NTP: National Toxicology Program N/A: not applicable PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium
	salts. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Further Information

Classification according to GHS [GB CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of

according to UK REACH Regulation

Revision date: 02.03.2023	Revision	date:	02.03.2023	
---------------------------	----------	-------	------------	--

Cartechnic 5W-40 Product code:

Page 16 of 16

processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)