Revision: 08.12.2021



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.03.2023

Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: FloorPro Cleaner CA 50 C eco!perform
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Surface cleaning
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 1)

Revision: 08.12.2021

· Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23-xxxx	Propylene glycol substance with a Community workplace exposure limit	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	1-5%
	amines, alkoxylated (polymer) Skin Irrit. 2, H315	1-5%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	1-5%
Reg.nr.: 01-2119475104-44-xxxx Regulation (EC) No 648/2004 on detergents / Labelling for contents		

non-ionic surfactants perfumes - Regulation (EC) No 648/2004 on detergents / Labelling for contents <5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 2)

Revision: 08.12.2021

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.

(Contd. on page 4)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Revision: 08.12.2021

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 3)

- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Ingredier	nts wit	h limit values that require monitoring at the workplace:		
57-55-6 Pr	opyler	ne glycol		
	EL Long-term value: 474* 10** mg/m³, 150* ppm			
*total vapour and particulates **particulates				
67-63-0 pr	•			
WEL Short-term value: 1250 mg/m³, 500 ppm				
	•	value: 999 mg/m³, 400 ppm		
	•	toxyethoxy)ethanol		
		value: 101.2 mg/m³, 15 ppm value: 67.5 mg/m³, 10 ppm		
DNELs		value: 07.0 mg/m ; 10 ppm		
57-55-6 Pr Oral				
	l	85 mg/kg*d (consumer)		
Dermal	I	213 mg/kg*d (consumer)		
innaiative	DNEL	168 mg/m3 (employee)		
67.60.0		50 mg/m3 (consumer)		
67-63-0 pr Oral				
Dermal		26 mg/kg*d (consumer)		
Demiai	DINEL	888 mg/kg*d (employee) 319 mg/kg*d (consumer)		
Inhalativa	DNEI	500 mg/m3 (employee)		
IIIIaialive	DINEL	89 mg/m3 (consumer)		
		69 mg/m3 (consumer)		
PNECs				
57-55-6 Pr				
PNEC		26 mg/l (marine water)		
		2000 mg/l (STP)		
67-63-0 pr				
PNEC	1	140.9 mg/l (freshwater)		
	- 1	140.9 mg/l (marine water)		
		140.9 mg/l (STP)		
PNEC sediment		2251 mg/l (STP)		
		552 mg/kg (freshwater)		
		552 mg/kg (marine water)		

(Contd. on page 5)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 4)

Revision: 08.12.2021

PNEC soil

28 mg/kg (soil)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material Not required.
- · Eye/face protection Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Green · Odour: Fruit-like

· Odour threshold: Not determined.

· Melting point/freezing point: -3 °C

· Boiling point or initial boiling point and boiling

range undetermined Not applicable.

· Flammability · Lower and upper explosion limit

· Lower:

Not determined. · Upper: Not determined.

· Flash point: 54 °C (Closed Cup) Does not support burning

not applicable · Ignition temperature:

 Decomposition temperature: Not determined.

· pH at 20 °C 8.1 · pH-value 1 %: 6-8 · Viscosity:

· Kinematic viscosity Not determined. · dynamic at 20 °C: 3 mPas

· Solubility

· Water: Fully miscible

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure: Not determined.

· Density and/or relative density

· Density at 20 °C: 1 g/cm³

· Relative density Not determined.

(Contd. on page 6)



Printing date 31.03.2023 Version number 2 (replaces version 1) Revision: 08.12.2021

Trade name: FloorPro Cleaner CA 50 C eco!perform

	(Contd. of page 5)		
· Vapour density	Not determined.		
Relative gas density	Not determined.		
· Particle characteristics	Not applicable.		
· 9.2 Other information			
· Appearance:			
· Form:	Fluid		
· Important information on protection of hea	alth		
and environment, and on safety.			
· Auto-ignition temperature:	Product is not selfigniting.		
· Explosive properties:	Product does not present an explosion hazard.		
· Change in condition	·		
· Evaporation rate	Not determined.		
Information with regard to physical hazard			
classes			
· Explosives	Void		
· Flammable gases	Void		
· Aerosols	Void		
· Oxidising gases	Void		
· Gases under pressure	Void		
· Flammable liquids	Void		
Flammable solids	Void		
Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
· Substances and mixtures, which emit flammal			
gases in contact with water	Void Void		
 Oxidising liquids Oxidising solids 	Void		
· Oxidising solids · Organic peroxides	Void		
· Corrosive to metals	Void		
	void		

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability

· Desensitised explosives

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 6)

Revision: 08.12.2021

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
57-55-6	57-55-6 Propylene glycol		
Oral	LD50	22000 mg/kg (Rat)	
67-63-0	67-63-0 propan-2-ol		
Oral	LD50	5840 mg/kg (Rat) (OECD 401)	
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)	
amines,	amines, alkoxylated (polymer)		
Oral	LD50	>5000 mg/kg (Rat)	
112-34-	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	2410 mg/kg (mouse) (OECD 401)	
Dermal	LD50	2764 mg/kg (Rabbit)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:		
57-55-6 Propylene glycol		
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)	
67-63-0 propan-2-ol		
LC50/96 h	9640 mg/l (Pimephales promelas)	
	(Contd. on page 8)	

(Contd. on page



Printing date 31.03.2023 Version number 2 (replaces version 1) Revision: 08.12.2021

Trade name: FloorPro Cleaner CA 50 C eco!perform

	(Contd. of page 7)
EC50/48 h	13299 mg/l (Daphnia magna)
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)
amines, alkoxyla	ted (polymer)
LC50/96 h (static)	>100 mg/l (Leuciscus idus)
EC50/72 h	>100 mg/l (Algae)
112-34-5 2-(2-butoxyethoxy)ethanol	
LC50/96 h	1300 mg/l (Lepomis macrochirus)
EC10/16 h	1170 mg/l (Pseudomonas putida)
EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)
NOEC	>100 mg/l (Desmodesmus subspicatus)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 234.000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

(Contd. on page 9)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 8)

Revision: 08.12.2021

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

CECTION 4.4. Transport information		
SECTION 14: Transport information		
· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to		
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.

(Contd. on page 10)



Printing date 31.03.2023

Version number 2 (replaces version 1)

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 9)

Revision: 08.12.2021

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

0.011-064.0 CA 50 C eco/1 2.487

GB