



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

California Scents Spillproof Newport New Car

Alternative number(s)

091400041090, 0914000000059, 091400001292,
091400041090, 5414139401228, 091400040604,
5020144222743

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd.
Sword House
Totteridge Road
High Wycombe HP13 6DG
United Kingdom

Telephone: +44(0)88000353376
e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service

This number is only available during the following
office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Name	Postal code/city	Telephone
UK poison centre		Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Section	Hazard class	Category	Hazard class and category	Hazard statement
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P302+P352	IF ON SKIN: Wash with plenty of water.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

Linalool, Linalyl acetate, Hydroxycitronellal, Citronellol, Cyclamal, Fir needle oil, Canadian, Isocyclocitral

Labelling of packages where the contents do not exceed 125 ml

- Signal word warning

- Hazard pictogram(s)

Warning. GHS07



- Hazard statements

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

- Precautionary statements
 - P101 If medical advice is needed, have product container or label at hand.
 - P102 Keep out of reach of children.
 - P302+P352 IF ON SKIN: Wash with plenty of water.
 - P501 Dispose of contents/container in accordance with national regulations.
- Contains Linalool, Linalyl acetate, Hydroxycitronellal, Citronellol, Cyclamal, Fir needle oil, Canadian, Isocyclocitral

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.





SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures





Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Linalool	CAS No 78-70-6 EC No 201-134-4 Index No 603-235-00-2	≥ 6	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Linalyl acetate	CAS No 115-95-7 EC No 204-116-4	≥ 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Hydroxycitronellal	CAS No 107-75-5 EC No 203-518-7	≥ 1	Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Hexamethylindanopyran	CAS No 1222-05-5 EC No 214-946-9 Index No 603-212-00-7	0.3 – < 2	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Citronellol	CAS No 106-22-9 EC No 203-375-0	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
Isocyclocitral	CAS No 1335-66-6 EC No 215-638-7	0.1 – < 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	
Cyclamal	CAS No 103-95-7 EC No 203-161-7	0.1 – < 1	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	
Fir needle oil, Canadian	CAS No 8021-28-1 EC No 617-004-9	0.1 – < 1	Flam. Liq. 3 / H226 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hexamethylindanopyran	-	M-factor (acute) = 1 M-factor (chronic) = 1	-	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
- Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	cellulose	9004-34-6	WEL		10		20			i, dust	EH40/2005
GB	cellulose	9004-34-6	WEL		4					r	EH40/2005

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
dust	as dust
i	inhalable fraction
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	24.58 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Linalyl acetate	115-95-7	DNEL	236.2 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Hydroxycitronellal	107-75-5	DNEL	500 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Hydroxycitronellal	107-75-5	DNEL	8.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hydroxycitronellal	107-75-5	DNEL	4.9 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hydroxycitronellal	107-75-5	DNEL	500 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Hexamethylindanopyran	1222-05-5	DNEL	13.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexamethylindanopyran	1222-05-5	DNEL	36.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Citronellol	106-22-9	DNEL	161.6 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Citronellol	106-22-9	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
Citronellol	106-22-9	DNEL	10 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Citronellol	106-22-9	DNEL	327.4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Citronellol	106-22-9	DNEL	2,950 µg/cm ²	human, dermal	worker (industry)	acute - local effects
Cyclamal	103-95-7	DNEL	7.43	human, dermal	worker (industry)	chronic - local ef-

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Relevant DNELs of components

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
			$\mu\text{g}/\text{cm}^2$			fects
Cyclamal	103-95-7	DNEL	1.23 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	0.35 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organisms	water	intermittent release
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 mg/l	aquatic organisms	water	intermittent release
Linalyl acetate	115-95-7	PNEC	0.011 mg/l	aquatic organisms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 mg/kg	terrestrial organ-	soil	short-term (single

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
				isms		instance)
Hydroxycitronellal	107-75-5	PNEC	316 µg/l	aquatic organisms	water	intermittent release
Hydroxycitronellal	107-75-5	PNEC	31.6 µg/l	aquatic organisms	freshwater	short-term (single instance)
Hydroxycitronellal	107-75-5	PNEC	3.16 µg/l	aquatic organisms	marine water	short-term (single instance)
Hydroxycitronellal	107-75-5	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hydroxycitronellal	107-75-5	PNEC	0.145 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hydroxycitronellal	107-75-5	PNEC	0.015 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hydroxycitronellal	107-75-5	PNEC	0.011 mg/kg	terrestrial organisms	soil	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	6.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	0.44 µg/l	aquatic organisms	marine water	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	0.394 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Hexamethylindanopyran	1222-05-5	PNEC	1.5 mg/kg	terrestrial organisms	soil	short-term (single instance)
Citronellol	106-22-9	PNEC	0.024 mg/l	aquatic organisms	water	intermittent release
Citronellol	106-22-9	PNEC	0.002 mg/l	aquatic organisms	freshwater	short-term (single instance)
Citronellol	106-22-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Citronellol	106-22-9	PNEC	580 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Citronellol	106-22-9	PNEC	0.026 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Citronellol	106-22-9	PNEC	0.003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Citronellol	106-22-9	PNEC	0.004 mg/kg	terrestrial organisms	soil	short-term (single instance)
Cyclamal	103-95-7	PNEC	33.3 mg/kg	aquatic organisms	water	short-term (single instance)
Cyclamal	103-95-7	PNEC	10.92 µg/l	aquatic organisms	water	intermittent release
Cyclamal	103-95-7	PNEC	8.8 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.88 µg/l	aquatic organisms	marine water	short-term (single instance)
Cyclamal	103-95-7	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cyclamal	103-95-7	PNEC	1.02 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.102 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.199 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.
Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	blue
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	196.2 °C at 101.3 kPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	94 °C
Auto-ignition temperature	332 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	1 hPa at 82.28 °C
-----------------	-------------------

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	green algae (Selen-astrum capricornutum)	96 h
Linalool	78-70-6	NOEC	<3.5 mg/l	fish	96 h
Linalyl acetate	115-95-7	ErC50	62 mg/l	green algae (Selen-astrum capricornutum)	72 h
Linalyl acetate	115-95-7	LC50	11 mg/l	fish	96 h
Linalyl acetate	115-95-7	EC50	59 mg/l	aquatic invertebrates	48 h
Linalyl acetate	115-95-7	NOEC	25 mg/l	aquatic invertebrates	48 h

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydroxycitronellal	107-75-5	LC50	31.6 mg/l	fish	96 h
Hydroxycitronellal	107-75-5	EC50	410 mg/l	aquatic invertebrates	48 h
Hydroxycitronellal	107-75-5	ErC50	123.3 mg/l	green algae (Selenastrum capricornutum)	72 h
Hexamethylindanopyran	1222-05-5	LC50	0.95 mg/l	fish	96 h
Hexamethylindanopyran	1222-05-5	EC50	0.194 mg/l	aquatic invertebrates	48 h
Hexamethylindanopyran	1222-05-5	ErC50	>0.854 mg/l	green algae (Selenastrum capricornutum)	72 h
Hexamethylindanopyran	1222-05-5	NOEC	0.201 mg/l	green algae (Selenastrum capricornutum)	72 h
Citronellol	106-22-9	LC50	14.66 mg/l	fish	96 h
Citronellol	106-22-9	EC50	17.48 mg/l	aquatic invertebrates	48 h
Citronellol	106-22-9	NOEC	4.6 mg/l	fish	96 h
Cyclamal	103-95-7	LC50	1.42 mg/l	fish	96 h
Cyclamal	103-95-7	EC50	1.4 mg/l	aquatic invertebrates	48 h
Cyclamal	103-95-7	ErC50	4.3 mg/l	green algae (Selenastrum capricornutum)	72 h
Cyclamal	103-95-7	LOEC	2.5 mg/l	green algae (Selenastrum capricornutum)	72 h
Cyclamal	103-95-7	NOEC	0.72 mg/l	green algae (Selenastrum capricornutum)	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Linalyl acetate	115-95-7	LC50	11.14 mg/l	fish	20 h
Linalyl acetate	115-95-7	NOEC	>25.7 mg/l	microorganisms	28 d
Hexamethylindanopyran	1222-05-5	LC50	>0.14 mg/l	fish	36 d
Hexamethylindanopyran	1222-05-5	EC50	0.282 mg/l	aquatic invertebrates	21 d

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hexamethylindanopyran	1222-05-5	NOEC	0.068 mg/l	fish	36 d
Hexamethylindanopyran	1222-05-5	LOEC	0.075 mg/l	aquatic invertebrates	5.5 d
Citronellol	106-22-9	EC50	>10,000 mg/l	microorganisms	30 min
Cyclamal	103-95-7	EC50	1.7 mg/l	aquatic invertebrates	21 d
Cyclamal	103-95-7	NOEC	0.44 mg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Degradability of components

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Linalool	78-70-6	oxygen depletion	40.9 %	5 d		ECHA
Linalyl acetate	115-95-7	oxygen depletion	≥0 – ≤10 %	1 d		ECHA
Hydroxycitronellal	107-75-5	oxygen depletion	80 – 90 %	21 d		ECHA
Hexamethylindanopyran	1222-05-5	carbon dioxide generation	1 %	28 d		ECHA
Citronellol	106-22-9	oxygen depletion	80 – 90 %	28 d		ECHA
Cyclamal	103-95-7	carbon dioxide generation	65.5 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
Linalyl acetate	115-95-7	174	3.9 (25 °C)	
Hydroxycitronellal	107-75-5		1.68 (25 °C)	
Hexamethylindanopyran	1222-05-5	1,635	5.3 (pH value: 7, 25 °C)	
Citronellol	106-22-9	82.59	3.41 (25 °C)	

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Cyclamal	103-95-7		3.4 (pH value: ~7, 35 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number	not subject to transport regulations
14.2 UN proper shipping name	not relevant
14.3 Transport hazard class(es)	none
14.4 Packing group	not assigned
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	There is no additional information.
14.7 Maritime transport in bulk according to IMO instruments	The cargo is not intended to be carried in bulk.



Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Information for each of the UN Model Regulations

DOT

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Hexamethylindanopyran		a)	
Linalool		a)	
Cyclamal		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
California Scents Spillproof Newport New Car	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Fir needle oil, Canadian	flammable / pyrophoric		40

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)

California Scents Spillproof Newport New Car

Version number: GHS 9.0
Replaces version of: 2024-04-10 (GHS 8)

Revision: 2024-08-08

Legend

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2		- Precautionary statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.