

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 22-11-2019 Revision date: 22-7-2021 Supersedes: 22-11-2019 version: 1.1

1.1. Product ide		tance/mixture and of the	company/undertaking	
Product form	intiner	: Mixture		
Product name				
Product code : 05000DFI				
Type of product : Other engine, gear and lubricating oils.				
Product group		: Blend		
	entified uses of the substa	nce or mixture and uses ac	lvised against	
.2.1. Relevant id				
	entined uses	· Industrial use Professional I		
Main use category       : Industrial use,Professional use,Consumer use         Industrial/Professional use spec       : Non-dispersive use				
illustilai/Fi0lessit	sharuse spec	: Non-dispersive use Used in closed systems		
unction or use ca	tegory	: Lubricants and additives		
.2.2. Uses advise	ad anainst			
lo additional inform	•			
	ne supplier of the safety da	ta sheet		
MPM International				
Cyclotronweg 1				
2629 HN Delft Delf	ft - Nederland 30 - F +31 (0)15 2514031			
( )	<u>l - www.mpmoil.nl</u>			
	telephone number			
mergency number		: +31 (0)15 2514030 (08.00 - 17	7.00 GMT+1)	
Country	Official advisory body	Address	Emergency number	Comment
reland	National Poisons Information	PO Box 1297	+353 1 809 2566 (Healthcare	
	Centre	Beaumont Road	professionals-24/7)	
	Beaumont Hospital	9 Dublin	+353 1 809 2166 (public, 8am	
			- 10pm, 7/7)	
Jnited Kingdom	Guy's & St Thomas' Poisons	Avonley Road	+44 20 7188 7188	
	Unit Medical Toxicology Unit,	SE14 5ER London		
	Guy's & St Thomas' Hospital			
	Trust			
	·	·	·	
	azards identification			
.1. Classification	on of the substance or mix	ture		
lassification acc	cording to Regulation (EC) No.	1272/2008 [CLP]		
lot classified				
Adverse physico	chemical, human health and e	nvironmental effects		
lo additional inform				
.2. Label eleme				
		2/2008 [C] PI		
Labelling according to Regulation (EC) No. 1272/2008 [CLP] EUH-statements : EUH210 - Safety data sheet available on request.				
Extra phrases : Contains Calcium long chain alkaryl sulphonate. May produce an allergic reaction.				
2.3. Other hazai	de la		in alkary supronate. May prout	
	contributing to the classification	: No additional information a	vailable.	
	omposition/information	on ingredients		
3.1. Substances				
Not applicable 3.2. Mixtures				
Comments		: Highly refined mineral	oil, contains <3% (w/w) DMSO e	xtract, according to IP346

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates(petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	≥ 25 – ≤ 50	Asp. Tox. 1, H304
Bis(nonylphenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	≥ 1 – ≤ 2,4	Aquatic Chronic 4, H413
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	(CAS-No.) 68784-31-6 (EC-No.) 272-238-5 (REACH-no) 01-2119657973-23	≥ 0,1 – ≤ 0,99	Eye Dam. 1, H318 Aquatic Chronic 2, H411
Longchain calcium alkaryl sulfonate	(CAS-No.) 722503-68-6	≥ 0,1 – ≤ 0,99	Skin Sens. 1, H317 Aquatic Chronic 4, H413
Longchain calciumalkarylsulfonaat	(CAS-No.) 722503-69-7	≥ 0,1 – ≤ 0,99	Skin Sens. 1, H317 Aquatic Chronic 4, H413

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
After inhalation	: Not required.	
After skin contact	: Wash skin with mild soap and water.	
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.	
After ingestion	: Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention.	
4.2. Most important symptoms and effects, both acute and delayed		
After inhalation	: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.	
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.	
After eye contact	<ul> <li>Not expected to present a significant eye contact hazard under anticipated conditions of normal use.</li> </ul>	
After ingestion	: Not expected to present a significant ingestion hazard under anticipated conditions of normal use.	
4.3. Indication of any immediate medical attention and special treatment needed		

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, powder, foam and CO2.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
No additional information available	
5.3. Advice for firefighters	
Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel Protective equipment	: Wear suitable protective clothing and gloves.	
6.1.2. For emergency responders		
Protective equipment 6.2. Environmental precautions	: Wear suitable protective clothing and gloves.	
Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. 6.3. Methods and material for containment and cleaning up		
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Methods for cleaning up	: Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information	: Spill area may be slippery. Use suitable disposal containers.
6.4. Reference to other sections	
No additional information available	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Store in a closed container.
Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, well-ventilated area.
7.3. Specific end use(s)	

No additional information available

# SECTION 8: Exposure controls/personal protection 8.1. Control parameters Additional information : Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is recommended. 8.2. Exposure controls Personal protective equipment:

Safety glasses. Gloves.

Hand protection:					
Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,35		EN ISO 374
Eye protection:					
Safety goggles					
Skin and body protection:					
No special clothing/skin protection equipment is recommended under normal conditions of use					
Respiratory protection:					
No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation					

#### Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Oily liquid.	
Colour	: Amber.	
Odour	: Characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °C @ ASTM D92
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 850 kg/m³ @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available
Viscosity, kinematic	: 70,9 mm²/s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
0.2 Other information	

9.2. Other information No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
None under normal conditions.
10.2. Chemical stability
Stable under normal conditions of use.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
No naked flames, sparks, and do not smoke.
10.5. Incompatible materials
Strong oxidizing agent. Acids and bases.
10.6. Hazardous decomposition products
None under normal conditions.

<b>SECTION 11: Toxicological information</b>	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Bis(nonylphenyl)amine (36878-20-3)	
LD50 oral rat	> 5000 mg/kg OECD 401
LD50 oral	> 2000 mg/kg OECD 402
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Motor Oil 5W30 Premium Synthetic DFI	
Viscosity, kinematic	70,9 mm²/s @ 40°C
viscosity, kinematic	70,9 mm /s @ 40 C

SECTION 12: Ecological information			
12.1. Toxicity			
Hazardous to the aquatic environment, short-term (acute)	: Not classified		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic)	: Not classified		
Bis(nonylphenyl)amine (36878-20-3)			
LC50 fish 1	> 100 mg/l OECD 203 (Danio rerio @96h)		
EC50 Daphnia 1	> 100 mg/l OECD 202 (Daphnia magna)		
EC50 72h - Algae [1]	> 100 mg/l OECD 201 (Desmodesdus subspicatus)		
12.2. Persistence and degradability			
Motor Oil 5W30 Premium Synthetic DFI			
Persistence and degradability Not soluble in water, so only minimally biodegradable.			

Bis(nonylphenyl)amine (36878-20-3)			
Persistence and degradability	Not readily biodegradable.		
Biodegradation	1 % @28d		
12.3. Bioaccumulative potential			
Bis(nonylphenyl)amine (36878-20-3)			
Log Pow	> 7,6		
Bioaccumulative potential	Bioaccumulation possible.		
12.4. Mobility in soil			
Bis(nonylphenyl)amine (36878-20-3)			
Soil	Adsorbs into the soil.		
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Other adverse effects			
No additional information available			

#### SECTION 13: Disposal considerations 13.1. Waste treatment methods

Additional information

: This material and its container must be disposed of in a safe way, and as per local legislation.

#### SECTION 14: Transport information In accordance with ADR / IMDG

In accordance with ADR / IM				
ADR	IMDG			
14.1. UN number				
Not applicable	Not applicable			
14.2. UN proper shipping	g name			
Not applicable	Not applicable			
14.3. Transport hazard o	lass(es)			
Not applicable	Not applicable			
14.4. Packing group				
Not applicable	Not applicable			
14.5. Environmental haz	ards			
Not applicable	Not applicable			
No supplementary informatio	n available			
14.6. Special precaution	s for user			
Overland transport				
Not applicable				
Transport by sea				
Not applicable				
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code				
Not applicable				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:			
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Distillates(petroleum), hydrotreated heavy paraffinic ; Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts ; Longchain calcium alkaryl sulfonate ; Longchain calciumalkarylsulfonaat		
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Bis(nonylphenyl)amine ; Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts ; Longchain calcium alkaryl sulfonate ; Longchain calciumalkarylsulfonaat		

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

Indication of changes:				
Section	Changed item	Change	Comments	
	Supersedes	Added		
	Revision date	Added		
	Extra phrases	Added		
	Comments (on top of composition)	Added		
	Type of product	Modified		
2.2	EUH-statements	Modified		
3	Composition/information on ingredients	Modified		
4.1	After skin contact	Modified		
4.1	After ingestion	Modified		
4.2	After inhalation	Modified		
5.1	Suitable extinguishing media	Modified		
5.3	Protection during firefighting	Added		
6.3	For containment	Modified		
6.3	Methods for cleaning up	Modified		
6.3	Other information	Modified		
7.1	Precautions for safe handling	Added		
7.1	Hygiene measures	Added		
7.2	Technical measures	Added		
7.2	Storage area	Modified		
8.1	Additional information	Added		
8.2	Hand protection	Added		
8.2	Eye protection	Added		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.2Chemical stabilityModified10.4Conditions to avoidAdded10.5Incompatible materialsModified10.5Incompatible materialsModified12.2Persistence and degradabilityAddedFull text of H- and EUH-statements:Aquatic Chronic 2Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Aquatic Chronic 4Hazardous to the aquatic environment — Chronic Hazard, Category 4Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.					
10.4Conditions to avoidAddedIncompatible materialsAdded10.5Incompatible materialsModifiedIncompatible materialsIncompatible materialsModified12.2Persistence and degradabilityAddedIncompatible materialsIncompatible materialsIncompatible materials12.2Persistence and degradabilityAddedIncompatible materialsIncompatible materialsIncompatible materialsFull text of H- and EUH-sterments:Full text of H- and EUH-sterments:Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Aquatic Chronic 4Aspiration hazard, Category 1Aspiration hazard, Category 1Serious eye damage/eye irritation, Category 1Skin sens. 1Skin sensitisation, Category 1May cause an allergic skin reaction.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H411May cause long lasting harmful effects to aquatic life.	8.2	Respiratory protection		Modified	
10.5Incompatible materialsModified10.5Incompatible materialsModified12.2Persistence and degradabilityAddedFull text of H- and EUH-sterments:Aquatic Chronic 2Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Aquatic Chronic 4Hazardous to the aquatic environment — Chronic Hazard, Category 4Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	10.2	Chemical stability		Modified	
12.2Persistence and degradabilityAddedFull text of H- and EUH-stetements:Aquatic Chronic 2Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Aquatic Chronic 4Hazardous to the aquatic environment — Chronic Hazard, Category 4Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304Skin sensitisation, Category 1H317May be fatal if swallowed and enters airways.H318Causes aen allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting hor flasting effects to aquatic life.	10.4	Conditions	to avoid	Added	
Full text of H- and EUH-statements:Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Aquatic Chronic 4Hazardous to the aquatic environment — Chronic Hazard, Category 4Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	10.5	Incompatib	le materials	Modified	
Aquatic Chronic 2Hazardous to the aquatic environment — Chronic Hazard, Category 2Aquatic Chronic 4Hazardous to the aquatic environment — Chronic Hazard, Category 4Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	12.2	Persistence	e and degradability	Added	
Aquatic Chronic 4Hazardous to the aquatic environment — Chronic Hazard, Category 4Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	Full text of H- and EUH-s	tatements:			
Asp. Tox. 1Aspiration hazard, Category 1Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	Aquatic Chronic 2		Hazardous to the aqua	ic environment — Chronic Hazard, Category 2	
Eye Dam. 1Serious eye damage/eye irritation, Category 1Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	Aquatic Chronic 4 Hazardous to the aquat		ic environment — Chronic Hazard, Category 4		
Skin Sens. 1Skin sensitisation, Category 1H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	Asp. Tox. 1 Aspiration hazard, Cate		egory 1		
H304May be fatal if swallowed and enters airways.H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	Eye Dam. 1 Serious eye damage/ey		ye irritation, Category 1		
H317May cause an allergic skin reaction.H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	Skin Sens. 1	Skin Sens. 1 Skin sensitisation, Cate		agory 1	
H318Causes serious eye damage.H411Toxic to aquatic life with long lasting effects.H413May cause long lasting harmful effects to aquatic life.	H304		May be fatal if swallowed and enters airways.		
H411       Toxic to aquatic life with long lasting effects.         H413       May cause long lasting harmful effects to aquatic life.	H317		May cause an allergic skin reaction.		
H413 May cause long lasting harmful effects to aquatic life.	H318 Causes serious eye dar		mage.		
	H411 Toxic to aquatic life with		n long lasting effects.		
EUH210 Safety data sheet available on request.	H413 May cause long lasting harm		armful effects to aquatic life.		

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.