

Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10

Page 1 / 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

SWAG 30 92 7975 automatic transmission fluid (CVT)

Article number: 30 92 7975

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH

Am Kiesberg 4-6

42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de

Address enquiries to

Technical information info@swag.de Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: olefin derivatives. EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazardsDoes not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 2 / 11

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - < 50	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,1 - < 1	olefin derivatives
	EINECS/ELINCS: 939-580-3, Reg-No.: 01-2119976364-28
	GHS/CLP: Skin Sens. 1: H317

Comment on component parts Contains less than 3% w/w DMSO-extract (only for mineral oils)

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10

Page 3 / 11

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

The product is combustible.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 4 / 11

SECTION 8: Exposure controls / personal protection

Substance

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

DNEL

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
olefin derivatives
Industrial, dermal, Long-term - systemic effects, 16,7 mg/kg bw/d (AF=300)
Industrial, inhalative, Long-term - systemic effects, 5,88 mg/m³ (AF=75)
general population, oral, Long-term - systemic effects, 0,83 mg/kg bw/d (AF=600)
general population, dermal, Long-term - systemic effects, 8,3 mg/kg bw/d (AF=600)
general population, inhalative, Long-term - systemic effects, 1,45 mg/m³ (AF=150)

PNEC

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
oral (food), 9.33 mg/kg food	
olefin derivatives	
oral (food), 33,3 mg/kg food (AF=300)	
soil, 1706,3 mg/kg dw	
sediment (seawater), 855,6 mg/kg dw	
sediment (freshwater), 8556 mg/kg dw	
sewage treatment plants (STP), 100 mg/l (AF=100)	
seawater, 0,02 mg/l (AF=500)	
freshwater, 0,2 mg/l (AF=50)	



Page 5 / 11

Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection If there is a risk of splashing:

safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Not required under normal conditions.

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Coloramber colourOdorcharacteristicOdour thresholdnot applicablepH-valuenot applicablepH-value [1%]not applicable

Boiling point [°C]No information available.

Flash point [°C] 210

Flammability (solid, gas) [°C] No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,84 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

No information available. Solubility other solvents Partition coefficient [n-octanol/water] No information available. Kinematic viscosity 34 mm²/s (DIN 51562)(40°C) Relative vapour density No information available. **Evaporation speed** No information available. Melting point [°C] No information available. **Auto-ignition temperature** No information available. No information available. Decomposition temperature [°C] Particle characteristics No information available.



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 6 / 11

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 7 / 11

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

olefin derivatives

LD50, oral, Rat, > 2000 mg/kg bw

Acute dermal toxicity

Product

ATE-mix, dermal, 63 257 mg/kg bw

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation

Toxicological data of complete product are not available.

May produce an allergic reaction.

Calculation method

Specific target organ toxicity —

single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicityBased on the available information, the classification criteria are not fulfilled. **Carcinogenicity**Based on the available information, the classification criteria are not fulfilled.

Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

Endocrine disrupting properties No information available.

Other information none



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 8 / 11

SECTION 12: Ecological information

12.1 Toxicity

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
NOELR, (14d), fish, 1 g/L	
LL50, (4d), Invertebrates, 10 g/L	
LL50, (4d), fish, 100 mg/L	
olefin derivatives	
LC50, (96h), fish, > 101 mg/l	
EC50, (72d), Algae, > 101 mg/l	
NOEC, (21d), Daphnia magna, 10 mg/l	
LL50, (96h), Rainbow trout, > 100 mg/l	

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment.



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10

Page 9 / 11

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

For recycling, consult manufacturer.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102 150104

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 10 / 11

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

no

Inland navigation (ADN)

IMDG

Marine transport in accordance with no

no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2022)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

no

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.



Date printed 03.03.2022, Revision 03.03.2022

Version 11. Supersedes version: 10 Page 11 / 11

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position SECTION 3 been added: olefin derivatives

SECTION 3 deleted: Bis(nonylphenyl)amine

SECTION 2 been added: EUH208 May produce an allergic reaction.