



Version number 2.1 (replaces version 2.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
 Only for proper handling.
 Engine oil
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

MOTOREX AG Bern–Zürich–Strasse 31, Postfach CH–4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:
- Mineral oils (mixture)

Asp. Tox. 1, H304 ≥1-≤7.5%

· Additional information:

The mineral oil contained may be described by one or more of the following: EC 265-157-1 (Reg.nr 01-2119484627-25), EC 265-169-7 (Reg.nr 01-2119471299-27), EC 265-158-7 (Reg.nr 01-2119487077-29), EC 265-159-2 (Reg.No. 01-2119480132-48).

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

GB



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)

⁻ GB -

Page 3/9

Safety data sheet according to UK REACH



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

8.2 Exposure controls	
Appropriate engineering controls No furt	ther data: see section 7.
Individual protection measures, such as	
General protective and hygienic measures	
Keep away from foodstuffs, beverages and	
Wash hands before breaks and at the end of	DI WOIK.
Do not inhale gases / fumes / aerosols.	
Respiratory protection: Not required.	
Hand protection	
	ble and resistant to the product/ the substance/ th
preparation.	
	ration of the penetration times, rates of diffusion and ti
degradation	
Material of gloves	
	ot only depend on the material, but also on further man
	manufacturer. As the product is a preparation of sever
	terial can not be calculated in advance and has therefo
to be checked prior to the application.	
Penetration time of glove material	
	ind out by the manufacturer of the protective alound a
	und out by the manufacturer of the protective gloves a
has to be observed.	d during refilling
Eye/face protection Goggles recommende	ea auring retilling
Body protection: Protective work clothing	
	al properties
SELVILIAN U. Dhyeleal and chomic	
SECTION 9: Physical and chemic	ai properties
-	
9.1 Information on basic physical and ch	
9.1 Information on basic physical and ch General Information	nemical properties
9.1 Information on basic physical and ch General Information Physical state	nemical properties Fluid
9.1 Information on basic physical and ch General Information Physical state Colour:	nemical properties Fluid Brown
9.1 Information on basic physical and ch General Information Physical state Colour: Odour:	nemical properties Fluid Brown Characteristic
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold:	nemical properties Fluid Brown Characteristic Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour:	nemical properties Fluid Brown Characteristic
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold:	nemical properties Fluid Brown Characteristic Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and	nemical properties Fluid Brown Characteristic Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Undetermined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability	nemical properties Fluid Brown Characteristic Not determined. Undetermined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	Pemical properties Fluid Brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. Not determined. 200 °C
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature:	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. >200 °C Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Not applicable. Not determined. Not determined. Not determined. 200 °C
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity:	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. Not determined. >200 °C Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity:	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic:	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. Not determined. 125 mm²/s @ 40 °C Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water:	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. 125 mm²/s @ 40 °C Not determined. Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. 125 mm²/s @ 40 °C Not determined. 125 mm²/s @ 40 °C Not determined. Not determined. Not determined. 125 mm²/s @ 40 °C Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value)	nemical properties Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined. 125 mm²/s @ 40 °C Not determined. Not determined. Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. >200 °C Not determined. 125 mm²/s @ 40 °C Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure:	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. 125 mm²/s @ 40 °C Not determined. 125 mm²/s @ 40 °C Not determined. Not determined. Not determined. 125 mm²/s @ 40 °C Not determined. Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. >200 °C Not determined. 125 mm²/s @ 40 °C Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure: Density and/or relative density	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. Not determined.
9.1 Information on basic physical and ch General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Heat Capacity Vapour pressure:	Fluid Brown Characteristic Not determined. Undetermined. Undetermined. Not applicable. Not determined. >200 °C Not determined. >200 °C Not determined. 125 mm²/s @ 40 °C Not determined.



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

	(Contd. of page
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
Form:	Fluid
 Important information on protection of heat 	alth
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
· VOC (EC)	0.11 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
• Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

бВ



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

(Contd. of page 4)

GB

- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA Not classified as hazardous for transport 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA Not classified as hazardous for transport · 14.3 Transport hazard class(es) · ADR/RID/ADN, ADN, IMDG, IATA · Class Not classified as hazardous for transport 14.4 Packing group · ADR/RID/ADN. IMDG. IATA Not classified as hazardous for transport · 14.5 Environmental hazards: Not applicable. (Contd. on page 6)



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

 · 14.6 Special precautions for user
 Not applicable.

 · 14.7 Maritime transport in bulk according to IMO instruments
 Not applicable.

 · UN "Model Regulation":
 Not classified as hazardous for transport

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

purity requirement

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

· Department issuing SDS: Abteilung Produktsicherheit

- Abbreviations and acronyms:
- Asp. Tox. 1: Aspiration hazard Category 1

* * Data compared to the previous version altered.

Annex: Exposure scenario 1

· Short title of the exposure scenario

Industrial use of lubricants and greases in vehicles or machinery

- Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- Product category
- PC16 Heat transfer fluids
- PC17 Hydraulic fluids
- PC24 Lubricants, greases, release products

(Contd. on page 7)

GB



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

	td. of page 6)
Process category PROC1 Chemical production or refinery in closed process without likelihood of ex	posure or
processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional	l controlled
exposure or processes with equivalent containment conditions	
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facili PROC9 Transfer of substance or mixture into small containers (dedicated filling line	
weighing)	
Environmental release category ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto artic	le)
ERC7 Use of functional fluid at industrial site	
 Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. 	
· Conditions of use	
• Duration and frequency 5 workdays/week.	
· Physical parameters	
· Physical state Fluid	
· Concentration of the substance in the mixture The substance is main component.	
Other operational conditions	
Other operational conditions affecting environmental exposure No special measures Other operational conditions affecting consumer exposure Not required.	s required.
Other operational conditions affecting consumer exposure during the use of the pr	oduct
Not applicable.	
· Risk management measures	
Worker protection	
• Organisational protective measures No special measures required.	
Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
 Measures for consumer protection No special measures required. Environmental protection measures 	
• Air No special measures required.	
• Water No special measures required.	
· Disposal measures	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
 Disposal procedures Dispose of product residues with household waste. 	
Waste type Partially emptied and uncleaned packaging	
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
· Guidance for downstream users No further relevant information available.	
Annex: Exposure scenario 2	
 Short title of the exposure scenario Professional use of lubricants and greases in vehicles or machines 	
· Sector of Use	
SU22 Professional uses: Public domain (administration, education, entertainment,	, services.
craftsmen)	,
· Product category	
PC16 Heat transfer fluids	
PC17 Hydraulic fluids	
PC24 Lubricants, greases, release products	
• Process category	

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

(Contd. on page 8)

⁻ GB



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

(Contd. of page PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC20 Use of functional fluids in small devices	,)
Environmental release category	
ERC9a Widespread use of functional fluid (indoor)	
ERC9b Widespread use of functional fluid (outdoor)	
Description of the activities / processes covered in the Exposure Scenario	
See section 1 of the annex to the Safety Data Sheet.	
Conditions of use	
Duration and frequency 5 workdays/week.	
Physical parameters	
Physical state Fluid	
Concentration of the substance in the mixture The substance is main component.	
Other operational conditions	
Other operational conditions affecting environmental exposure No special measures required	
Other operational conditions affecting consumer exposure Not required.	
Other operational conditions affecting consumer exposure during the use of the product	
Not applicable.	
Risk management measures	
Worker protection	
Organisational protective measures No special measures required.	
Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
Measures for consumer protection No special measures required.	
Environmental protection measures	
Air No special measures required.	
Water No special measures required.	
Disposal measures	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
Disposal procedures Dispose of product residues with household waste.	
Waste type Partially emptied and uncleaned packaging	
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
Guidance for downstream users No further relevant information available.	

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines
- Sector of Use SU21 Consumer uses: Private households / general public / consumers
- · Product category PC24 Lubricants, greases, release products
- Environmental release category
- ERC9a Widespread use of functional fluid (indoor)
- ERC9b Widespread use of functional fluid (outdoor)
- \cdot Description of the activities / processes covered in the Exposure Scenario
- See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.

(Contd. on page 9)

⁻ GB -

Page 9/9

Safety data sheet according to UK REACH



Printing date 14.11.2024

Version number 2.1 (replaces version 2.0)

Trade name: TOP SPEED 4T SAE 15W/50 JASO MA2

	(Contd. of page 8)
· Risk management measures	,
· Worker protection	
• Organisational protective measures No special measures required.	
• Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
Measures for consumer protection No special measures required.	
Environmental protection measures	
Air No special measures required.	
· Water No special measures required.	
Disposal measures	
Disposal must be made according to official regulations.	
Ensure that waste is collected and contained.	
Disposal procedures Dispose of product residues with household waste.	
Waste type Partially emptied and uncleaned packaging	
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
Guidance for downstream users No further relevant information available.	