# **SAFETY DATA SHEET**



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Castrol POWER1 2T
Product code	457356-DE04
SDS #	457356
Product type	Liquid.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

PW: Widespread use by professional workers PC24: Lubricants, greases, release products C: Consumer use PC24: Lubricants, greases, release products

 
 Use of the substance/ mixture
 Motorcycle engine oil.

 For specific application advice see appropriate Technical Data Sheet or consult our company representative.

1.3 Details of the supplier of the safety data sheet	1.3 Details of the supplier of the safe	ety data sheet
--	---	----------------

Supplier	Lubricants UK Limited, Chertsey Road, Sunbury On Thames, Middlesex, TW16 7BP
E-mail address	+44 (0)345 600 8125 MSDSadvice@bp.com

EMERGENCY         Carechem: +44 (0) 1235 239 670 (24/7)           TELEPHONE NUMBER         Carechem: +44 (0) 1235 239 670 (24/7)	1.4 Emergency telephone num	ber
		Carechem: +44 (0) 1235 239 670 (24/7)

# **SECTION 2: Hazards identification**

 2.1 Classification of the substance or mixture

 Product definition
 Mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Not classified.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

#### 2.2 Label elements

Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Hazardous ingredients	Not applicable.
Supplemental label elements	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction. Safety data sheet available on request.
EU Regulation (EC) No. 1907/	2006 (REACH)

Product name Castrol POWE	R1 2T		Product code 457356-I	DE04	Page: 1/12
Version 3.05 Date of issue	19 December 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous issue	28 November 2023.		(United Kingdom)		

# **SECTION 2: Hazards identification**

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.
Special packaging requireme	<u>ints</u>
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Results of PBT and vPvB assessment	Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	Defatting to the skin. NOTE: Product diluted with petrol must be handled with the same precautions used for petrol. Before mixing, the Safety Data Sheet for petrol should be consulted for any precautionary measures necessary.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Product definition Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
	REACH #: 01-2119457273-39 EC: 918-481-9 CAS: -	≥25 - ≤50	Asp. Tox. 1, H304 EUH066	-	[1]
C14-16-18 Alkyl phenol	REACH #: 01-2119498288-19	≤0.3	Skin Sens. 1B, H317 STOT RE 2, H373	-	[1]

#### See Section 16 for the full text of the H statements declared above.

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

## 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

28 November 2023.

#### Potential acute health effects

Date of previous issue

Inhalation	Vapour inhalation under ambien pressure.	nt conditions	is not normally	a problem due to low	vapour
Product name	Castrol POWER1 2T		Product code	457356-DE04	Page: 2/12
Version 3.05	Date of issue 19 December 2024	Format	United Kingdom	Language	ENGLISH

(UK)

(United Kingdom)

Type

# SECTION 4: First aid measures

Ingestion	No known significant effects or critical hazards.	
Skin contact	Defatting to the skin. May cause skin dryness and irritation.	
Eye contact	No known significant effects or critical hazards.	
Delayed and immediat	e effects as well as chronic effects from short and long-term exposure	
Inhalation	Overexposure to the inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.	
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.	
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.	
Eve contact	Potential risk of transient stinging or redness if accidental eye contact occurs.	

#### 4.3 Indication of any immediate medical attention and special treatment needed

# SECTION 5: Firefighting measures

5.1 Extinguishing media						
Suitable extinguishing media	In case of fire, use water fog, alcohol resistant foam, dry chemical or carbon dioxide extinguisher or spray.					
Unsuitable extinguishing media	Do not use water jet. The use of a water jet may cause the fire to spread by splashing the burning product.					
5.2 Special hazards arising fro	om the substance or mixture					
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.					
Hazardous combustion products	combustion products may include the following: arbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide)					
5.3 Advice for firefighters						
Special precautions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.					
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.					

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, prote	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment.
For emergency responders	Entry into a confined space or poorly ventilated area contaminated with vapour, mist or fume is extremely hazardous without the correct respiratory protective equipment and a safe system of work. Wear self-contained breathing apparatus. Wear a suitable chemical protective suit. Chemical resistant boots. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for co	ontainment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible,

Product name Castrol POWER1 2T	Product code 457356-DE04	Page: 3/12
Version 3.05         Date of issue 19 December 2024         Fo	rmat United Language Kingdom (UK)	ENGLISH
Date of previous issue 28 November 2023.	(United Kingdom)	

absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

## **SECTION 6: Accidental release measures**

6.4 Reference to other	See Section 1 for emergency contact information.
sections	See Section 5 for firefighting measures.
	See Section 8 for information on appropriate personal protective equipment.
	See Section 12 for environmental precautions.
	See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

7.1 Precautions for safe har	ndling
Protective measures	Put on appropriate personal protective equipment. NOTE: Product diluted with petrol must be handled with the same precautions used for petrol. Before mixing, the Safety Data Sheet for petrol should be consulted for any precautionary measures necessary.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.
Not suitable	Prolonged exposure to elevated temperature
7.3 Specific end use(s)	
Recommendations	See section 1.2 and Exposure scenarios in annex, if applicable.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

procedures

#### **Occupational exposure limits**

No exposure limit value known.

Whilst specific OELs for certain components may be shown in this section, other components may be present in any mist, vapour or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

**Recommended monitoring** Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for

the determination of hazardous substances will also be required.

#### **Derived No Effect Level**

No DNELs/DMELs available.

#### **Predicted No Effect Concentration**

No PNECs available

Date of previous issue

28 November 2023.

8.2 Exposure controls				
Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.			
Individual protection measures	2			
Hygiene measures	Wash hands, forearms and face thoroughly smoking and using the lavatory and at the er stations and safety showers are close to the	nd of the working period		
Respiratory protection				
Product name Castrol POWER1	2T	Product code 457356-	DE04	Page: 4/12
Version 3.05 Date of issue 19	December 2024 Format	United Kingdom	Language	ENGLISH

(UK)

(United Kingdom)

# SECTION 8: Exposure controls/personal protection

	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Eye/face protection	Safety glasses with side shields.
Skin protection	
Hand protection	General Information:
	Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).
	Gloves should be chosen in consultation with the supplier / manufacturer and taking account of a full assessment of the working conditions.
	Recommended: Nitrile gloves. Breakthrough time:
	Breakthrough time data are generated by glove manufacturers under laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:
	Continuous contact:
	Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.
	Short-term / splash protection:
	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough times may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.
	Glove Thickness:
	For general applications, we recommend gloves with a thickness typically greater than 0.35 mm.
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.

Product name	Castrol POWE	R1 2T		Product code 4	57356-DE04	Page: 5/12
Version 3.05	Date of issue	19 December 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previo	ous issue	28 November 2023.		(United Kingdom	1)	

# SECTION 8: Exposure controls/personal protection

	· · ·
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
<u>Refer to standards:</u>	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166 Filtering half-mask: EN 149 Filtering half-mask with valve: EN 405 Half-mask: EN 140 plus filter Full-face mask: EN 136 plus filter Particulate filters: EN 143 Gas/combined filters: EN 14387
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Info بما مام antic 1. . . . . . nhycical (

9.1 Information on basic physical a	nd chemical proper	ties							
Physical state	Liquid.								
Colour	Brown.								
Odour	Not available.								
Odour threshold	Not available.								
Melting point/freezing point	Not available.								
Initial boiling point and boiling range	Not available.								
Flammability	Not available.								
Lower and upper explosion limit	Not available.								
Flash point	Closed cup: >70°C	(>158°F)	[Pensky-	Martens]					
Auto-ignition temperature	Ingredient name		°C	°F	Μ	ethod			
	▶ Stillates (petroleum), h light	nydrotreate	d >220	>428					
	Polybutene (Isobutylene copolymer)	e/butene	215	419	EL	J A.15			
Decomposition temperature	Not available.								
рН	Not applicable.								
Kinematic viscosity Solubility	Kinematic: 6.5 to 8 r	mm²/s (6.	5 to 8 cS1	t) at 100°C	(DIN EN I	SO 3104	4)		
	Media	R	esult						
	water	No	t soluble						
Partition coefficient n-octanol/ water (log value)	Not applicable.								
Vapour pressure		Vapou	r Pressu	re at 20°C	Vapo	ur press	ure at 50	°C	
	Ingredient name	mm Hg	1	Method	mm	kPa	Method		
					Hg				
Product name Castrol POWER1 2T					t code 45	7356-DE	04	Page	e: 6/12
Version 3.05 Date of issue 19 Dec	cember 2024		Form	at United	-	L	anguage	ENG	LISH
				Kingdo (UK)					
Date of previous issue 28 Nor	vember 2023.				Kingdom)				

# **SECTION 9: Physical and chemical properties**

	Stillates (petroleum), hydrotreated light	0.22502 to 0.45004	0.03 to 0.06				
	Distillates (petroleum), hydrotreated heavy paraffinic	<0.07501	<0.01	ASTM D 5191			
	Distillates (petroleum), solvent-dewaxed heavy paraffinic	<0.07501	<0.01	ASTM D 5191			
	Polybutene (Isobutylene/butene copolymer)	5.10043	0.68		13.05111	1.7	
	Lubricating oils	<0.07501	<0.01	ASTM D 5191			
Density and/or Relative density	<mark>≮</mark> 1000 kg/m³ (<1 g/	cm³) at 15	5°C	•			
Relative vapour density	Not available.						
Particle characteristics							
Median particle size	Not applicable.						
9.2 Other information							
Evaporation rate	Not available.						
Explosive properties	Not available.						
Oxidising properties	Not available.						

# SECTION 10: Stability and reactivity

10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
10.2 Chemical stability	The product is stable.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.4 Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Acute toxicity

## Not available.

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Long chain alkyl phenol	2500	N/A	N/A	N/A	N/A

Irritation/Corrosion

Not available.

#### **Sensitiser**

Not available.

#### **GERM CELL MUTAGENICITY**

Not available.

Product name	Castrol POWE	R1 2T		Product code 457356-	DE04	Page: 7/12
Version 3.05	Date of issue	19 December 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previo	ous issue	28 November 2023.		(United Kingdom)		

# **SECTION 11: Toxicological information**

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Aspiration hazard**

Product/ingredient name		Result		
₱ stillates (petroleum), hydrotreated light		ASPIRATION HAZARD - Category 1		
Conclusion/Summary	Not classified. Based on available data, the classification criteria are not met.			
Conclusion/Summary	Not available.			
Information on likely routes of exposure	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.			
Potential acute health effec	<u>ts</u>			
Inhalation	Vapour inhalation under ambie pressure.	nt conditions is not normally a problem due to low vapour		
Ingestion	No known significant effects or	critical hazards.		
Skin contact	Defatting to the skin. May caus	se skin dryness and irritation.		
Eye contact	No known significant effects or	critical hazards.		
Symptoms related to the ph	ysical, chemical and toxicologica	al characteristics		
Inhalation	May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.			
Ingestion	No specific data.			
Skin contact	Adverse symptoms may include the following: irritation dryness cracking			
Eye contact	No specific data.			
Delayed and immediate effe	ects as well as chronic effects fro	m short and long-term exposure		
Inhalation	Overexposure to the inhalation respiratory tract.	of airborne droplets or aerosols may cause irritation of the		
Ingestion	Ingestion of large quantities ma	ay cause nausea and diarrhoea.		
Skin contact	Prolonged or repeated contact	can defat the skin and lead to irritation and/or dermatitis.		
Eye contact	Potential risk of transient stingi	ng or redness if accidental eye contact occurs.		
Potential chronic health effe	<u>ects</u>			
General	No known significant effects or	critical hazards.		
Carcinogenicity	No known significant effects or	critical hazards.		
Mutagenicity	No known significant effects or	critical hazards.		
<b>Developmental effects</b>	No known significant effects or	critical hazards.		
Fertility effects	No known significant effects or critical hazards.			

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Not available.
11.2.2 Other information
Not available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Not available.

**Environmental hazards** 

Not classified as dangerous

#### 12.2 Persistence and degradability

Expected to be biodegradable.

Product name Castrol POWER	R1 2T		Product code 457356-I	DE04	Page: 8/12
Version 3.05 Date of issue	19 December 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous issue	28 November 2023.		(United Kingdom)		

# **SECTION 12: Ecological information**

#### 12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (K <sub>oc</sub> )	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

#### 12.5 Results of PBT and vPvB assessment

Product does not meet the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties	Not available.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.
12.7 Other adverse effects	No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

Waste code	Waste designation
European waste catalogue (	EWG)
Hazardous waste	Yes.
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Product	
13.1 Waste treatment methods	

Waste code	Waste designation
13 02 08*	other engine, gear and lubricating oils

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging	
Methods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Empty containers represent a fire hazard as they may contain flammable product residues and vapour. Never weld, solder or brace containers.

the container. Empty containers represent a fire oduct residues and vapour. Never weld, solder or braze empty containers. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. References Commission 2014/955/EU Directive 2008/98/EC

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
Product name Cast			Product code 457356-DE	04 Page: 9/12
Version 3.05       Date of issue 19 December 2024       F         Date of previous issue       28 November 2023.		Format	United L Kingdom (UK) (United Kingdom)	anguage ENGLISH

# SECTION 14: Transport information 14.5 No. No. No. Environmental hazards No. No. No. Additional information

14.6 Special precautions for Not available. user

#### 14.7 Maritime transport in Not available. bulk according to IMO instruments

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

#### Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

#### Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles

# No listed substance

Labelling

Not applicable.

Other regulations	
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.
United States inventory (TSCA 8b)	All components are active or exempted.
Australia inventory (AIIC)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (CSCL)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
Explosive precursors	Not applicable.
Ozone depleting substances Not listed.	<u>(1005/2009/EU)</u>
Prior Informed Consent (PIC) Not listed.	<u>(649/2012/EU)</u>
Persistent Organic Pollutants Not listed.	
EU - Water framework direction	
<u>Seveso Directive</u> This product is not controlled un	der the Severe Directive
This product is not controlled un	

Product name Castrol POWER1 2T			Product code 457356-DE04		Page: 10/12	
Version 3.05	Date of issue	19 December 2024	Format	United Kingdom (UK)	Language	ENGLISH
Date of previous issue		28 November 2023.		(United Kingdom)		

# SECTION 15: Regulatory information

15.2 Chemical safety	A Chemical Safety Assessment has been carried out for one or more of the substances within
assessment	this mixture. A Chemical Safety Assessment has not been carried out for the mixture itself.

# **SECTION 16: Other information**

Abbreviations and acronyms	ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway			
	ADR = The European Agreemer Road	nt concerning the International Carriage of Dangerous Goods by		
	ATE = Acute Toxicity Estimate			
	BCF = Bioconcentration Factor			
	CAS = Chemical Abstracts Serv	ice		
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]			
	CSA = Chemical Safety Assessment			
	CSR = Chemical Safety Report			
	DMEL = Derived Minimal Effect	Level		
	DNEL = Derived No Effect Leve			
		of Existing Commercial chemical Substances		
	ES = Exposure Scenario	0		
	EUH statement = CLP-specific I	Hazard statement		
	EWC = European Waste Catalo			
	GHS = Globally Harmonized Sy	stem of Classification and Labelling of Chemicals		
	IATA = International Air Transpo			
	IBC = Intermediate Bulk Contair	ner		
	IMDG = International Maritime D	)angerous Goods		
	LogPow = logarithm of the octar			
		ntion for the Prevention of Pollution From Ships, 1973 as		
	modified by the Protocol of 1978			
		omic Co-operation and Development		
	PBT = Persistent, Bioaccumulat			
	PNEC = Predicted No Effect Co			
		on, Authorisation and Restriction of Chemicals Regulation		
	[Regulation (EC) No. 1907/2006	-		
		ing the International Carriage of Dangerous Goods by Rail		
	RRN = REACH Registration Nul			
	SADT = Self-Accelerating Deco			
	SVHC = Substances of Very Hig			
		an Toxicity - Repeated Exposure		
	STOT-SE = Specific Target Org TWA = Time weighted average	an Toxicity - Single Exposure		
	UN = United Nations			
	UVCB = Complex hydrocarbon s	substance		
	VOC = Volatile Organic Compo			
	vPvB = Very Persistent and Ver			
		re of the following 64741-88-4 / RRN 01-2119488706-23,		
	•	067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4/ RRN		
		/ RRN 01-2119488707-21, 64742-44-5 / RRN		
	-	, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN		
	01-2119480375-34, 64742-54-7	/ RRN 01-2119484627-25, 64742-55-8 / RRN		
		/ RRN 01-2119480132-48, 64742-57-0 / RRN		
		, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8,		
	64742-65-0 / RRN 01-21194712	299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 /		
		8-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN		
	01-2119474889-13			
Procedure used to derive the o	classification according to Regu	lation (EC) No. 1272/2008 [CLP/GHS]		
Classific	ation	Justification		

Classif		Justification				
Not classified.						
Full text of abbreviated H statements	H304 EUH066	May be fatal if swallowed and enters airways. Repeated exposure may cause skin dryness or cracking.				
Full text of classifications [CLP/GHS]	ASPIRATION	HAZARD - Catego	ory 1			
<u>History</u>						
Date of issue/ Date of revision	19/12/2024.					
Date of previous issue	28/11/2023.					
Product name Castrol POWI		Product code 45	57356-DE04	Page: 11/12		
Version 3.05 Date of issue 19 December 2024		Format	United Kingdom (UK)	Language	ENGLISH	
Date of previous issue 28 November 2023.			(United Kingdom	)		

## **SECTION 16: Other information**

Prepared by

Product Stewardship Group

#### ✓ Indicates information that has changed from previously issued version.

#### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name Castrol POWER1 2T			Product code 457356-DE04		Page: 12/12		
Version 3.05 Dat	ite of issue	19 December 2024	Format	United Kingdom (UK)	Language	ENGLISH	
Date of previous issue		28 November 2023.		(United Kingdom)			