

use

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17-5-2018 Revision date: 17-7-2023 Supersedes: 12-6-2023 version: 5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form | : Mixture |
|-----------------|--|
| Trade name | : TRIPLE QX SynPlus Ford 5W30 Synthetic |
| Product code | : TQX.11005 |
| Type of product | : Other engine, gear and lubricating oils. |
| Product group | : Blend |
| | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| Main use category | : Professional use, Consumer use, Industrial u |
|----------------------------------|--|
| Industrial/Professional use spec | : Non-dispersive use |
| | Used in closed systems |
| Function or use category | : Lubricants and additives |

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

MPM International Oil Company B.V. Cyclotronweg 1 2629 HN Delft Delft - Nederland T 0031 (0)15 2514030 <u>pvhoorn@mpmoil.com</u> - <u>www.tripleqx.com</u>

1.4. Emergency telephone number

Emergency number

: +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

| Country | Official advisory body | Address | Emergency number | Comment |
|----------------|--|--|--|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER | +44 20 7188 7188 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP)

: P102 - Keep out of reach of children.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| EUH-statements : | EUH208 - Contains: Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl |
|------------------|---|
| | derivatives, calcium salts. May produce an allergic reaction. |
| | EUH210 - Safety data sheet available on request. |

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

| Component | |
|--|---|
| Phenol, dodecyl-, branched (121158-58-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

| Component | |
|---|--|
| Phenol, dodecyl-, branched(121158-58-5) | |
| | |
| | |

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

- 3.2. Mixtures
- Comments

: Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------------------|--|
| Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts | CAS-No.: 68784-31-6 EC-No.: 272-238-5 REACH-no: 01-2119657973- 23 | ≥ 1 – ≤ 1,49 | Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts | CAS-No.: 722503-68-6 EC-No.: 682-816-2 | ≥ 0,1 – ≤ 0,99 | Skin Sens. 1B, H317 |
| Phenol, dodecyl-, branched substance listed as REACH Candidate (Phenol, alkylation products (mainly in para position) with C12- rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP)) | CAS-No.: 121158-58-5 EC-No.: 310-154-3 REACH-no: 01-2119513207- 49 | ≥ 0,01 – ≤ 0,035 | Repr. 1B, H360F Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10) |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures After inhalation : Not required. After skin contact : Wash skin with mild soap and water. After eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| After ingestion | : Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical advice/attention. |
|--|---|
| 4.2. Most important symptoms and effects | , both acute and delayed |
| After inhalation | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use. |
| After skin contact | : Not expected to present a significant skin hazard under anticipated conditions of normal use. |
| After eye contact | : Not expected to present a significant eye contact hazard under anticipated conditions of normal use. |
| After ingestion | : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

| SECTION 5: Firefighting measures | | |
|--|---|--|
| 5.1. Extinguishing media | | |
| Suitable extinguishing media Unsuitable extinguishing media | Water spray, powder, foam and CO2.Do not use a heavy water stream. | |
| 5.2. Special hazards arising from the substance or mixture | | |
| No additional information available. | | |
| 5.3. Advice for firefighters | | |

| Precautionary measures fire | : Exercise caution when fighting any chemical fire. |
|--------------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

| SECTION 6: Accidental release measures | | |
|--|---|--|
| 6.1. Personal precautions, prote | ctive equipment and emergency procedures | |
| General measures | : If spilled, may cause the floor to be slippery. | |
| 6.1.1. For non-emergency personnel | | |
| Protective equipment | : Gloves. Safety glasses. | |
| Emergency procedures | : Do not breathe vapours. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Wear suitable protective clothing and gloves. Safety glasses. | |
| 6.2. Environmental precautions | | |

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

| 6.3. Methods and material for containm | ent and cleaning up |
|--|---|
| For containment | : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
| Methods for cleaning up Other information | : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it. : Spill area may be slippery. Use suitable disposal containers. |
| 6.4. Reference to other sections | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| SECTION 7: Handling and storage | |
|---|--|
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required. |
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Handling temperature | : <40 °C |
| Hygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |
| 7.2. Conditions for safe storage, including | any incompatibilities |
| Technical measures Storage conditions Storage temperature Storage area | Store in a closed container. Keep container closed when not in use. ≤ 40 °C Store in dry, well-ventilated area. |

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available.

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

Additional information

: Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is recommended.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures: No additional information available.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety goggles

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

No additional information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Colour: Amber.Appearance: Oily liquid.Odour: Characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFreezing point: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availablePlash point: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableVapour pressure at 50°C: Not availablePensity: Sol availableRelative vapour density at 20°C: Not availableParticle size: Not applicableParticle size: Not applicableParticle size: Not applicableParticle size: Not applicableParticle agglomeration state: Not applicableParticle agglomeration state: Not applicableParticle agglomeration state< | Physical state | : Liquid |
|---|---------------------------------|---|
| Odour: Characteristic.Odour threshold: Not availableMetting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: Not availableFlash point: Not availableFlash point: Not availableDecomposition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableVapour pressure at 50°C: Not availableParticle explor density at 20°C: Not availableParticle size: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle aggiomeration state: Not applicableParticle aggiomeration state: Not applicableParticle aggiomeration state: Not applicableParticle aggiomeration state: Not applicableParticle specific surface area: Not applicable | Colour | : Amber. |
| Cdour threshold:Not availableMelting point:Not availableMelting point:Not availableFreezing point:Not availableBoiling point:Not availableFlammability:Not availableExplosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableViscosity, kinematic:Not availableDecomposition temperature:Not availableViscosity, kinematic:64 mm ² /s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableRelative density at 20°C:Not availableParticle size:Not applicableParticle size distribution:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle agglomeration state:Not applicableParticle agglomeration state:Not applicable< | Appearance | : Oily liquid. |
| Melting point:Not availableFreezing point:Not availableBoiling point:Not availableBoiling point:Not availableFlammability:Not availableExplosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableUpper explosion limit:Not availableFlash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availablePH:Not availableViscosity, kinematic:64 mm?/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableParticle size:Not applicableParticle size fution:Not applicableParticle size fution:Not applicableParticle aggoregation state:Not applicable <t< td=""><td>Odour</td><td>Characteristic.</td></t<> | Odour | Characteristic. |
| Freezing point: Not availableBoiling point: Not availableBoiling point: Not availableFlammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableUpper explosion limit: Not availableFlash point:> 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not apalicableParticle size: Not applicableParticle size distribution: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Odour threshold | : Not available |
| Boiling point:Not availableFlammability:Not availableExplosive limits:Not availableLower explosion limit:Not availableUpper explosion limit:Not availableFlash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availableDecomposition temperature:Not availableViscosity, kinematic:64 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableParticle size:Not applicableParticle size distribution:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle agglomeration state:Not applicable | Melting point | : Not available |
| Flammability: Not availableExplosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Freezing point | : Not available |
| Explosive limits: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablePH: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle sapect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Boiling point | : Not available |
| Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: > 220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableParticle size: Not availableParticle size: Not applicableParticle sapect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Flammability | : Not available |
| Upper explosion limit: Not availableFlash point: >220 °C @ ASTM D92Auto-ignition temperature: Not availableDecomposition temperature: Not availablepH: Not availableViscosity, kinematic: 64 mm²/s @ 40 °CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50 °C: Not availableDensity: 854 kg/m³ @ 15 °CRelative density: Not availableParticle size: Not availableParticle size distribution: Not applicableParticle sapect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicableParticle specific surface area: Not applicable | Explosive limits | : Not available |
| Flash point:> 220 °C @ ASTM D92Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:64 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableParticle size:Not availableParticle size distribution:Not applicableParticle sapect ratio:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | Lower explosion limit | : Not available |
| Auto-ignition temperature:Not availableDecomposition temperature:Not availablepH:Not availableViscosity, kinematic:64 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableParticle size:Not availableParticle size distribution:Not applicableParticle sapect ratio:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | Upper explosion limit | : Not available |
| Decomposition temperature: Not availablepH: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableRelative vapour density at 20°C: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle sapect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Flash point | : > 220 °C @ ASTM D92 |
| pH: Not availableViscosity, kinematic: 64 mm²/s @ 40°CSolubility: Slightly soluble, the product remains on the water surface.Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableRelative vapour density at 20°C: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle shape: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Auto-ignition temperature | : Not available |
| Viscosity, kinematic:64 mm²/s @ 40°CSolubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableRelative vapour density at 20°C:Not availableParticle size:Not availableParticle size distribution:Not applicableParticle shape:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | Decomposition temperature | : Not available |
| Solubility:Slightly soluble, the product remains on the water surface.Log Kow:Not availableVapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableRelative vapour density at 20°C:Not availableParticle size:Not applicableParticle size distribution:Not applicableParticle shape:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | pH | : Not available |
| Log Kow: Not availableVapour pressure: Not availableVapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableRelative vapour density at 20°C: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle shape: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Viscosity, kinematic | : 64 mm²/s @ 40°C |
| Vapour pressure:Not availableVapour pressure at 50°C:Not availableDensity:854 kg/m³ @ 15°CRelative density:Not availableRelative vapour density at 20°C:Not availableParticle size:Not applicableParticle size distribution:Not applicableParticle shape:Not applicableParticle aspect ratio:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | Solubility | : Slightly soluble, the product remains on the water surface. |
| Vapour pressure at 50°C: Not availableDensity: 854 kg/m³ @ 15°CRelative density: Not availableRelative vapour density at 20°C: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle shape: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Log Kow | : Not available |
| Density:854 kg/m³ @ 15°CRelative density:Not availableRelative vapour density at 20°C:Not availableParticle size:Not availableParticle size distribution:Not applicableParticle shape:Not applicableParticle aspect ratio:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | Vapour pressure | : Not available |
| Relative density: Not availableRelative vapour density at 20°C: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle shape: Not applicableParticle aspect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Vapour pressure at 50°C | : Not available |
| Relative vapour density at 20°C: Not availableParticle size: Not applicableParticle size distribution: Not applicableParticle shape: Not applicableParticle aspect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Density | : 854 kg/m³ @ 15°C |
| Particle sizeNot applicableParticle size distributionNot applicableParticle shapeNot applicableParticle aspect ratioNot applicableParticle aggregation stateNot applicableParticle agglomeration stateNot applicableParticle specific surface areaNot applicable | Relative density | : Not available |
| Particle size distribution:Not applicableParticle shape:Not applicableParticle aspect ratio:Not applicableParticle aggregation state:Not applicableParticle agglomeration state:Not applicableParticle specific surface area:Not applicable | Relative vapour density at 20°C | : Not available |
| Particle shape: Not applicableParticle aspect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Particle size | : Not applicable |
| Particle aspect ratio: Not applicableParticle aggregation state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Particle size distribution | : Not applicable |
| Particle agglomeration state: Not applicableParticle agglomeration state: Not applicableParticle specific surface area: Not applicable | Particle shape | : Not applicable |
| Particle agglomeration state : Not applicable Particle specific surface area : Not applicable | Particle aspect ratio | : Not applicable |
| Particle specific surface area : Not applicable | Particle aggregation state | : Not applicable |
| | Particle agglomeration state | : Not applicable |
| Particle dustiness : Not applicable | Particle specific surface area | : Not applicable |
| | Particle dustiness | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| SECTION 10: Stability and reactivity |
|--|
| 10.1. Reactivity |
| None under normal conditions. |
| 10.2. Chemical stability |
| Stable under normal conditions of use. |
| 10.3. Possibility of hazardous reactions |
| No dangerous reactions known under normal conditions of use. |
| 10.4. Conditions to avoid |
| No naked flames, sparks, and do not smoke. |
| 10.5. Incompatible materials |
| Strong oxidizing agent. Acids and bases. |
| 10.6. Hazardous decomposition products |
| None under normal conditions. |
| |
| SECTION 11: Toxicological information |

| 11.1. Information on hazard classes as | defined in Regulation (EC) No 1272/2008 |
|---|--|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified (A specific ingredient in the product reduces the effect of eye irritation, which |
| | is caused by the substance ZnDTP. Based on this information, the H319 classification will |
| | be ignored.) |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| TRIPLE QX SynPlus Ford 5W30 Synthe | etic |
| Viscosity, kinematic | 64 mm²/s @ 40°C |
| 11.2. Information on other hazards | |
| 11.2.1. Endocrine disrupting properties | |
| Component | |
| Phenol, dodecyl-, branched(121158-58-5) | The substance has been identified as having endocrine disrupting properties, but no |

additional data are available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

| SECTION 12: Ecological information | |
|--|--|
| 12.1. Toxicity | |
| General : Hazardous to the aquatic environment, short-term (acute) : Hazardous to the aquatic environment, long-term (chronic) : | This product contains one or more components that have a branched alkyl phenol impurity very toxic to aquatic organisms (listed in Chapter 3).The components that contain the impurity have been tested and are not toxic to it aquatic organisms. Therefore, the data in Chapter 3 on the alkylphenol impurity cannot be used to classify the product whatever concerns the toxicity to aquatic organisms. Not classified Not classified. |
| 12.2. Persistence and degradability | |
| TRIPLE QX SynPlus Ford 5W30 Synthetic | |
| Persistence and degradability | Not soluble in water, so only minimally biodegradable. |
| Phenol, dodecyl-, branched (121158-58-5) | |
| Biodegradation | 25 % Sturm-test @28d |
| 12.3. Bioaccumulative potential | |
| Phenol, dodecyl-, branched (121158-58-5) | |
| Bioconcentration factor (BCF REACH) | 2,9 @27d |
| Log Kow | 7,1 @0,1d |
| 12.4. Mobility in soil | |
| TRIPLE QX SynPlus Ford 5W30 Synthetic | |
| Soil | Prevent soil and water pollution. |
| 12.5. Results of PBT and vPvB assessment | |
| Component | |
| Phenol, dodecyl-, branched (121158-58-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 12.6. Endocrine disrupting properties | |
| Component | |
| Phenol, dodecyl-, branched(121158-58-5) | The substance has been identified as having endocrine disrupting properties, but no additional data are available. |
| 12.7. Other adverse effects | |
| No additional information available | |

| SECTION 13: Disposal considerations | |
|--|--|
| 13.1. Waste treatment methods | |
| Regional legislation (waste) Product/Packaging disposal recommendations | Disposal must be done according to official regulations.Dispose in a safe manner in accordance with local/national regulations. |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW) code

: 13 02 06* - synthetic engine, gear and lubricating oils

| SECTION 14: Transport information | |
|--|--|
| In accordance with ADR / IMDG | |
| 14.1. UN number or ID number | |
| UN-No. UN-No. (IMDG) | : Not regulated : Not regulated |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (ADR) Proper Shipping Name (IMDG) | : Not regulated : Not regulated |
| 14.3. Transport hazard class(es) | |
| ADR Transport hazard class(es) (ADR) | : Not regulated |
| IMDG Transport hazard class(es) (IMDG) | : Not regulated |
| 14.4. Packing group | |
| Packing group (ADR) Packing group (IMDG) | : Not regulated : Not regulated |
| 14.5. Environmental hazards | |
| Dangerous for the environment Marine pollutant Other information | NoNoNo supplementary information available |
| 14.6. Special precautions for user | |

Overland transport

Not regulated

Transport by sea

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Phenol, alkylation products (mainly in para position) with C12-rich branched alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (EC 310-154-3, CAS 121158-58-5)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals) Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|--|----------|----------|
| Section | Changed item | Change | Comments |
| | Revision date | Modified | |
| | Supersedes | Modified | |
| | Display additional SDS EU addresses | Added | |
| 2.2 | EUH-statements | Modified | |
| 2.2 | Precautionary statements (CLP) | Added | |
| 3 | Composition/information on ingredients | Modified | |
| 11.1 | Reason for no classification | Modified | |
| 12.1 | General | Added | |
| 16 | Other information | Added | |

Other information

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

| Full text of H- and EUH-statements | |
|------------------------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| EUH208 | Contains: Benzenesulphonic acid, methyl mono-C 20 -C 24 branched alkyl derivatives, calcium salts. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H360F | May damage fertility. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Repr. 1B | Reproductive toxicity, Category 1B |
| Skin Corr. 1C | Skin corrosion/irritation, Category 1, Sub-Category 1C |
| Skin Sens. 1B | Skin sensitisation, category 1B |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.