

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) as amended DIESEL SYSTEM CLEANER (Tank Additive)

**TEC-2000 LTD** 

P. O. BOX 285, Hitchin. SG4 9WQ, HERTS., U.K.

info@TEC-2000.co.uk

PH:

01462-433 660 FAX: MOB: 01462-674 468 07831-105 386

Version Number: 18		Revision Date: 01-May-2023
SECTION 1: Identification of the	substance/mixture and of the company/undertaking	
1.1 Product Identifier	TEC 2000 DIESEL SYSTEM CLEANER (TANK ADDITIVE)	
Substance / mixture	mixture	
UFI:	3200-U0CW-500R-Q2XQ	
1.2 Relevant identified uses of th	e substance or mixture and uses advised against	
1.1. Mixture's intended use	)	
DIESEL TANK ADDDITIVE TO	PROMOTE CLEANER EXHAUST EMMISSIONS.	
Main intended use		
PC-FUE-5	Fuel additives and fuel components	
Mixture uses advised agains	ť	
The product should not be use	d in ways other than those referred in Section 1.	
1.3 Details of the supplier of the	safety data sheet	
Manufacturer		
Name or trade name	TEC-2000 LIMITED	
Address	PO Box 285, Hitchin, Hertfordshire, SG4 9WQ United Kingdom	
VAT Reg No	GB111112414	
Phone	+44 (0) 1462 433 660	
E-mail	mike@tec-2000.co.uk	
Web address	www.tec-2000.co.uk	
Competent person responsit	ble for the safety data sheet	
Name	TEC-2000 LIMITED	
E-mail	mike@tec-2000.co.uk	
1.4 Emergency telephone number	er	
0044 (Ø) 7831 105386 (24hrs)		
NHS Direct: 111		
UK-National Poisons Information	on Service (NPIS): 0344 892 0111 (healthcare professionals only).	
Ireland - National Poisons Infor	mation Centre (NPIC): (01) 809 2566 (healthcare professionals only).	
SECTION 2: Hazards identification	on	
2.1 Classification of the substan		
Classification of the mixtur	e according to Regulation (EC) No 1272/2008	

The mixture is classified as dangerous.

Flam. Liq. 2	H225
Asp. Tox. 1	H304
Skin Sens. 1,	H317
Eye Irrit. 2	H319
Acute Tox. 4,	H332
STOT SE 3	H336
Repr. 2	H361d
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse physico-chemical effects

Highly flammable liquid and vapour.

#### Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. May cause damage to organs through prolonged or repeated exposure. Suspected of damaging the unborn child. May cause an allergic skin reaction. Harmful if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.





## 2.2 Label elements Hazard pictograms:



#### Signal word:

Danger

#### Hazardous substances

acetone

propan-2-ol

Distillates (petroleum), hydro- treated light

toluene

permethrin (ISO)

(S)-3-allyl-2-methyl-4-oxocyclopent-2-enyl(1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate

## Hazard statements:

aza	ru statements:	
Н	225	Highly flammable liquid and vapour.
Η	304	May be fatal if swallowed and enters airways.
Η	317	May cause an allergic skin reaction.
Н	319	Causes serious eye irritation.
Н	332	Harmful if inhaled.
Н	336	May cause drowsiness or dizziness.
Н	361d	Suspected of damaging the unborn child.
Н	373	May cause damage to organs through prolonged or repeated exposure.
Н	304	May be fatal if swallowed and enters airways.
Н	410	Very toxic to aquatic life with long lasting effects.
Ρ	recautionary stateme	nts:
	101	If medical advice is needed, have product container or label at hand.
Ρ	102	Keep out of reach of children.
	103	Read label before use.
	210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Р	260	Do not breathe dust/fume/gas/mist/vapours/spray.
Р	264	Wash hands and exposed parts of the body thoroughly after handling.
	271	Use only outdoors or in a well-ventilated area.
Р	280	Wear protective gloves/protective clothing/eye protection/face protection.
Р	301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Ρ	303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
Ρ	304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Ρ	305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
		Continue rinsing.
	312	Call a POISON CENTER/doctor if you feel unwell.
	321	Specific treatment (see on this label).
	337+P313	If eye irritation persists: Get medical advice/attention.
	362+P364	Take off contaminated clothing and wash it before reuse.
	405	Store locked up.
	501	Dispose of contents/container in accordance with local/regional/national/international regulations.
S	upplemental informat	lion:

#### Supplemental information:

Composition according to (EC) No 648/2004, as amended: >=30 % aliphatic hydrocarbons, 5-<15 % aromatic hydrocarbons, <5 % anionic surfactants

#### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

#### 2.3 Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical characterization Mixture.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

**TEC-2000** Diesel System Cleaner (Tank Additive)

Revision Date: 01-May-2023

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) N 1272/2008	<sup>lo</sup> Note
Index: 606-001-00-8 CAS: 67-64-1 EC: 200-662-2 Registration number: 01-2119471330-49- XXXX	acetone	20-25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	2
Index: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 Registration number: 01-2119457558-25- XXXX	propan-2-ol	20-25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Index: 649-422-00-2 CAS: 64742-47-8 EC: 265-149-8 Registration number: 01-2119484819-18- XXXX	Distillates (petroleum), hydro- treated light	10-25	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Acute Tox. 3, H331	
Index: 601-021-00-3 CAS: 108-88-3 EC: 203-625-9 Registration number: 01-2119471310-51- XXXX	toluene	10-<20	Flam. Liq. 2, H225 Asp. Tox. 1, H304 STOT SE 3, H336 Repr. 2, H361d STOT RE 2, H373 Aquatic Chronic 3, H412	2, 3
Index: 613-058-00-2 CAS: 52645-53-1 EC: 258-067-9	permethrin (ISO)	2,5-10	Acute Tox. 4, H302+H332 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1 000) Aquatic Chronic 1, H410 (M=1000)	
CAS: 51-03-6 EC: 200-076-7 Registration number: 01-2119537431-46- XXXX	1,3-Benzodioxole, 5-[[2-(2- butoxyethoxy) ethoxy]methyl]-6-propyl-	2,5-10	Acute Tox. 3, H311 Aquatic Chronic 2, H411	
Index: 649-424-00-3 CAS: 64742-94-5 EC: 265-198-5 Registration number: 01-2119510128-50- XXXX	Solvent naphtha (petroleum), heavy arom	0,1-<1	Asp. Tox. 1, H304 Resp. Sens. 1, H334	
Index: 601-052-00-2 CAS: 91-20-3 EC: 202-049-5 Registration number: 01-2119561346-37- XXXX	naphthalene	0,1-<0,25	Acute Tox. 4, H302 Carc. 2, H351 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
Index: 006-025-00-3 CAS: 28434-00-6 EC: 249-013-5	(S)-3-allyl-2-methyl-4- oxocyclopent-2-enyl (1R,3R)-2,2-dimethyl-3-(2- methylprop-1- enyl)cyclopropanecarboxylate	0,025- <0,25	Acute Tox. 4, H302+H332 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

## Notes

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Substance with a Union workplace exposure limit.
- 3 The use of the substance is restricted by Annex XVII of REACH Regulation Full text of all classifications and hazard statements is given in the section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

## 4.2 Most important symptoms and effects, both acute and delayed

#### . If inhaled

Cough, headache. May cause drowsiness or dizziness.

lf on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation. If swallowed

Irritation, nausea.

## 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## **SECTION 5: Firefighting Measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

## 5.2 Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3 Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental Release Measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

## 6.2 Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

## 6.3 Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

## 6.4 Reference to other sections

See Section 7, 8 and 13.

## **SECTION 7: Handling and Storage**

## 7.1 Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eves. No smoking. Obtain special instructions before use. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

## The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

## 7.3 Specific end use(s): not available

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1 Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union			Commission Directive 2000/39/EC
Substance name (component)	Туре	Value	Note
	OEL 8 hours	1210 mg/m <sup>3</sup>	
acetone (CAS: 67-64-1)	OEL 8 hours	500 ppm	
European Union			Commission Directive 2006/15/EC
Substance name (component)	Туре	Value	Note
	OEL 8 hours	192 mg/m <sup>3</sup>	
taluana (CAS: 108, 88, 2)	OEL 8 hours	50 ppm	Skin
toluene (CAS: 108-88-3)	OEL 15 minutes	384 mg/m³	Skill
	OEL 15minutes	100 ppm	
European Union			Commission Directive 91/322/EEC
Substance name (component)	Туре	Value	Note
naphthalene (CAS: 91-20-3)	OEL 8 hours	50 mg/m³	
			Commission Directive 01/222/EEC

European Union			Commission Directive 91/322/EEC
Substance name (component)	Туре	Value	Note
naphthalene (CAS: 91-20-3)	OEL 8 hours	10 ppm	

## 8.2 Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

## Eye/face protection

Protective goggles.

## Skin protection

Hand protection: Protective gloves resistant to the product. (eg. Butyl rubber, BR) EN ISO 374-1. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

Mask with a filter against organic vapours in a poorly ventilated environment.

## Thermal hazard

Data not available.

## **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical And Chemical Properties

9.1 Information on basic physical and chemical properties	
Physical state	Fluid
Colour:	Brown.
Odour:	data not available
Melting point/freezing point:	data not available
Boiling point or initial boiling point and boiling range	56 °C
Flammability	data not available
Lower and upper explosion limit	
Lower:	0.7 %
Upper:	13.3 %
Flash point:	0°C
Auto-ignition temperature	data not available
Decomposition temperature:	data not available
pH	non-polar/aprotic
Kinematic viscosity	data not available
Solubility in Water:	Partly soluble.
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure:	data not available
Density and/or relative density	data not available
9.2 Other information	
not available	

#### **SECTION 10: Stability and Reactivity**

10.1	React	ivity	

#### not available 10.2 Chemical stability

The product is stable under normal conditions.

- 10.3 Possibility of hazardous reactions
- Unknown.
- 10.4 Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect from moisture.

## 10.5 Incompatible materials

Protect against strong acids, bases and oxidizing agents.

## 10.6 Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide and nitrogen oxides are formed at high temperature and in fire.

## **SECTION 11: Toxicological Information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture. Acute toxicity

Harmful if inhaled.

1,3-Benzodioxole, 5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

		piopji			
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	$LD_{50}$	7181 mg/kg		Rat	
Dermal	$LD_{50}$	>2000 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	>5.9 mg/l	4 hour	Rat	
acetone					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	$LD_{50}$	5800 mg/kg		Rat	
Dermal	LD <sub>50</sub>	20000 mg/kg		Rabbit	
Distillates (petroleum), hydro- treate	d light				
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Inhalation	$LC_{50}$	5 mg/l	4 hour	Rat	
naphthalene					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	$LD_{50}$	490 mg/kg		Rat	
Dermal	$LD_{50}$	5000 mg/kg		Rabbit	

## Version Number: 18 TEC-2000 Diesel System Cleaner (Tank Additive) Revision Date: 01-May-2023

propan-2-ol

Inhalation

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	5840 mg/kg		Rat	
Dermal	LD <sub>50</sub>	12800 mg/kg		Rabbit	
Inhalation	LC <sub>50</sub>	30 mg/l	4 hour	Rat	

4 hour

Rat

Sex

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

# toluene Parameter Value Exposure time Species Oral LD<sub>50</sub> 5000 mg/kg Rat Dermal LD<sub>50</sub> 12124 mg/kg Rabbit

5320 mg/l

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

.C<sub>50</sub>

## Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitization

May cause an allergic skin reaction.

## Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

Toxicity for specific target organ - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

## Aspiration hazard

May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

#### 12.1 Toxicity

#### Acute toxicity

Very toxic to aquatic life with long lasting effects.

#### propan-2-ol

Parameter	Value	Exposure time	Species	Environment
LC <sub>50</sub>	9640 mg/l	96 hour	Fishes	
LC <sub>50</sub>	>10000 mg/l	24 hour	Daphnia	

## Chronic toxicity

propan-2-ol

Parameter	Value	Exposure time	Species	Environment
NOEC	1050 mg/l		Microorganisms	

## 12.2 Persistence and degradability:

The mixture is biodegradable.

12.3 Bioaccumulative potential:

Data not available.

12.4 Mobility in soil:

## Data not available.

## 12.5 Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### 12.6 Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7 Other adverse effects:

Data not available.

#### **SECTION 13: Disposal Considerations**

## 13.1 Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## **SECTION 14: Transport Information**

SECTION 14: Transport Information	
14.1 UN number or ID number UN1993	
14.2 UN proper shipping name	
FLAMMABLE LIQUID, N.O.S. (ACETONE, ISOPRC	PANOL (ISOPROPYL ALCOHOL))
14.3 Transport hazard class(es)	
3 Flammable liquids	
14.4 Packing group	
II - substances presenting medium danger	
14.5 Environmental hazards:	
not relevant	
14.6 Special precautions for user	
Reference in the Sections 4 to 8.	
14.7 Maritime transport in bulk according to	
not relevant	
Additional information:	
Hazard identification No.	33
UN number	<b>1993</b>
Classification code	F1
Safety signs	3+hazardous for the environment
Air transport - ICAO/IATA	• •
Packaging instructions passenger	353
Cargo packaging instructions	364
Marine transport - IMDG	
EmS (emergency plan)	F-E, S-E
MFAG	310
SECTION 15: Regulatory Information.	

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Product contains reportable explosives precursors: Reporting of suspicious transactions, disappearances and thefts according to Regulation (EU) 2019/1148, Article 9.

## Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

toluene
---------

Restriction	Conditions of restriction
48	Shall not be placed on the market, or used, as a substance or in mixtures in a concentration equal to or greater than 0,1 % by weight where the substance or mixture is used in adhesives or spray paints intended for supply to the general public.

## 15.2 Chemical safety assessment

not available

-----

## **SECTION 16: Other Information.**

#### A list of standard risk phrases used in the safety data sheet

A list of standard fi	isk pillases useu ill the salety uata sheet
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long las H302+H332 Harmful if swallowed or if inhaled.

## Guidelines for safe handling used in the safety data sheet

	handling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P271	Use only outdoors or in a well-ventilated area.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to in accordance with local/regional/national/international regulations.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash hands and exposed parts of the body thoroughly after handling.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
A list of additional	standard phrases used in the safety data sheet
EUH066	Repeated exposure may cause skin dryness or cracking.
	ormation about human health protection
The product must no	t be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1.
The user is responsi	ble for adherence to all related health protection regulations.
Key to abbreviation	ns and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
ES	Identification code for each substance listed in EINECS
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
	Page 9 / 10

Version Number: 18 TEC-2000 Diesel System Cleaner (Tank Additive) Revision Date: 01-May	-2023
IUPAC International Union of Pure and Applied Chemistry	
$LC_{50}$ Lethal concentration of a substance in which it can be expected death of 50% of the population	
LD <sub>50</sub> Lethal dose of a substance in which it can be expected death of 50% of the population	
log Kow Octanol-water partition coefficient	
MARPOL International Convention for the Prevention of Pollution from Ships	
NOEC No observed effect concentration	
OEL Occupational Exposure Limits	
PBT Persistent, Bioaccumulative and Toxic	
ppm Parts per million	
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID Agreement on the transport of dangerous goods by rail	
UN Four-figure identification number of the substance or article taken from the UN Model Regulations	
UVCB Substances of unknown or variable composition, complex reaction products or biological materials	
VOC Volatile organic compounds	
vPvB Very Persistent and very Bioaccumulative	
Acute Tox. Acute toxicity	
Aquatic Acute Hazardous to the aquatic environment	
Aquatic Chronic Hazardous to the aquatic environment (chronic)	
Asp. Tox. Aspiration hazard	
Carc. Carcinogenicity	
Eye Irrit. Eye irritation	
Flam. Liq. Flammable liquid	
Repr. Reproductive toxicity	
Resp. Sens. Respiratory sensitization	
Skin Sens. Skin sensitization	
STOT RE Specific target organ toxicity - repeated exposure	
STOT SE Specific target organ toxicity - single exposure	
Training guidelines Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the	_

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

## Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC)

No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from 11.08.2021. Change of product composition.

More information

Classification procedure - calculation method.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.