



Safety Data Sheet

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 43-6424-6
Revision date: 04/09/2023

Version number: 3.01
Supersedes date: 01/08/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hybrid Ceramic Tire Shine G2304 [G230416]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF
Telephone: +44 (0)870 241 6696
E Mail: info@meguiars.co.uk
Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements**The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain****HAZARD STATEMENTS:**

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS**Disposal:**

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

SUPPLEMENTAL INFORMATION:**Supplemental Hazard Statements:**

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012, as amended for Great Britain on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

2.3. Other hazards

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII, as amended by UK REACH Regulations SI 2019/758

Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII, as amended by UK REACH Regulations SI 2019/758

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Non-Hazardous Ingredients	Mixture	80 - 100	Substance not classified as hazardous
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 911-418-6	< 0.0015	EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100 Nota B Acute Tox. 2, H330 Acute Tox. 2, H310
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	(CAS-No.) 68584-25-8 (EC-No.) 271-532-0	< 0.5	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 3, H412
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2 (EC-No.) 500-221-7	< 0.5	Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1

			Aquatic Chronic 2, H411
octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2 (EC-No.) 209-136-7	< 0.05	Repr. 2, H361f Aquatic Chronic 1, H410,M=10 Flam. Liq. 3, H226
Alcohols, C11-14-iso-, C13-rich, ethoxylated	(CAS-No.) 78330-21-9	< 1	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	(CAS-No.) 68584-25-8 (EC-No.) 271-532-0	(C >= 50%) Skin Corr. 1C, H314 (1% <= C < 50%) Skin Irrit. 2, H315
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	(CAS-No.) 55965-84-9 (EC-No.) 911-418-6	(C >= 0.6%) Skin Corr. 1C, H314 (0.06% <= C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% <= C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

Skin contact

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If swallowed

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

formaldehyde
Carbon monoxide
Carbon dioxide.

Condition

During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls**8.2.1. Engineering controls**

No engineering controls required.

8.2.2. Personal protective equipment (PPE)**Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Liquid.
Colour	White
Odor	Coconut lime
Odour threshold	<i>No data available.</i>
Melting point/freezing point	<i>No data available.</i>
Boiling point/boiling range	100 °C
Flammability (solid, gas)	Not applicable.
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Flash point	No flash point
Autoignition temperature	<i>No data available.</i>
Decomposition temperature	<i>No data available.</i>
pH	7.7
Kinematic Viscosity	50,000 mm ² /sec
Water solubility	<i>No data available.</i>
Solubility- non-water	Complete
Partition coefficient: n-octanol/water	<i>No data available.</i>
Vapour pressure	<i>No data available.</i>
Density	1 g/l
Relative density	1 [Ref Std: WATER=1]
Relative Vapour Density	<i>No data available.</i>

9.2. Other information**9.2.2 Other safety characteristics**

Average particle size *No data available.*

Bulk density	<i>No data available.</i>
EU Volatile Organic Compounds	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Molecular weight	<i>No data available.</i>
Percent volatile	84.4 % weight [<i>Test Method: Estimated</i>]
Softening point	<i>No data available.</i>

* The values noted with an asterisk (*) in the above table are representative values based on testing of raw materials and selected products. Additionally, a material's characteristics may change depending upon the process and conditions of use at a facility, including further changes in particle size, or mixture with other materials. In order to obtain specific data for the material, we recommend the user conduct characterisation testing based on the use factors at the specific facility.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Strong oxidising agents.

Alkali and alkaline earth metals.

10.6 Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Sprayed material may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Dermal	Rat	LD50 > 2,000 mg/kg
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Ingestion	Rat	LD50 500-2000 mg/kg
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	Ingestion	similar compounds	LD50 2,925 mg/kg
Alcohols, C12-16, ethoxylated	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 1.6 mg/l
Alcohols, C12-16, ethoxylated	Dermal	similar compounds	LD50 2,525 mg/kg
Alcohols, C12-16, ethoxylated	Ingestion	similar compounds	LD50 2,525 mg/kg
octamethylcyclotetrasiloxane	Dermal	Rat	LD50 > 2,400 mg/kg
octamethylcyclotetrasiloxane	Inhalation-Dust/Mist (4 hours)	Rat	LC50 36 mg/l
octamethylcyclotetrasiloxane	Ingestion	Rat	LD50 > 5,000 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Rabbit	LD50 87 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Mild irritant
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	similar compounds	Corrosive
Alcohols, C12-16, ethoxylated	Rat	No significant irritation
octamethylcyclotetrasiloxane	Rabbit	Minimal irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Corrosive
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	similar	Corrosive

	compounds	
Alcohols, C12-16, ethoxylated	Rabbit	Corrosive
octamethylcyclotetrasiloxane	Rabbit	No significant irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Rabbit	Corrosive

Skin Sensitisation

Name	Species	Value
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Human	Not classified
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	similar compounds	Not classified
octamethylcyclotetrasiloxane	Human and animal	Not classified
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Human and animal	Sensitising

Photosensitisation

Name	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Human and animal	Not sensitising

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	In Vitro	Not mutagenic
octamethylcyclotetrasiloxane	In Vitro	Some positive data exist, but the data are not sufficient for classification
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Mouse	Not carcinogenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
octamethylcyclotetrasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Ingestion	Toxic to female reproduction	Rabbit	NOAEL 50 mg/kg/day	during organogenesis
octamethylcyclotetrasiloxane	Inhalation	Toxic to female reproduction	Rat	NOAEL 3.6 mg/l	2 generation

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
octamethylcyclotetrasiloxane	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 960 mg/kg/day	3 weeks
octamethylcyclotetrasiloxane	Inhalation	liver	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxane	Inhalation	endocrine system immune system kidney and/or bladder	Not classified	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxane	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg/day	2 weeks

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and

data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Type	Exposure	Test endpoint	Test result
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Activated sludge	Experimental	3 hours	NOEC	0.91 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Bacteria	Experimental	16 hours	EC50	5.7 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Copepod	Experimental	48 hours	EC50	0.007 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Diatom	Experimental	72 hours	ErC50	0.0199 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Green algae	Experimental	72 hours	ErC50	0.027 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Sheepshead Minnow	Experimental	96 hours	LC50	0.3 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)						
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Fathead minnow	Experimental	36 days	NOEL	0.02 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Green algae	Experimental	72 hours	NOEC	0.004 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Green algae	Analogous Compound	96 hours	ErC50	36 mg/l
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Water flea	Analogous Compound	48 hours	EC50	1.62 mg/l
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Zebra Fish	Analogous Compound	96 hours	LC50	0.6 mg/l
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Fathead minnow	Analogous Compound	28 days	NOEC	0.9 mg/l
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Green algae	Analogous Compound	72 hours	NOEC	2.2 mg/l
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Water flea	Analogous Compound	21 days	NOEC	0.3 mg/l
Alcohols, C12-16, ethoxylated	68551-12-2	Common Carp	Analogous Compound	96 hours	LC50	0.8 mg/l

Alcohols, C12-16, ethoxylated	68551-12-2	Green algae	Analogous Compound	72 hours	ErC50	0.43 mg/l
Alcohols, C12-16, ethoxylated	68551-12-2	Water flea	Analogous Compound	48 hours	EC50	0.53 mg/l
Alcohols, C12-16, ethoxylated	68551-12-2	Green algae	Analogous Compound	72 hours	NOEC	0.035 mg/l
Alcohols, C12-16, ethoxylated	68551-12-2	Activated sludge	Analogous Compound	N/A	EC50	1,000 mg/l
octamethylcyclotetrasiloxane	556-67-2	Blackworm	Experimental	28 days	NOEC	0.73 mg/kg (Dry Weight)
octamethylcyclotetrasiloxane	556-67-2	Midge	Experimental	14 days	LC50	>170 mg/kg (Dry Weight)
octamethylcyclotetrasiloxane	556-67-2	Mysid Shrimp	Experimental	96 hours	LC50	>0.0091 mg/l
octamethylcyclotetrasiloxane	556-67-2	Rainbow trout	Experimental	96 hours	LC50	>0.022 mg/l
octamethylcyclotetrasiloxane	556-67-2	Water flea	Experimental	48 hours	EC50	>0.015 mg/l
octamethylcyclotetrasiloxane	556-67-2	Rainbow trout	Experimental	93 days	NOEC	0.0044 mg/l
octamethylcyclotetrasiloxane	556-67-2	Water flea	Experimental	21 days	NOEC	0.015 mg/l
octamethylcyclotetrasiloxane	556-67-2	Activated sludge	Experimental	3 hours	EC50	>10,000 mg/l
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Fathead minnow	Analogous Compound	96 hours	LC50	4.5 mg/l
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Green algae	Analogous Compound	72 hours	EC50	0.5 mg/l
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Water flea	Analogous Compound	48 hours	EC50	0.5 mg/l
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Algae or other aquatic plants	Analogous Compound	72 hours	EC10	>0.1 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	> 60 days (t 1/2)	
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Analogous Compound Biodegradation	28 days	CO2 evolution	80 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Analogous Compound Biodegradation	19 days	Dissolv. Organic Carbon Deplet	96 %removal of DOC	similar to OECD 301E

Alcohols, C12-16, ethoxylated	68551-12-2	Analogous Compound Biodegradation	28 days	BOD	87 %BOD/ThOD	
octamethylcyclotetrasiloxane	556-67-2	Experimental Biodegradation	29 days	CO2 evolution	3.7 %CO2 evolution/THCO2 evolution	OECD 310 CO2 Headspace
octamethylcyclotetrasiloxane	556-67-2	Experimental Photolysis		Photolytic half-life (in air)	31 days (t 1/2)	
octamethylcyclotetrasiloxane	556-67-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	69.3-144 hours (t 1/2)	OECD 111 Hydrolysis func of pH
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental Biodegradation	28 days	CO2 evolution	≥50 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound BCF - Fish	28 days	Bioaccumulation factor	54	OECD305-Bioconcentration
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Bioconcentration		Log Kow	0.4	
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Analogous Compound BCF - Fish	42 days	Bioaccumulation factor	<3.9	similar to OECD 305
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Analogous Compound Bioconcentration		Log Kow	-2.3	
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with triethanolamine	68584-25-8	Analogous Compound Bioconcentration		Log Kow	2.0	OECD 107 log Kow shke flask mtd
Alcohols, C12-16, ethoxylated	68551-12-2	Analogous Compound BCF - Fish	72 hours	Bioaccumulation factor	237	
octamethylcyclotetrasiloxane	556-67-2	Experimental BCF - Fish	28 days	Bioaccumulation factor	12400	40CFR 797.1520-Fish Bioaccumm
octamethylcyclotetrasiloxane	556-67-2	Experimental Bioconcentration		Log Kow	6.49	OECD 123 log Kow slow stir
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental BCF - Fish	54 hours	Bioaccumulation factor	232	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]	55965-84-9	Experimental Mobility in Soil	Koc	10 l/kg	OECD 106 Adsp-Desb Batch Equil

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
octamethylcyclotetrasiloxane	556-67-2	Experimental Mobility in Soil	Koc	16,600 l/kg	OECD 106 Adsp-Desb Batch Equil

12.5. Results of the PBT and vPvB assessment

Ingredient	CAS Nbr	PBT/vPvB status
octamethylcyclotetrasiloxane	556-67-2	Meets UK REACH PBT criteria
octamethylcyclotetrasiloxane	556-67-2	Meets UK REACH vPvB criteria

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special	Please refer to the other	Please refer to the other	Please refer to the other sections of the

precautions for user	sections of the SDS for further information.	sections of the SDS for further information.	SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

Ingredient

CAS Nbr

octamethylcyclotetrasiloxane

556-67-2

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

55965-84-9

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of Restriction

Authorisation status under UK REACH:

The following substance/s contained in this product might be or is/are subject to authorisation in accordance with UK REACH:

Ingredient

CAS Nbr

octamethylcyclotetrasiloxane

556-67-2

Authorisation status: listed in the UK REACH Candidate List of Substances of Very High Concern for Authorisation

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
octamethylcyclotetrasiloxane	556-67-2	100	200
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	50	200

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

EUH071	Corrosive to the respiratory tract.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. SDSs for Great Britain are available at www.meguiars.co.uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.