



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** Racoon ALLROUND X CLEANER - Cleaner with orange oil
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Racoon Cleaning Products UG Haftungsbeschränkt
Kaiserstrasse 44
D - 66121 Saarbrücken
Tel. + 49 (0) 681 765 907 30
Mail info@racoon-cleaner.com
www.racoon-cleaner.com
- **Further information obtainable from:** product safety department
- **Emergency telephone number:**
Gift Notruf Uni Mainz +49 6131-19240
während der Öffnungszeiten: 49 (0) 821 999 508 11

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)
GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 1)

· *Hazard pictograms*

GHS02 GHS05 GHS07

· *Signal word* Danger· *Hazard-determining components of labelling:*

Isotridecaanol, 3-5 EO
 Orange juice oil
 1,2-benzisothiazol-3(2H)-one

· *Hazard statements*

H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H412 Harmful to aquatic life with long lasting effects.

· *Precautionary statements*

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**· **Results of PBT and vPvB assessment**

· *PBT*: Not applicable.
 · *vPvB*: Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

CAS: 497-19-8	sodium carbonate	2.5-10%
EINECS: 207-838-8	☠ Eye Irrit. 2, H319	
CAS: 8028-48-6	Orange juice oil	2.5-10%
EINECS: 232-433-8	☠ Flam. Liq. 3, H226; ☠ Asp. Tox. 1, H304; ☠ Aquatic Chronic 2, H411; ☠ Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	2.5-10%
EINECS: 270-115-0	☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 69011-36-5	Isotridecaanol, 3-5 EO	2.5-10%
	☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<1%
EINECS: 220-120-9	☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400; ☠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	<0.1%
EINECS: 220-239-6	☠ Acute Tox. 3, H301; Acute Tox. 3, H311; ☠ Skin Corr. 1B, H314; ☠ Skin Sens. 1, H317	

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 2)

- **ungefährliche Inhaltsstoffe** CAS 9002-92-0 Polyoxyethylene lauryl ether <1%
- **Regulation (EC) No 648/2004 on detergents / Labelling for contents**
 anionic surfactants, non-ionic surfactants ≥5 - <15%
 perfumes, preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
 No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
 CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
 Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Use neutralising agent.
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.

(Contd. on page 4)

GB

(Contd. of page 3)

- **Information about fire - and explosion protection:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - *Requirements to be met by storerooms and receptacles:* No special requirements.
 - *Information about storage in one common storage facility:* Not required.
 - *Further information about storage conditions:* Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- ***Ingredients with limit values that require monitoring at the workplace:***
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- ***DNELs***
497-19-8 sodium carbonate
Inhalative DNEL Derived No Effects Level 10 mg/m³ (Worker) (long term, local effects)
10 mg/m³ (general public) (acute, local effects)
- 8028-48-6 Orange juice oil**
Oral DNEL Derived No Effects level 4.44 mg/kg (general public) (long term, systemic effect)
Dermal DNEL Derived No Effects Level 8.89 mg/kg (Worker) (long term, systemic effect)
4.44 mg/kg (general public) (long term, systemic effect)
Inhalative DNEL Derived No Effects Level 31.1 mg/m³ (Worker) (long term, systemic effect)
7.78 mg/m³ (general public) (long term, systemic effect)
- ***PNECs***
8028-48-6 Orange juice oil
PNEL Predicted No Effects Level (Water) 5.4 mg/l (FRESH WATER) (Water)
0.54 mg/l (SEA WATER) (Water)
PNEL Predicted No Effects Level (mg/l) 5.77 mg/l (temporary release)
2.1 mg/l (Wastewater treatment plant)
PNEL Predicted No Effects Level (mg/kg) 0.261 mg/kg (Soil)
PNEL Predicted No Effects Level (SOIL) 1.3 mg/kg (FRESH WATER)
0.13 mg/kg (SEA WATER)

- *Additional information:* The lists valid during the making were used as basis.
- **Exposure controls**
- ***Personal protective equipment:***
- *General protective and hygienic measures:*
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- *Respiratory protection:*
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 4)

· *Protection of hands:*

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· *Penetration time of glove material*

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· *Eye protection:*

Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· *Appearance:**Form:*

Fluid

Colour:

Yellow

· *Odour:*

Fruit-like

· *Odour threshold:*

Not determined.

· **pH-value at 20 °C:**

10

· **Change in condition***Melting point/freezing point:*

Undetermined.

Initial boiling point and boiling range:

100 °C

· **Flash point:**

50 °C

· **Flammability (solid, gas):**

Not applicable.

· *Decomposition temperature:*

Not determined.

· **Auto-ignition temperature:**

Product is not selfigniting.

· **Explosive properties:**

Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.

· **Explosion limits:***Lower:*

Not determined.

Upper:

Not determined.

· **Vapour pressure:**

Not determined.

· **Density:**

Not determined.

· *Relative density*

Not determined.

· *Vapour density*

Not determined.

· *Evaporation rate*

Not determined.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 5)

- **Solubility in / Miscibility with water:** Fully miscible.
- **Partition coefficient: *n*-octanol/water:** Not determined.
- **Viscosity:**
 - Dynamic:* Not determined.
 - Kinematic:* Not determined.
- **Solvent content:**
 - VOC (EC) 0.00 %
 - Solids content: 2.5-10 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- *LD/LC50 values relevant for classification:*
 - ATE (Acute Toxicity Estimates)**
 - Oral LD50 $\geq 2,381-8,333$ mg/kg
 - 497-19-8 sodium carbonate**
 - Oral LD50 4,090 mg/kg (rat)
- *Primary irritant effect:*
- *Skin corrosion/irritation* Causes skin irritation.
- *Serious eye damage/irritation* Causes serious eye damage.
- *Respiratory or skin sensitisation* May cause an allergic skin reaction.
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)*
- *Germ cell mutagenicity* Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- *STOT-single exposure* Based on available data, the classification criteria are not met.
- *STOT-repeated exposure* Based on available data, the classification criteria are not met.
- *Aspiration hazard* Based on available data, the classification criteria are not met.

GB

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 6)

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

- 497-19-8 sodium carbonate**

- LC50 (96h) mg/ltr. 300 mg/ltr (Fish)

- EC50 (48h) 200-227 mg/l (Daphnia magna)

- 8028-48-6 Orange juice oil**

- LC50 (96h) mg/ltr. 0.7 mg/ltr (Fish, minnows)

- EC50 (72h) 150 mg/l (desmodesmus subspicatus) (OECD 201)

- EC50 (48h) 0.67 mg/ltr. (Daphnia magna) (OECD 202)

- 69011-36-5 Isotridecaanol, 3-5 EO**

- LC50 (96h) mg/ltr. 1-10 mg/ltr (Fish) (OECD 203)

- EC50 (48h) 1-10 mg/l (Daphnia magna) (OECD 202)

- EC50 (72h) 1-10 mg/l (Scenedesmus quadricauda) (OECD 201)

- 2634-33-5 1,2-benzisothiazol-3(2H)-one**

- LC50 (96h) mg/ltr. 1.6-2.18 mg/ltr (rainbow trout) (OECD 203)

- EC50 (48h) 2.94-3.27 mg/l (Daphnia magna) (OECD 202)

- EC50 (72h) 0.11 mg/l (Scenedesmus quadricauda) (OECD 201)

- 0.11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

- EC 10 (72h) 0.04 mg/ltr. (Scenedesmus quadricauda) (OECD 201)

- NOEC (28d) 0.21 mg/ml (rainbow trout) (OECD 215)

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **Additional ecological information:**

- **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP14 Ecotoxic

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN1993
- **UN proper shipping name**
- **ADR** 1993 FLAMMABLE LIQUID, N.O.S. (Orange juice oil)
- **IMDG, IATA** FLAMMABLE LIQUID, N.O.S. (Orange juice oil)
- **Transport hazard class(es)**
- **ADR, IMDG, IATA**
- 
- **Class** 3 Flammable liquids.
- **Label** 3
- **Packing group**
- **ADR, IMDG, IATA** III
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Warning: Flammable liquids.
- **Hazard identification number (Kemler code):** 30
- **EMS Number:** F-E,S-D
- **Stowage Category** A
- **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **Transport/Additional information:**
- **ADR**
- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- **Transport category** 3
- **Tunnel restriction code** D/E
- **IMDG**
- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
- **UN "Model Regulation":** UN 1993 FLAMMABLE LIQUID, N.O.S. (ORANGE JUICE OIL), 3, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 9)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 27.02.2020

Version number 1.0

Revision: 27.02.2020

Trade name: Racoon ALLROUND X CLEANER - Cleaner with orange oil

(Contd. of page 8)

- *Seveso category* P5c FLAMMABLE LIQUIDS
- *Qualifying quantity (tonnes) for the application of lower-tier requirements* 5,000 t
- *Qualifying quantity (tonnes) for the application of upper-tier requirements* 50,000 t
- *REGULATION (EC) No 1907/2006 ANNEX XVII* Conditions of restriction: 3
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- *Relevant phrases*

H226 Flammable liquid and vapour.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H304 May be fatal if swallowed and enters airways.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

- **Department issuing SDS:** Quality Management department

- **Contact:** MSDS authorized Person

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 Flam. Liq. 3: Flammable liquids – Category 3
 Acute Tox. 3: Acute toxicity - oral – Category 3
 Acute Tox. 4: Acute toxicity - oral – Category 4
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Skin Sens. 1: Skin sensitisation – Category 1
 Asp. Tox. 1: Aspiration hazard – Category 1
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB