According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: 687291 5in1 Acticide CMG
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture

Biocidal product for industrial and/or commercial use

This product acts it is a biocide of the Directive 98/8/EC. The biocidal product is authorized according to the application areas mentioned under No. 15.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
- · Supplier:

Maumo International BV

P.O. Box 441

2990 AK Barendrecht / The Netherlands TEL: +31 (0) 1806-99234 +31 (0) 1806-99235

De heer R. Maundrell :: info@maumo.nl

Manufacturer:

Thor GmbH Landwehrstraße 1 67346 Speyer Duitsland

Tel.: (D) +49 6232 636-0 Fax: (D) +49 6232 636-111

- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number:

het Nationaal Vergiftingen Informatie Centrum (NVIC) te Utrecht: tel 030-2748888

Uitsluitend bestemd voor een behandelend arts bereikbaar in geval van accidentele vergiftiging

+31 (0) 610022373 alleen buiten kantooruren (kantooruren 08:00 - 17:00)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1CH314 Causes severe skin burns and eye damage.

Eye Dam. 1H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aguatic Chronic 1 H410 Very toxic to aguatic life with long lasting effects.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms







GHS05

GHS07

· Signal word Danger

Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Immediately call a POISON CENTER/doctor. P310

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

(Contd. on page 2)

According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

(Contd. of page 1)

1-2.5%

P501

Dispose of contents/container in accordance with local regulations.

- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- Dangerous components: CAS: 55965-84-9

Reg.nr.: exempted art 56(4)

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317

Additional information:

CAS-Nr. of the single substances are: CIT 26172-55-4; MIT 2682-20-4

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Personal protection for the First Aider.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Corrosive damage to gastro-intestinal tract.

Skin reaction like itching, reddening, blistering may appear after hours.

4.3 Indication of any immediate medical attention and special treatment needed

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Rinse eyes thoroughly with physiological saline

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Fire-extinguishing

powder Water haze

. Foam

ABC powder

- For safety reasons unsuitable extinguishing agents: Water spray
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Sulphur dioxide (SO2)

Hydrogen chloride (HCI)

- 5.3 Advice for firefighters
- Special protective equipment for fire-fighters:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

(Contd. on page 3)

According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

(Contd. of page 2)

Wear fully protective suit.

· Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid splashes or spray in enclosed areas.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Prevent release to the environment by adequate secondary containment design and use of appropriate spill control procedures.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid

contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

(Contd. of page 3)

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Permeation performance level and breakthrough time (BTT)

Level 0 = < 10mins

Level 1 = > 10mins

Level 2 = > 30mins

Level 3 = > 60mins

Level 4 = > 120mins

Level 5 = > 240mins

Level 6 = > 480mins

In any case, replace gloves after each use and whenever signs of wear or perforation be.

Break through time: at least> 480 min prolonged exposure; material / thickness [mm]:

Nitrile: penetration time> 480'; thickness> 0.35mm.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Tightly sealed goggles

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

 9.1 Information on basis 	c physical and	d chemical p	roperties
--	----------------	--------------	-----------

General Information

Appearance:

Form:
Colour:
Codour:
Codour:
Characteristic
Codour threshold:
Not determined.

PH-value:
Not determined.

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 228 °C

Flash point: > 130 °C (ASTM D-93)

· Flammability (solid, gas): Not applicable.

· Auto-ignition temperature: 332 °C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: 2.9 Vol % Upper: 12.6 Vol %

(Contd. on page 5)

Safety data sheet According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

(Contd. of page 4)

	(Conta. or page 4)
· Vapour pressure:	Not determined.
Density at 20 °C: Relative density	1.05 g/cm³ (ASTM D-1298) Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not determined.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: VOC (1999/13/EG) 9.2 Other information	0.00 % No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Stable at environment temperature.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Information on hazardous ingredients
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:

Information on hazardous ingredients

(Contd. on page 6)

According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

(Contd. of page 5)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

EC50/ 48 h 7.9 mg/l (daphnia)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 1	4: Trans	sport in	tormation
-----------	----------	----------	-----------

· 14.1 UN-Number · ADR, IMDG, IATA	UN3265
· 14.2 UN proper shipping name · ADR	3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (reaction
ADIX	mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)), ENVIRONMENTALLY HAZARDOUS
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1))

- · 14.3 Transport hazard class(es)
- · ADR



· Class 8 Corrosive substances. · Label 8

· IMDG. IATA



· Class 8 Corrosive substances.

(Contd. on page 7)

According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

	(Contd. of page 6)
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	II
14.5 Environmental hazards:Marine pollutant:Special marking (ADR):	No Symbol (fish and tree)
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code 	Warning: Corrosive substances. 80 F-A,S-B Acids B SW2 Clear of living quarters.
 14.7 Transport in bulk according to Annex II of Marpol a the IBC Code 	nd Not applicable.
· Transport/Additional information:	••
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2
Tunnel restriction code	Е
IMDGLimited quantities (LQ)Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
- IATA - Remarks:	Max. net quantity per package - Passenger Aircraft 1 L Max. net quantity per package - Cargo Aircraft 30 L Max. net quantity per package - Limited quantities 0.5 L Packaging Instruction: Passenger Aircraft - PI 851 Cargo aircraft - PI 855 Limited quantities - PI Y840
· UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (REACTION MASS OF: 5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2H- ISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1)), 8, II, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 8)

According 830/2015 amending Regulation (EC) No 1907/2006

Revision date: 18.06.2020 Date of issue: 18.06.2020

Trade name: Acticide® CMG

(Contd. of page 7)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- Department issuing SDS: Product safety department
- Contact: Biocides: info@thor.com
- Prepared by Maumo International BV
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 2: Acute toxicity - dermal – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1