ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0 Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Cargo Hero Ultra 10W-40 Flex LA Article number: 195066, 195067, 195068

1.2 Relevant identified uses of the substance or mixture and uses advised against

1 2 1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Polyoxyalkylen, Calcium sulfonate, borated, Calcium sulfonate. EUH208 May

produce an allergic reaction.

2.3 Other hazards

Environmental hazards This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels

of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 2 / 12

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - 10	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - <5	Polyoxyalkylen
	GHS/CLP: Skin Sens. 1: H317
	SCL [%]: >= 2,51: Skin Sens. 1: H317
1 - <5	Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester
	CAS: 125643-61-0, EINECS/ELINCS: 406-040-9, EU-INDEX: 607-530-00-7, Reg-No.: 01-0000015551-76-XXXX
	GHS/CLP: Aquatic Chronic 4: H413
0,1 - <1	Calcium sulfonate, borated
	EINECS/ELINCS: polymer
	GHS/CLP: Skin Sens. 1B: H317 - Repr. 2: H361d
0,1 - <1	Calcium sulfonate
	EINECS/ELINCS: Polymer
	GHS/CLP: Skin Sens. 1B: H317
	SCL [%]: >= 2: Skin Sens. 1B: H317

Comment on component parts

For full text of H-statements: see SECTION 16.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Seek medical advice immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)
Sulphur oxides (SOx).
Nitrogen oxides (NOx).

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 3 / 12

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX

Long-term exposure: 5 mg/m³, ACGIH TLV (OIL MIST)

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³	
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³	
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day	
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester, CAS: 125643-61-0	
Industrial, inhalative, Long-term - systemic effects, 2.33 mg/m³	
Industrial, inhalative, Acute - systemic effects, 1750 mg/m³	
Industrial, dermal, Long-term - systemic effects, 220 µg/kg bw/day	
Industrial, dermal, Acute - systemic effects, 20 mg/kg bw/day	
Industrial, dermal, Long-term - local effects, 6 µg/cm²	
Industrial, dermal, Acute - local effects, 1 mg/cm ²	
general population, inhalative, Long-term - systemic effects, 740 μg/m³	
general population, inhalative, Acute - systemic effects, 875 mg/m³	
general population, dermal, Long-term - systemic effects, 330 µg/kg bw/day	
general population, dermal, Acute - local effects, 8.33 mg/cm ²	
general population, oral, Long-term - systemic effects, 160 μg/kg bw/day	
general population, oral, Acute - systemic effects, 50 mg/kg bw/day	

PNEC

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
oral (food), 9,33 mg/kg food	
Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester, CAS: 125643-61-0	
freshwater, 4.3 - 30 µg/L	
seawater, 30 - 1800 ng/L	
sewage treatment plants (STP), 1 - 100 mg/L	
sediment (freshwater), 370 - 233000 μg/kg sediment dw	
soil, 50 - 189000 μg/kg soil dw	
sediment (seawater), 37 - 23300 μg/kg sediment dw	
oral (food), 41.33 mg/kg food	



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 5 / 12

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

0,38 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Protective clothing (EN 340)

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorbrown

Odor characteristic

Odour threshold No information available.

pH-value No information available.

pH-value [1%] No information available.

Boiling point or initial boiling point

and boiling range [°C]

not applicable

Flash point [°C] 228

Flammability No information available.

Lower explosion limit not applicable

Upper explosion limit not applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa]No information available.Density [g/cm³]0,86 (15 °C / 59,0 °F)Relative densitynot determinedBulk density [kg/m³]not applicableSolubility in watervirtually insoluble

Partition coefficient n-octanol/water

Solubility other solvents

(log value)

No information available. No information available.

Kinematic viscosity 99,24 mm²/s (40°C)

Relative vapour density No information available.

Melting point [°C] No information available.

Auto-ignition temperature [°C] not applicable

Decomposition temperature [°C] No information available.

Particle characteristics No information available.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 6 / 12

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agent. Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, oral, Rat, 5000 mg/kg bw

Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester, CAS: 125643-61-0

LD50, oral, Rat, 500 - 2000 mg/kg bw

Acute dermal toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester, CAS: 125643-61-0

LD50, dermal, Rat, 2000 mg/kg bw

Acute inhalational toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Eye, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-irritating

Respiratory or skin sensitisation

No classification due to toxicological investigations.

May produce an allergic reaction.

Product

dermal, non-sensitizing

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

dermal, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

inhalative, no adverse effect observed

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 8 / 12

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEC, inhalative, Rat, 980 mg/m³ (subacute), no adverse effect observed

LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.

LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.

Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester, CAS: 125643-61-0

NOAEL, oral, Rat, 3 - 750 mg/kg bw/day

NOAEL, dermal, Rat, 500 - 1000 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

- **Development** No information available.

CarcinogenicityBased on the available information, the classification criteria are not fulfilled.Aspiration hazardBased on the available information, the classification criteria are not fulfilled.

General remarks

none

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information nor

SECTION 12: Ecological information

12.1 Toxicity

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

NOELR, (14d), Fish, 1 g/L

LL50, (96h), Invertebrates, 10 g/L

LL50, (96h), Fish, 100 mg/L

Benzenepropanoic acid, 3,5-bis(1,1-dimethyl-ethyl)-4-hydroy-, C7-C9-branched alkyl ester, CAS: 125643-61-0

LC50, (14d), Fish, 100 mg/L

EC50, (48h), Invertebrates, 8.2 - 1000000 μg

EC50, (72h), Algae, 180 - 3000000 ng/L

EC50, (3h), Water microorganisms, 100 - 1000 mg/L

NOEC, (21d), Invertebrates, 10 μg/L

NOEC, (33d), Fish, 360 μg/L

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0

Page 9 / 12

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not determined
Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Does not contain a relevant substance that meets the classification criteria.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

none

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Waste no. (recommended) 130205* mi

130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with

not applicab

IMDG

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0 Page 10 / 12

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

IMDG

no

Inland navigation (ADN)

no

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0 Page 11 / 12

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances \geq 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

none

- Observe employment restrictions

for people

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H361d Suspected of damaging the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 26.09.2024, Revision 01.08.2024

Version 1.0 Page 12 / 12

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position none