

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

LIQUID GASKET BLACK
Article number: 12602040

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Ratyl
Bremweg 14
5951 DK Belfeld / NETHERLANDS
Phone +31(0) 495 63 45 74
Homepage www.ratyl.nl
E-mail info@ratyl.nl

Address enquiries to

Technical information

info@ratyl.nl

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)
Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Company

+31(0) 495 63 45 74

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aerosol 3: H229 Pressurised container: May burst if heated.
Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

none

Signal word

WARNING

Hazard statements

H229 Pressurised container: May burst if heated.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122°F.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P501 Dispose of contents/container to approved disposal company or municipal collection point.

2.3 Other hazards

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - 2.5	Triacetoxymethylsilane
	CAS: 4253-34-3, EINECS/ELINCS: 224-221-9, Reg-No.: 01-2119962266-32-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Skin Corr. 1C: H314 - EUH014
1 - 2.5	Propyltriacetoxysilane
	CAS: 17865-07-5, EINECS/ELINCS: 241-816-9, Reg-No.: 01-2119966899-07-XXXX
	GHS/CLP: Skin Corr. 1B: H314 - EUH071
0.1 - < 0.1	Octamethylcyclotetrasiloxane
	CAS: 556-67-2, EINECS/ELINCS: 209-136-7, EU-INDEX: 014-018-00-1, Reg-No.: 01-2119529238-36-XXXX
	GHS/CLP: Repr. 2: H361f - Aquatic Chronic 1: H410, M-Factor (chronic): 10

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Water spray jet. Dry powder. Foam.
Extinguishing media that must not be used	Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO).
Nitrogen oxides (NOx).
Bursting aerosols can be forcibly projected from a fire.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Do not inhale explosion and/or combustion gases.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
Heat causes increase in pressure and risk of bursting - Keep away from the container.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Take up residues with absorbent material (e.g. acid binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C.

Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Protect from heat/overheating.
Keep in a cool place, heat causes increase in pressure and risk of bursting.
Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2



SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Amorphous Silica
CAS: 112945-52-5, EINECS/ELINCS: 231-545-4, Reg-No.: 01-21193379499-16-XXXX
Long-term exposure: 6 mg/m ³ , total inhalable dust
Acetic acid
CAS: 64-19-7, EINECS/ELINCS: 200-580-7, EU-INDEX: 607-002-00-6, Reg-No.: 01-2119475328-30-XXXX
Long-term exposure: 10 ppm, 25 mg/m ³
Short-term exposure (15-minute): 15 ppm, 37 mg/m ³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Acetic acid
CAS: 64-19-7, EINECS/ELINCS: 200-580-7, EU-INDEX: 607-002-00-6, Reg-No.: 01-2119475328-30-XXXX
Eight hours: 10 ppm, 25 mg/m ³
Short-term (15-minute): 20 ppm, 50 mg/m ³

DNEL

Substance
Triacetoxymethylsilane, CAS: 4253-34-3
Industrial, inhalative, Acute - local effects, 61 mg/m ³
Industrial, inhalative, Long-term - local effects, 31 mg/m ³
general population, inhalative, Long-term - local effects, 31 mg/m ³
general population, inhalative, Acute - local effects, 61 mg/m ³
Propyltriacetoxysilane, CAS: 17865-07-5
Industrial, dermal, Long-term - systemic effects, 12.11 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 85.39 mg/m ³
general population, oral, Long-term - systemic effects, 6.05 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 6.05 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 21.06 mg/m ³
Octamethylcyclotetrasiloxane, CAS: 556-67-2
Industrial, inhalative, Long-term - local effects, 73 mg/m ³
Industrial, inhalative, Long-term - systemic effects, 73 mg/m ³
general population, oral, Long-term - systemic effects, 3.7 mg/kg bw/day
general population, inhalative, Long-term - local effects, 13 mg/m ³
general population, inhalative, Long-term - systemic effects, 13 mg/m ³

PNEC

Substance
Triacetoxymethylsilane, CAS: 4253-34-3
sediment (freshwater), 4.8 mg/kg sediment dw
sediment (seawater), 480 µg/kg sediment dw
soil, 190 µg/kg soil dw
sewage treatment plants (STP), 6.9 mg/L
Propyltriacetoxysilane, CAS: 17865-07-5



sediment (seawater), 1.457 µg/kg
sewage treatment plants (STP), 10.55 mg/l
freshwater, 0.02441 mg/l
seawater, 0.002441 mg/l
sediment (freshwater), 14.57 µg/kg
soil, 0.00336 mg/l
Octamethylcyclotetrasiloxane, CAS: 556-67-2
oral (food), 41 mg/kg food
freshwater, 1.5 µg/L
seawater, 0.15 µg/L
sewage treatment plants (STP), 10 mg/l
sediment (freshwater), 3 mg/kg sediment dw
sediment (seawater), 0.3 mg/kg sediment dw
soil, 0.54 mg/kg soil dw

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Tightly fitting goggles. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: ≥ 0.5mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	not applicable
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions. Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, filter P2. (DIN EN 143)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	pasty Press-Pack
Form	pasty Press-Pack
Color	various
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	>100
Flash point [°C]	not applicable
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	1.02 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	not applicable
Particle characteristics	No information available.

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of bursting.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.



10.4 Conditions to avoid

See SECTION 7.2.

Strong heating.

Avoid temperatures above 50°C.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Acetic acid.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity** not determined

Product

ATE-mix, oral, > 2000 mg/kg bw

Substance

Triacetoxymethylsilane, CAS: 4253-34-3

LD50, oral, Rat, 1600 mg/kg, OECD 401

Propyltriacetoxysilane, CAS: 17865-07-5

LD50, oral, Human, 1460 mg/kg (Lit.)

Octamethylcyclotetrasiloxane, CAS: 556-67-2

LD50, oral, Rat, >4800 mg/kg bw, OECD 401

Acute dermal toxicity not determined

Substance

Octamethylcyclotetrasiloxane, CAS: 556-67-2

LD50, dermal, Rat, >2375 mg/kg bw, OECD 402

Acute inhalational toxicity not determined

Substance

Octamethylcyclotetrasiloxane, CAS: 556-67-2

LC50, inhalative, Rat, 36 mg/l air, OECD 403

Serious eye damage/irritation Non-irritant (rabbit).
On basis of test data

Product

Eye, Rabbit, non-irritating

Substance

Triacetoxymethylsilane, CAS: 4253-34-3

Rabbit, OECD 404, corrosive

Skin corrosion/irritation Non-irritant (rabbit).
On basis of test data

Product

dermal, Rabbit, negativ

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**Specific target organ toxicity — single exposure** Based on available data, the classification criteria are not met.**Specific target organ toxicity — repeated exposure** Based on available data, the classification criteria are not met.

Substance

Propyltriacetoxysilane, CAS: 17865-07-5

NOAEL, oral, 3632.48 mg/kg bw/day, no adverse effect observed

Octamethylcyclotetrasiloxane, CAS: 556-67-2

NOAEL, dermal, Rabbit, 960 mg/kg bw/day

NOAEC, inhalative, Rat, 1820 mg/m³

**Mutagenicity**

Based on available data, the classification criteria are not met.

Substance
Triacetoxymethylsilane, CAS: 4253-34-3
Ames-test, negativ
Propyltriacetoxysilane, CAS: 17865-07-5
mouse, In vivo study, negativ
in vitro, OECD 476, negativ

Reproduction toxicity

Based on available data, the classification criteria are not met.

- Fertility

Substance
Propyltriacetoxysilane, CAS: 17865-07-5
NOAEL, oral, Rat, 3231.18 mg/kg, no adverse effect observed
Octamethylcyclotetrasiloxane, CAS: 556-67-2
NOAEC, inhalative, Rat, 3640 mg/m ³ (Effect on fertility)

- Development

Substance
Propyltriacetoxysilane, CAS: 17865-07-5
NOAEL, oral, Rat, 2205.36 mg/kg, no adverse effect observed
Octamethylcyclotetrasiloxane, CAS: 556-67-2
NOAEC, inhalative, Rabbit, 6066 mg/m ³ (Effect on developmental toxicity)

Carcinogenicity

Based on available data, the classification criteria are not met.

Substance
Octamethylcyclotetrasiloxane, CAS: 556-67-2
NOAEC, inhalative, Rat, 8492 mg/m ³

Aspiration hazard

Based on available data, the classification criteria are not met.

General remarks

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards**Endocrine disrupting properties**

No information available.

Other information

none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Triacetoxymethylsilane, CAS: 4253-34-3
LC50, (96h), fish, 79 - 500 mg/L
EC50, (72h), Algae, 24.41 - 1562.5 mg/L
EC50, (48h), Invertebrates, 65 - 500 mg/L
Propyltriacetoxysilane, CAS: 17865-07-5
LC50, (96h), Brachidanio rerio, 251 mg/l (Lit.)
EC50, (48h), Daphnia magna, 62 mg/l (Lit.)
IC50, (72h), Scenedesmus subspicatus, 73 mg/l (Lit.)
Octamethylcyclotetrasiloxane, CAS: 556-67-2
LC50, (96h), Oncorhynchus mykiss, > 22 µg/l
EC50, (48h), Daphnia magna, > 15 µg/l
ErC50, (96h), Pseudokirchneriella subcapitata, > 22 µg/l

12.2 Persistence and degradability

Behaviour in environment compartments

Behaviour in sewage plant not applicable

Biological degradability not applicable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended) 160505
080410

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102
150104
150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID 1950

Inland navigation (ADN) 1950

Marine transport in accordance with IMDG 1950

Air transport in accordance with IATA 1950

14.2 UN proper shipping name

Transport by land according to ADR/RID

Aerosols

- Classification Code

5A

- Label



- ADR LQ

1 I

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (E)

Inland navigation (ADN)

Aerosols

- Classification Code

5A

- Label



Marine transport in accordance with IMDG

Aerosols

- EMS

F-D, S-U

- Label



- IMDG LQ

1 I

Air transport in accordance with IATA Aerosols, non flammable

- Label

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID

2

Inland navigation (ADN)

2

Marine transport in accordance with IMDG

2.2

Air transport in accordance with IATA 2.2

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with IMDG

not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people not applicable

- VOC (2010/75/CE) not determined

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H361f Suspected of damaging fertility.
EUH014 Reacts violently with water.
H302 Harmful if swallowed.
EUH071 Corrosive to the respiratory tract.
H314 Causes severe skin burns and eye damage.



16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff

not determined

Classification procedure

Aerosol 3: H229 Pressurised container: May burst if heated. (Bridging principle "Aerosols")
 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position

SECTION 3 been added: Octamethylcyclotetrasiloxane
 SECTION 3 deleted: trans-1,3,3,3-Tetrafluoroprop-1-ene
 SECTION 2 been added: P501 Dispose of contents/container to approved disposal company or municipal collection point.
 SECTION 2 deleted: EUH210 Safety data sheet available on request.
 SECTION 2 been added: H412 Harmful to aquatic life with long lasting effects.
 SECTION 2 been added: Aquatic Chronic 3
 SECTION 15 been added: 2, conf. AwSV, 18.04.2017
 SECTION 15 deleted: 1 (self-classification)



Copyright: Chemiebüro®