		SAFETY	<b>DATA SHEET</b>	
	accord	ling to Commission F	Regulation (EU) 2020/878 a	as amended
		Vinso Exclus	ive Lux Spray Si	lver
		December 2022 July 2023	Version	1.0
		•		
SECTI 1.1.	ON 1: Identification of the Product identifier	substance/mixtur	e and of the company/ur Winso Exclusive	-
1.1.	Substance / mixture		mixture	
1.2.	Relevant identified uses of	of the substance or		ed against
	Mixture's intended use			-
	Air freshener.			
	Mixture uses advised aga			
	The product should not be us	•		n 1.
L.3.	Details of the supplier of	the safety data she	eet	
	Manufacturer Name or trade name			
			INDUSTRIES UK	N-POLISH ENTERPRISE WINSO RAINE LLC
	Address			Lviv region, Lviv district, Pustomyty,
	Address		81100	
			Ukraine	
	Identification number	(CRN)	41764021	
	VAT Reg No		417640213505	
	Phone E-mail		+380976254734 export@winso.eu	
	Web address		https://winso.eu	
1.4.	Emergency telephone nur	nber		
L. <del></del> .				
SECT	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtur The mixture is classified as c	r: 112 n ance or mixture ure in accordance v	with Regulation (EC) No	1272/2008
SECT	European emergency numbe CON 2: Hazards identificatio Classification of the subst Classification of the mixtu The mixture is classified as o Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy	r: 112 n ance or mixture ure in accordance v dangerous. sico-chemical effect		1272/2008
SECT	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effe	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I Label elements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I Label elements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I Label elements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I Label elements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECT1 2.1.	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I Label elements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECT1	European emergency number CON 2: Hazards identification Classification of the subst Classification of the mixtu The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effect Harmful to aquatic life with I Label elements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECT1 2.1.	European emergency number CON 2: Hazards identification Classification of the substrict Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effe vapour. cts on human heal	cts	1272/2008
SECT1	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements	er: 112 n cance or mixture ure in accordance w dangerous. sico-chemical effect vapour. octs on human heal ong lasting effects.	cts th and the environment	1272/2008
SECT1	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225	r: 112 rn cance or mixture ure in accordance w dangerous. sico-chemical effect vapour. ccts on human heal ong lasting effects. Highly flammable	cts th and the environment	
SECT1 2.1.	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412	r: 112 n cance or mixture ure in accordance w dangerous. sico-chemical effect vapour. cts on human heal ong lasting effects. Highly flammable Harmful to aquat	cts th and the environment	
SECT1	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412 Precautionary statements	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effect vapour. cts on human heal ong lasting effects. Highly flammable Harmful to aquat	cts th and the environment e liquid and vapour. tic life with long lasting effe	
SECT1	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412	r: 112 n cance or mixture ure in accordance w dangerous. sico-chemical effect vapour. cts on human heal ong lasting effects. Highly flammable Harmful to aquat Keep out of reac	cts th and the environment e liquid and vapour. tic life with long lasting effe h of children.	ects.
SECT1	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412 Precautionary statements P102	r: 112 n cance or mixture ure in accordance w dangerous. sico-chemical effect vapour. cts on human heal ong lasting effects. Highly flammable Harmful to aquat Keep out of reac	cts th and the environment e liquid and vapour. tic life with long lasting effe h of children.	ects.
SECT1 2.1.	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412 Precautionary statements P102	r: 112 n cance or mixture ure in accordance w dangerous. sico-chemical effect vapour. cts on human heal ong lasting effects. Highly flammable Harmful to aquat Keep out of react Keep away from No smoking. Keep container ti	cts th and the environment e liquid and vapour. tic life with long lasting effe h of children. heat, hot surfaces, sparks, ightly closed.	cts. open flames and other ignition sources
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412 Precautionary statements P102 P210 P233 P370+P378	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effect vapour. cts on human heal ong lasting effects. Highly flammable Harmful to aquat Keep out of react Keep away from No smoking. Keep container ti In case of fire: U	cts th and the environment e liquid and vapour. cic life with long lasting effe h of children. heat, hot surfaces, sparks, ightly closed. se powder extinguisher/sar	
SECTI 2.1.	European emergency number CON 2: Hazards identification Classification of the substr Classification of the mixtur The mixture is classified as of Flam. Liq. 2, H225 Aquatic Chronic 3, H412 Most serious adverse phy Highly flammable liquid and Most serious adverse effer Harmful to aquatic life with I Label elements Hazard pictogram Signal word Danger Hazard statements H225 H412 Precautionary statements P102 P210 P233	r: 112 n cance or mixture ure in accordance v dangerous. sico-chemical effect vapour. ccts on human heal ong lasting effects. Highly flammable Harmful to aquat Keep out of react Keep away from No smoking. Keep container ti In case of fire: U Store in a well-vo	cts th and the environment e liquid and vapour. tic life with long lasting effe h of children. heat, hot surfaces, sparks, ightly closed. Ise powder extinguisher/sar entilated place. Keep cool.	cts. open flames and other ignition sources

according to Commission Regulation (EU) 2020/878 as amended

### Winso Exclusive Lux Spray Silver

Creation date Revision date

Version

1.0

#### **Supplemental information**

Contains alpha-hexylcinnamaldehyde. May produce an allergic reaction.

#### Requirements for child-resistant fastenings and tactile warning of danger

02nd December 2022

11th July 2023

Container must carry a tactile warning of danger.

#### 2.3. Other hazards

EUH208

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 246538-78-3 EC: 807-714-9	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	<3	Asp. Tox. 1, H304 EUH066	
CAS: 28219-61-6 EC: 248-908-8	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1- yl)-2-buten-1-ol	<0,5	Eye Irrit. 2, H319 Aquatic Chronic 1, H410 (M=1)	
CAS: 101-86-0 EC: 202-983-3	alpha-hexylcinnamaldehyde	<0,5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

#### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

#### 4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes Not expected. If swallowed Not expected.

according to Commission Regulation (EU) 2020/878 as amended

## Winso Exclusive Lux Spray Silver

Creation date Revision date 02nd December 2022 11th July 2023

Version

1.0

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

#### **SECTION 5: Firefighting measures Extinguishing media** 5.1.

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8.

#### 6.2. **Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. No smoking. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Keep container tightly closed. Keep cool.

#### Storage temperature

### +5-+30 °C

### The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

#### 7.3. Specific end use(s)

not available

#### SECTION 8: Exposure controls/personal protection

#### **Control parameters** 8.1.

The mixture contains no substances for which occupational exposure limits are set.

according to Commission Regulation (EU) 2020/878 as amended

### Winso Exclusive Lux Spray Silver

Creation date	02nd December 2022		
Revision date	11th July 2023	Version	1.0

#### 8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. **Eye/face protection** It is not needed. **Skin protection** Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. **Respiratory protection** Halfmask with a filter against organic vapours in the poorly ventilated environment. **Thermal hazard** Not available. **Environmental exposure controls** Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

9.1.	Information on basic physical and chemical properties				
	Physical state	liquid			
	Colour	data not available			
	Odour	according to fragrance			
	Melting point/freezing point	data not available			
	Boiling point or initial boiling point and boiling range	80 °C			
	Flammability	data not available			
	Lower and upper explosion limit	data not available			
	Flash point	20 °C			
	Auto-ignition temperature	data not available			
	Decomposition temperature	data not available			
	рН	data not available			
	Kinematic viscosity	data not available			
	Solubility in water	data not available			
	Partition coefficient n-octanol/water (log value)	data not available			
	Vapour pressure	data not available			
	Density and/or relative density				
	Density	0.885 g/cm <sup>3</sup>			
	Relative vapour density	data not available			
	Particle characteristics	data not available			
9.2.	Other information				
	Summary formula	data not available			
	alpha-hexylcinnamaldehyde (CAS: 101-86-0)	C15H20O			

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity not available10.2. Chemical stability

## The product is stable under normal conditions.

#### **10.3.** Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### **10.5.** Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

according to Commission Regulation (EU) 2020/878 as amended

### Winso Exclusive Lux Spray Silver

Creation date02nd December 2022Revision date11th July 2023Version1.0

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

#### Aspiration hazard

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

- 12.2. Persistence and degradability
- not available 12.3. Bioaccumulative potential
  - Not available.

**12.4.** Mobility in soil Not available.

#### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### **12.6.** Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

according to Commission Regulation (EU) 2020/878 as amended

## Winso Exclusive Lux Spray Silver

Creation date Revision date 02nd December 2022 11th July 2023

Version

Not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### **SECTION 14: Transport information**

14.1.	UN number or ID number UN 1993	
14.2.	UN proper shipping name FLAMMABLE LIQUID, N.O.S. (ethanol)	
14.3.		
14.4.	Packing group	
14.5.	Environmental hazards	
14.6.	Special precautions for user Reference in the Sections 4 to 8.	
14.7.	Maritime transport in bulk according to not relevant Additional information Outer packing code 4G Inner packing code 3P Limited quantities: 5 L Hazard identification No. UN number Classification code	to IMO instruments
	Safety signs	
	Tunnel restriction code	(D/E)
	Marine transport - IMDG EmS (emergency plan) MFAG	F-E, S-E 310

		SAFET	Y DATA SHEET	
		according to Commission	Regulation (EU) 2020/878	as amended
Winso Exclusive Lux Spray Silver				
	on date	02nd December 2022	., ·	
Revisio	on date	11th July 2023	Version	1.0
SECTI	ON 15: Regulator	y information		
15.1.	Safety, health a	nd environmental regulation	ns/legislation specific for	or the substance or mixture
	the Registration, Chemicals Agenc Commission Regu 91/155/EEC, 93/0 EUROPEAN PARLI	Evaluation, Authorisation a y, amending Directive 1999 Jation (EC) No. 1488/94 as 67/EEC, 93/105/EC and 200 AMENT AND OF THE COUNCIL	nd Restriction of Chemic V45/EC and repealing Co well as Council Directive 0/21/EC, as amended. Rf	Council of 18th December 2006 concernin cals (REACH), establishing the Europea ouncil Regulation (EEC) No. 793/93 an 76/769/EEC and Commission Directive EGULATION (EC) No. 1272/2008 OF Th
	National regulat WGK Water hazar	• • • •	WCK 2 abviously baza	rdeue te water
			WGK 2 - obviously haza	ruous to water
15.2.	Chemical safety not available	assessment		
SECTI	ON 16: Other info	ormation		
	A list of standar	d risk phrases used in the s	safety data sheet	
	H225	5,	le liquid and vapour.	
	H304	May be fatal if s	swallowed and enters airwa	ys.
	H317	May cause an a	llergic skin reaction.	
	H319	Causes serious	eye irritation.	
	H400	Very toxic to ac	uatic life.	
	H410	Very toxic to ac	uatic life with long lasting e	effects.
	H411	Toxic to aquation	life with long lasting effect	S.
	H412	•	atic life with long lasting eff	
		afe handling used in the sa		
	P102	Keep out of rea	-	
	P210	•		, open flames and other ignition sources.
	P233	Keep container	tightly closed.	
	P370+P378			and/carbon dioxide to extinguish.
	P403+P235	Store in a well-	ventilated place. Keep cool.	
	P501	Dispose of cont		ng over to the person authorized to
	A list of addition	nal standard phrases used i	n the safety data sheet	
	EUH208	Contains alpha-	hexylcinnamaldehyde. May	produce an allergic reaction.
	EUH066	Repeated expos	sure may cause skin drynes	s or cracking.
	Other important	information about human	health protection	
	The product must as per the Section	not be - unless specifically an 1. The user is responsible for	pproved by the manufactur adherence to all related he	er/importer - used for purposes other th ealth protection regulations.
	-	tions and acronyms used in		
	ADR	road	-	ational carriage of dangerous goods by
	BCF	Bioconcentratio		
	CAS	Chemical Abstra		
	CLP	Regulation (EC) substance and		ation, labelling and packaging of
	EC		ode for each substance liste	d in FINECS
	EINECS		tory of Existing Commercia	
	EmS	Emergency plar		
	EU	European Unior		
	EuPCS	•	ct Categorisation System	
	IATA		r Transport Association	
	IBC		-	nd Equipment of Ships Carrying
		Dangerous Che		a Equipment of Ships Callying
	ICAO	5	vil Aviation Organization	
	IMDG		aritime Dangerous Goods	
	IMDG		aritime Organization	

according to Commission Regulation (EU) 2020/878 as amended

### Winso Exclusive Lux Spray Silver

Creation date	02nd December 2022			
Revision date	11th July 2023	Version	1.0	
INCI	International Nome	enclature of Cosmetic Ing	redients	

ISO	International Organization for Standardization		
IUPAC	International Union of Pure and Applied Chemistry		
log Kow	Octanol-water partition coefficient		
OEL	Occupational Exposure Limits		
PBT	Persistent, Bioaccumulative and Toxic		
ppm	Parts per million		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Agreement on the transport of dangerous goods by rail		
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations		
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials		
VOC	Volatile organic compounds		
vPvB	Very Persistent and very Bioaccumulative		
Aquatic Acute	Hazardous to the aquatic environment		
Aquatic Chronic	Hazardous to the aquatic environment (chronic)		
Asp. Tox.	Aspiration hazard		
Eye Irrit.	Eye irritation		
Flam. Liq.	Flammable liquid		
Skin Sens.	Skin sensitization		

#### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.