



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Product code : 907849

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Engine, gear & lubricating oil.

1.3 Details of the supplier of the safety data sheet

Company : Ellis Enterprises B.V., an affiliate of Valvoline Global Operations
Wieldrechtseweg 39
3316 BG Dordrecht
Netherlands

Telephone : +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

E-mail address of person responsible for the SDS : SDS@valvolineglobal.com

1.4 Emergency telephone number

00-800-825-8654, or contact your local emergency telephone number at 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol, Molybdenum polysulphide long chain alkyl dithiocarbamate complex. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|--|-------------------|--------------------------|
| Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified | 64742-54-7 265-157-1 649-467-00-8 01-2119484627-25-xxxx | Asp. Tox. 1; H304 | >= 70 - < 90 |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified | 72623-87-1 276-738-4 649-483-00-5 01-2119474889-13-xxxx | Asp. Tox. 1; H304 | >= 1 - < 10 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified | 64742-65-0 265-169-7 649-474-00-6 01-2119471299-27-xxxx | Asp. Tox. 1; H304 | >= 1 - < 10 |
| Paraffin oils (petroleum), catalytic | 64742-70-7 | Asp. Tox. 1; H304 | >= 1 - < 10 |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | | | |
|--|--|---|-----------------|
| dewaxed heavy; Baseoil — unspecified | 265-174-4 649-477-00-2 | | |
| Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified | 64742-56-9 265-159-2 649-469-00-9 | Asp. Tox. 1; H304 | >= 1 - < 10 |
| C14-16-18 Alkyl phenol | Not Assigned 931-468-2 01-2119498288-19-xxxx | Skin Sens. 1B; H317 STOT RE 2; H373 (Liver) | >= 1 - < 10 |
| zinc bis(O,O-diisooctyl) bis(dithiophosphate) | 28629-66-5 249-109-7 01-2119953278-28-xxxx | Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411 | >= 1 - < 2.5 |
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex | Not Assigned 457-320-2 01-0000019337-66-xxxx | Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Chronic 3; H412 | >= 0.1 - < 0.25 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Symptoms caused by an allergic reaction can be immediate or may be delayed up to several hours after exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products : carbon dioxide and carbon monoxide

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

If the product contaminates rivers and lakes or drains inform
respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,
acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the
application area.
Dispose of rinse water in accordance with local and national
regulations.

Advice on protection against : Normal measures for preventive fire protection.
fire and explosion

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep container tightly closed in a dry and well-ventilated
areas and containers place. Electrical installations / working materials must comply
with the technological safety standards.

Further information on : No decomposition if stored and applied as directed.
storage stability

7.3 Specific end use(s)

Specific use(s) : No data available



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|--|-----------|-------------------------------|----------------------|-----------|
| Molybdenum polysulphide long chain alkyl dithiocarbamate complex | 457-320-2 | TWA | 10 mg/m ³ | SUPLR EXP |

Predicted No Effect Concentration (PNEC):

| Substance name | Environmental Compartment | Value |
|---|---------------------------|-------------|
| zinc bis(O,O-diisooctyl) bis(dithiophosphate) | Sewage treatment plant | 3 mg/l |
| | Fresh water sediment | 0.21 mg/kg |
| | Marine sediment | 0.021 mg/kg |
| | Soil | 0.04 mg/kg |

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Hand protection

Material : neoprene, nitrile rubber
Break through time : >= 240 min
Glove thickness : >= 0.35 mm
Directive : Equipment should conform to EN 374

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The data about break through time/strength of material are



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | | |
|--------------------------|---|--|
| Skin and body protection | : | standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. |
| | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Respiratory protection | : | Impervious clothing |
| | : | Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| | : | No personal respiratory protective equipment normally required. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | | |
|--|---|------------------------------------|
| Appearance | : | liquid |
| Colour | : | amber |
| Odour | : | oily |
| Odour Threshold | : | No data available |
| pH | : | Not applicable |
| Pour point | : | < -39.00 °C |
| Boiling point/boiling range | : | > 225.00 °C |
| Flash point | : | 208 °C |
| | | Method: Pensky-Martens closed cup |
| Evaporation rate | : | Not applicable |
| Flammability (solid, gas) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | 25 hPa |
| | | Calculated Vapor Pressure |
| Relative vapour density | : | No data available |
| Relative density | : | ca. 0.852 |
| Density | : | 0.8486 g/cm ³ (15.6 °C) |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | | |
|--|---|---------------------------------|
| Bulk density | : | Not applicable |
| Solubility(ies) | | |
| Water solubility | : | insoluble |
| Solubility in other solvents | : | No data available |
| Partition coefficient: n- octanol/water | : | Not applicable |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | 53.4 mm ² /s (40 °C) |
| Oxidizing properties | : | No data available |

9.2 Other information

| | | |
|---------------|---|-------------------|
| Particle size | : | Not applicable |
| Self-ignition | : | No data available |

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : excessive heat

10.5 Incompatible materials

Materials to avoid : Strong bases
Strong oxidizing agents



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified due to lack of data.

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): > 5.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: No mortality observed at this dose. |
| Acute dermal toxicity | : LD50 (Rabbit): > 5,000 mg/kg Remarks: No mortality observed at this dose. |

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

| | |
|-----------------------|--------------------------------|
| Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg |
| Acute dermal toxicity | : LD50 (Rabbit): > 5,000 mg/kg |

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

| | |
|-----------------------|---|
| Acute oral toxicity | : LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity Remarks: The toxicological data has been taken from products of similar composition. |
| Acute dermal toxicity | : LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: The toxicological data has been taken from products of similar composition. |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rabbit): > 5,000 mg/kg |

C14-16-18 Alkyl phenol:

| | | |
|-----------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose. |

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

| | | |
|-----------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 2,000 mg/kg |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity |

Skin corrosion/irritation

Not classified due to lack of data.

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

| | | |
|------------|---|------------------------------|
| Assessment | : | Slight, transient irritation |
| Result | : | Slight, transient irritation |

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

| | | |
|--------|---|------------------------------|
| Result | : | Slight, transient irritation |
|--------|---|------------------------------|



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

| | |
|---------|--------------------------------|
| Species | : Rabbit |
| Result | : Slight, transient irritation |

C14-16-18 Alkyl phenol:

| | |
|--------|---------------------------|
| Method | : OECD Test Guideline 431 |
| Result | : No skin irritation |

zinc bis(O,O-diisooctyl) bis(dithiophosphate):

| | |
|--------|-------------------|
| Result | : Skin irritation |
|--------|-------------------|

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

| | |
|---------|-----------------------|
| Species | : Rabbit |
| Result | : Irritating to skin. |

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

| | |
|---------|--|
| Result | : No eye irritation |
| Remarks | : Vapours may cause irritation to the eyes, respiratory system and the skin. |

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | |
|---------|---------------------|
| Species | : Rabbit |
| Result | : No eye irritation |

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

| | |
|------------|--------------------------------|
| Assessment | : Slight, transient irritation |
| Result | : Slight, transient irritation |

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

| | |
|--------|--------------------------------|
| Result | : Slight, transient irritation |
|--------|--------------------------------|

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

| | |
|---------|--------------------------------|
| Species | : Rabbit |
| Result | : Slight, transient irritation |



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

C14-16-18 Alkyl phenol:

| | | |
|---------|---|------------------------------|
| Species | : | Rabbit |
| Result | : | Slight, transient irritation |

zinc bis(O,O-diisooctyl) bis(dithiophosphate):

| | | |
|--------|---|-----------|
| Result | : | Corrosive |
|--------|---|-----------|

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

| | | |
|---------|---|------------------------------|
| Species | : | Rabbit |
| Result | : | Slight, transient irritation |

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

Product:

| | | |
|------------|---|------------------------------------|
| Assessment | : | Does not cause skin sensitisation. |
| Remarks | : | Based on similar product. |

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | | |
|------------|---|------------------------------------|
| Test Type | : | Buehler Test |
| Species | : | Guinea pig |
| Assessment | : | Does not cause skin sensitisation. |

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

| | | |
|------------|---|------------------------------------|
| Test Type | : | Buehler Test |
| Species | : | Guinea pig |
| Assessment | : | Does not cause skin sensitisation. |
| Method | : | OECD Test Guideline 406 |

C14-16-18 Alkyl phenol:

| | | |
|-----------|---|------------------------|
| Test Type | : | Local lymph node assay |
| Species | : | Mouse |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | | |
|------------|---|--|
| Assessment | : | The product is a skin sensitiser, sub-category 1B. |
| Method | : | OECD Test Guideline 429 |

zinc bis(O,O-diisooctyl) bis(dithiophosphate):

| | | |
|------------|---|------------------------------------|
| Assessment | : | Does not cause skin sensitisation. |
|------------|---|------------------------------------|

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

| | | |
|------------|---|--|
| Test Type | : | Maximisation Test |
| Species | : | Guinea pig |
| Assessment | : | The product is a skin sensitiser, sub-category 1B. |

Germ cell mutagenicity

Not classified due to lack of data.

Components:

C14-16-18 Alkyl phenol:

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Ames test |
| | | Test system: Salmonella typhimurium |
| | | Metabolic activation: with and without metabolic activation |
| | | Result: negative |

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Ames test |
| | | Test system: Salmonella typhimurium |
| | | Metabolic activation: with and without metabolic activation |
| | | Result: negative |

Carcinogenicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

| | | |
|---------------------------------|---|--|
| Carcinogenicity - Assessment | : | Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L) |
|---------------------------------|---|--|

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | | |
|---------------------------------|---|--|
| Carcinogenicity - Assessment | : | Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L) |
|---------------------------------|---|--|



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Carcinogenicity - Assessment : Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Components:

C14-16-18 Alkyl phenol:

Target Organs : Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

Not classified due to lack of data.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil — unspecified:

|| May be fatal if swallowed and enters airways.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

|| The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspecified:

| | | |
|--|---|--|
| Toxicity to fish | : | LL50 (Fish): > 100 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Aquatic invertebrates): > 10,000 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | EL50 (Algae, algal mat (Algae)): > 100 mg/l Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 10 mg/l Species: Fish |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 10 mg/l Species: Aquatic invertebrates |

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | | |
|------------------|---|--|
| Toxicity to fish | : | LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 |
|------------------|---|--|



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | |
|--|---|
| | Remarks: No toxicity at the limit of solubility |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 |
| Toxicity to fish (Chronic toxicity) | : NOELR: >= 1,000 mg/l Exposure time: 14 d Species: Oncorhynchus mykiss (rainbow trout) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEL: 10 mg/l Exposure time: 21 d Species: Daphnia (water flea) Test substance: WAF Method: OECD Test Guideline 211 |

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

| | |
|---|---|
| Toxicity to fish | : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : **NOEL: 10 mg/l**
Exposure time: **21 d**
Species: **Daphnia magna (Water flea)**
Test Type: **semi-static test**
Test substance: **WAF**
Method: **OECD Test Guideline 211**

C14-16-18 Alkyl phenol:

Toxicity to fish : **LC50 (Cyprinus carpio (Carp)): > 100 mg/l**
Exposure time: **96 h**
Test Type: **static test**
Test substance: **WAF**

Toxicity to daphnia and other aquatic invertebrates : **EC50 (Daphnia magna (Water flea)): > 100 mg/l**
Exposure time: **48 h**
Test Type: **static test**
Method: **OECD Test Guideline 202**

Toxicity to algae/aquatic plants : **EC50 (Pseudokirchneriella subcapitata (algae)): > 100 mg/l**
End point: **Growth inhibition**
Exposure time: **72 h**
Test Type: **static test**
Test substance: **WAF**

zinc bis(O,O-diisooctyl) bis(dithiophosphate):

Toxicity to fish : **LC50 (Oncorhynchus mykiss (rainbow trout)): 3.8 mg/l**
Exposure time: **96 h**

Toxicity to daphnia and other aquatic invertebrates : **EC50 (Daphnia magna (Water flea)): 510 mg/l**
Exposure time: **48 h**

Toxicity to algae/aquatic plants : **EC50 (Scenedesmus quadricauda (Green algae)): 410 mg/l**
Exposure time: **72 h**

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : **NOEC: 0.4 mg/l**
Exposure time: **21 d**
Species: **Daphnia magna (Water flea)**

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Toxicity to fish : **LC50 (Oncorhynchus mykiss (rainbow trout)): 94.8 mg/l**
Exposure time: **96 h**
Test Type: **semi-static test**
Test substance: **WAF**



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | |
|--|--|
| | Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): 50 mg/l Exposure time: 48 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : NOELR (Pseudokirchneriella subcapitata (green algae)): 4.05 mg/l End point: Growth inhibition Exposure time: 72 h Test Type: static test Test substance: WAF Method: OECD Test Guideline 201 Remarks: The toxicological data has been taken from products of similar composition. |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOELR: 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Test substance: WAF Method: OECD Test Guideline 211 |

12.2 Persistence and degradability

Components:

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified:

| | |
|------------------|--|
| Biodegradability | : Result: Not readily biodegradable. Biodegradation: 2 - 4 % Exposure time: 28 d Method: OECD Test Guideline 301B |
|------------------|--|

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

| | |
|------------------|--|
| Biodegradability | : Result: Inherently biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301B |
|------------------|--|

C14-16-18 Alkyl phenol:

| | |
|------------------|---|
| Biodegradability | : Result: Readily biodegradable. Remarks: Expert judgement |
|------------------|---|



SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Biodegradability : Result: **Not readily biodegradable.**
Biodegradation: **23 %**
Exposure time: **28 d**
Method: **OECD Test Guideline 301B**
Remarks: **The toxicological data has been taken from products of similar composition.**

12.3 Bioaccumulative potential

Components:

C14-16-18 Alkyl phenol:

Partition coefficient: n-octanol/water : log Pow: **> 7.2**

Molybdenum polysulphide long chain alkyl dithiocarbamate complex:

Partition coefficient: n-octanol/water : log Pow: **> 5.1**
Method: **OECD Test Guideline 107**

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data available



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- | | | |
|------------------------|---|--|
| Product | : | Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. |
| Waste Code | : | The Waste code should be assigned in discussion between the user and the waste disposal company. The following Waste Codes are only suggestions: 13 02 06, synthetic engine, gear and lubricating oils |

SECTION 14: Transport information

14.1 UN number

- | | | |
|--------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA_P | : | Not regulated as a dangerous good |

14.2 UN proper shipping name

- | | | |
|--------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA_P | : | Not regulated as a dangerous good |

14.3 Transport hazard class(es)

- | | | |
|--------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA_P | : | Not regulated as a dangerous good |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

14.4 Packing group

| | | |
|--------------------|---|-----------------------------------|
| ADR | : | Not regulated as a dangerous good |
| RID | : | Not regulated as a dangerous good |
| IMDG | : | Not regulated as a dangerous good |
| IATA (Cargo) | : | Not regulated as a dangerous good |
| IATA_P (Passenger) | : | Not regulated as a dangerous good |

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

| | | |
|---|---|----------------|
| UK REACH List of restrictions (Annex 17) | : | Not applicable |
| UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation | : | Not applicable |
| The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) | : | Not applicable |
| Regulation (EC) on substances that deplete the ozone layer | : | Not applicable |
| UK REACH List of substances subject to authorisation (Annex XIV) | : | Not applicable |
| Control of Major Accident Hazards Regulations 2015 (COMAH) | : | Not applicable |

The components of this product are reported in the following inventories:

| | | |
|------|---|---|
| TCSI | : | Not in compliance with the inventory |
| TSCA | : | All substances listed as active on the TSCA inventory |
| AIIC | : | Not in compliance with the inventory |



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

| | |
|-------|--|
| DSL | : All components of this product are on the Canadian DSL |
| ENCS | : Not in compliance with the inventory |
| KECI | : On the inventory, or in compliance with the inventory |
| PICCS | : On the inventory, or in compliance with the inventory |
| IECSC | : Not in compliance with the inventory |
| NZIoC | : Not in compliance with the inventory |

15.2 Chemical safety assessment

No data available

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

SECTION 16: Other information

Full text of H-Statements

| | |
|------|--|
| H304 | : May be fatal if swallowed and enters airways. |
| H315 | : Causes skin irritation. |
| H317 | : May cause an allergic skin reaction. |
| H318 | : Causes serious eye damage. |
| H373 | : May cause damage to organs through prolonged or repeated exposure. |
| H411 | : Toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects. |

Full text of other abbreviations

| | |
|-----------------|--|
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Asp. Tox. | : Aspiration hazard |
| Eye Dam. | : Serious eye damage |
| Skin Irrit. | : Skin irritation |
| Skin Sens. | : Skin sensitisation |
| STOT RE | : Specific target organ toxicity - repeated exposure |
| SUPLR EXP | : Supplier-recommended exposure guidelines |
| SUPLR EXP / TWA | : Time weighted average |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road;



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Internal information : 000000098054

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN



SAFETY DATA SHEET

According to REACH Regulation (EC) No
1907/2006, as amended by UK REACH
Regulations SI 2019/758

SynPower™ FE SAE 5W3030 Synthetic Motor
Oil

Version: 6.0

Revision Date: 01.07.2024

Print Date: 26/06/2025
