

Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1. Product identifier

Trade name/designation:

### RAVENOL Getriebeoel TGO SAE 75W-90 API GL 5

#### Article No.:

1222105

UFI:

F837-0J0F-3XDW-UWV0

### 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

### Ravensberger Schmierstoffvertrieb GmbH

Produktsicherheit Jöllenbecker Str. 2 33824 Werther Germany

**Telephone:** +49 5203 9719 0 **Telefax:** +49 5203 9719 40 E-mail: kontakt@ravenol.de Website: www.ravenol.de

E-mail (competent person): sdb@ravenol.de

### 1.4. Emergency telephone number

24 hr. emergency phone number, 24h: +49 700 24 112 112 (Contract ID: RAV) / +1 872 5888271

(Contract ID: RAV)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	Calculation method.
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



**GHS07 Exclamation mark** Signal word: Warning



Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

#### Hazard components for labelling:

Polysulfides, di-tert-Bu; Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched); C16-18-(even numbered, saturated and unsaturated)-alkylamines

Hazard statements for health hazards	
H317	May cause an allergic skin reaction.

Hazard statements for environmental hazards		
H412	Harmful to aquatic life with long lasting effects.	

Precautionary statements Prevention		
P261	Avoid breathing vapours and spray.	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye/face protection.	

Precautionary statements Response		
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.		
P333 + P313	333 + P313 If skin irritation or rash occurs: Get medical advice/attention.	

Precautionary statements Disposal			
P501	Dispose of contents/container to an appropriate recycling or disposal facility.		

### 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 (H304)  Danger	40 - < 80 weight-%
CAS No.: 68937-96-2 EC No.: 273-103-3 REACH No.: 01-2119540515-43	Polysulfides, di-tert-Bu Aquatic Chronic 4 (H413), Skin Sens. 1 (H317)  Warning	2 - < 5 weight-%
<b>EC No.:</b> 931-384-6 <b>REACH No.:</b> 01-2119493620-38	Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) Acute Tox. 4 (H302), Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Sens. 1 (H317)  Danger	0 - < 0.5 weight-%
CAS No.: 1213789-63-9 EC No.: 627-034-4 REACH No.: 01-2119473797-19	C16-18-(even numbered, saturated and unsaturated)-alkylamines Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Asp. Tox. 1 (H304), Eye Dam. 1 (H318), STOT RE 2 (H373), STOT SE 3 (H335), Skin Corr. 1B (H314)  Danger M-factor (acute): 10 M-factor (chronic): 10	0 - < 0.25 weight-%

Full text of H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

#### Following inhalation:

Provide fresh air. Consult a doctor immediately.

RAVEDOL

Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

#### After eve contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

#### Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

### 4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

Carbon dioxide (CO2)

Extinguishing powder

alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers.

### Unsuitable extinguishing media:

Full water jet

### 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours.

### **Hazardous combustion products:**

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Gases/vapours, toxic During heating or in case of fire, toxic gases is possible.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

#### 5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

### Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

#### **Protective equipment:**

Personal protection equipment: see section 8

#### **Emergency procedures:**

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

### 6.1.2. For emergency responders

### Personal protection equipment:

Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022



### 6.3. Methods and material for containment and cleaning up

#### For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

#### 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### **Protective measures**

### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

#### Fire prevent measures:

No special fire protection measures are necessary.

#### **Environmental precautions:**

Shafts and sewers must be protected from entry of the product.

### Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

### 7.2. Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

### Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

### Hints on storage assembly:

not required

**Storage class (TRGS 510, Germany):** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

### Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

### 7.3. Specific end use(s)

#### **Recommendation:**

Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1. Occupational exposure limit values

No data available

### 8.1.2. Biological limit values

No data available



Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Polysulfides, di-tert-Bu <b>CAS No.:</b> 68937-96-2 <b>EC No.:</b> 273-103-3	14.5 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3	1.66 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	8.56 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	12.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	0.38 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	1 mg/m³	① DNEL worker ② Long-term – inhalation, local effects
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	1 mg/cm²	① DNEL worker ② Acute - inhalation, local effects

Substance name	PNEC Value	① PNEC type
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	0.0012 mg/L	① PNEC aquatic, freshwater
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	0.12 μg/L	① PNEC aquatic, marine water
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	24.33 mg/L	① PNEC sewage treatment plant
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	3.13 mg/kg bw/day	① PNEC sediment, freshwater
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)  EC No.: 931-384-6	0.313 mg/kg bw/day	① PNEC sediment, marine water
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	0.26 μg/L	① PNEC aquatic, freshwater
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	0.026 μg/L	① PNEC aquatic, marine water

RAVENOL

Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

Substance name	PNEC Value	① PNEC type
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	3.76 mg/kg	① PNEC sediment, freshwater
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	0.376 mg/kg	① PNEC sediment, marine water
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	10 mg/kg	① PNEC soil

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

### 8.2.2. Personal protection equipment





### Eye/face protection:

During transfer: Eye glasses with side protection

Wear eye/face protection. EN 166

### Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: >= 0,4 mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well.

### Respiratory protection:

Usually no personal respirative protection necessary.

### 8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

### **Appearance**

Physical state: Liquid Colour: light yellow

**Odour:** characteristic

### Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	not applicable		
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	215 °C		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		



Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

Parameter	Value	at °C	① Method
			② Remark
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	845 kg/m³	15 °C	
Relative density	not applicable		
Bulk density	not applicable		
Water solubility	practically insoluble		
Partition coefficient: n-octanol/water	not applicable		
Dynamic viscosity	not determined		
Kinematic viscosity	96 mm²/s	40 °C	

#### 9.2. Other information

Not applicable.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement. Combustible

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

### 10.5. Incompatible materials

Materials to avoid: Acid, Oxidizing agent, Reducing agent

### 10.6. Hazardous decomposition products

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), During heating or in case of fire, toxic gases is possible. Gases/vapours, toxic

### **Further information**

No information available.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

LD<sub>50</sub> oral: 5,000 mg/kg (Rat) OECD 401

LD<sub>50</sub> dermal: 5,000 mg/kg (Rabbit) OECD 402

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): 5.53 mg/L 4 h (Rat) OECD 403

C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4

ATE (oral): 500 mg/kg

LD<sub>50</sub> oral: >1,200 mg/kg (Rat) OECD 401

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rat) OECD 402

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L 4 h

### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

en / PL / DK / FI / FR / CA / VA / SI / BG / LI / LT / ...

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Page 8/12

RAVENOL Getriebeoel TGO SAE 75W-90 API GL 5



Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

Frequently or prolonged contact with skin may cause dermal irritation.

### Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

Observe risk of aspiration if vomiting occurs.

For viscosity data, see section 9.

#### Additional information:

No data available

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties:**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7

EC No.: 265-157-1

LC<sub>50</sub>: 100 mg/L 4 d (fish)

**NOEC:** 100 mg/L 4 d (fish)

EC<sub>50</sub>: 10,000 mg/L 2 d (crustaceans)

LC<sub>50</sub>: 10,000 mg/L 4 d (crustaceans)

NOEC: 100 mg/L 3 d (Algae/water plant)

NOEC: ≥100 mg/L 3 d (Algae/water plant, Algen)

Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3

EC<sub>50</sub>: 63 mg/L 2 d (crustaceans)

EC<sub>50</sub>: >100 mg/L 3 d (Algae/water plant)

Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide

and amines, C12-14-alkyl (branched) EC No.: 931-384-6

**LC<sub>50</sub>:**  $\approx$  24 mg/L 4 d

EC<sub>50</sub>: 91.4 mg/L 2 d (crustaceans)

C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4

 $LC_{50}$ : >0.84 mg/L 4 d (fish)

**EC<sub>50</sub>:** >0.32 mg/L 2 d (crustaceans)

EC<sub>50</sub>: >0.39 mg/L 3 d (Algae/water plant)

**NOEC:** >0.63 mg/L 4 d (fish)

#### Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

### Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

### 12.2. Persistence and degradability

### **Additional information:**

No data available.

RAVEDOL

Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

### \* 12.3. Bioaccumulative potential

Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3

 $Log K_{OW}$ : = 6

### Partition coefficient: n-octanol/water:

not applicable

### **Accumulation / Evaluation:**

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7

**EC No.:** 265-157-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

### 13.1.1. Product/Packaging disposal

### Waste codes/waste designations according to EWC/AVV

Waste code packaging

### Remark:

pa

Dispose of waste according to applicable legislation.

#### Waste treatment options

### **Appropriate disposal / Product:**

Dispose of waste according to applicable legislation.

#### Appropriate disposal / Package:

Non-contaminated packages may be recycled.

#### Other disposal recommendations:

Consult the appropriate local waste disposal expert about waste disposal.

#### 13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
			No dangerous good in sense of these transport regulations.



Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)		
14.2. UN proper shipping name					
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		
14.3. Transport hazard class(es)					
not relevant	not relevant	not relevant	not relevant		
14.4. Packing group		,			
not relevant	not relevant	not relevant	not relevant		
14.5. Environmental hazards					
not relevant	not relevant	not relevant	not relevant		
14.6. Special precautions for user					
not relevant	not relevant	not relevant	not relevant		

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU legislation

### Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

### 15.1.2. National regulations

### [DE] National regulations

### **Restrictions of occupation**

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/ EEC) for expectant or nursing mothers.

#### Störfallverordnung

#### for substances contained in the product:

Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1
- E2 Hazardous to the Aquatic Environment in Category Chronic 2

### **Technische Anleitung Luft (TA-Luft)**

#### Remark:

To follow: 5.2.5

### Water hazard class

#### WGK:

2 - deutlich wassergefährdend

Self-classification (mixture; calculation rule).

Identification number 436

### Technische Regeln für Gefahrstoffe

**TRGS 510** 

**TRGS 500** 

### Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

### [DK] National regulations

### Other regulations, restrictions and prohibition regulations

Dänemark: Bekendtgørelse af lov om arbejdsmiljø: Beskæftigelsesministeriets lovbekendtgørelse nr. 1072 af 7. september 2010

RAVENOL

**Revision date:** 4 Apr 2022 **Version:** 5 **Print date:** 4 Apr 2022

Lister over stoffer og processer, der anses for at vaere kraeftfremkaldende

### [FR] National regulations

### Other regulations, restrictions and prohibition regulations

Frankreich: Tableaux de maladies professionelles

Nomenclature des installations classées pour la protection de l'environnement

Articles L. 4523-1 à L. 4523-17, L. 4611-1 à L. 4614-16, R. 4523-1 à R. 4523-17 et R. 4612-1 à R. 4615-21 du Code du travail

### [NL] National regulations

### Other regulations, restrictions and prohibition regulations

Niederlande: Lijst vank kankerverwekkende, mutagene en voor de voortplanting giftige stoffen (SZW)

Algemeene beoordelingsmethodiek Water (ABM)

Nederlandse emissierichtlijn (NeR)

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Borstvoeding

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Vruchtbaarheid

NIET-Limitatieve lijst an voor de voortplanting giftige stoffen - Ontwikkeling

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

Wet van 18 maart 1999, houdende bepalingen ter verbetering van de arbeidsomstandigheden

(Arbeidsomstandighedenwet)

Wet op de ondernemingsraden 1971

### [CH] National regulations

### Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)

Gefahrencode

Brandverhütung, BVD (Schweiz)

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### 15.3. Additional information

No data available.

### **SECTION 16: Other information**

### \* 16.1. Indication of changes

12.1.	Toxicity
12.3.	Bioaccumulative potential
16.1.	Indication of changes

### 16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### 16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS

substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances

hazardous to water Rigoletto (catalog substances hazardous to water)

RAVENOL

Revision date: 4 Apr 2022 Version: 5 Print date: 4 Apr 2022

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	Calculation method.
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### 16.6. Training advice

No data available

### 16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

\* Data changed compared with the previous version