MOTIP DUPLI

Page 1/9

\*

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

1.1 Product id	ntifier
Trade name: 1	IoTip Backlight Remover
Article numbe 1.2 Relevant ia No further rele Sector of Use SU22 Profess SU21 Consum Product catego Process catego PROC7 Indu PROC11 Nor	: M00164, 209734 entified uses of the substance or mixture and uses advised against vant information available. ional uses: Public domain (administration, education, entertainment, services, craftsmen) eer uses: Private households / general public / consumers ry PC9a Coatings and paints, thinners, paint removers ry
1.3 Details of a Manufacturer, MOTIP DUPL Kurt Vogelsan D-74855 Haßr Tel.: +49/6266 msds@de.moti	GmbH 5 Strasse 6 versheim /75-0
<b>1.4 Emergency</b> <i>Tel.:</i> +49 6266 <i>Fax</i> +49 6266	
SECTION 2	: Hazards identification
Classification	on of the substance or mixture according to Regulation (EC) No 1272/2008 02 flame
Aerosol 1 H.	22-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
GH	07
STOT SE 3 H.	36 May cause drowsiness or dizziness.
2.2 Label elem	

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

(Contd. of page 1)

Trade name: MoTip Backlight Remover

· Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labelling:

n-butyl acetate

## · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.H336 May cause drowsiness or dizziness.

#### · Precautionary statements

- *P101 If medical advice is needed, have product container or label at hand.*
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- *P211* Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- *P260 Do not breathe spray.*
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- *P501 Dispose of contents / container in accordance with regional regulations.*

#### • Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous c	omponents:
---------------	------------

• Dangerous components:			
CAS: 123-86-4 EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29	n-butyl acetate	<ul> <li>Flam. Liq. 3, H226</li> <li>STOT SE 3, H336</li> </ul>	25-<50%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane	� Flam. Gas 1, H220 Press. Gas (Comp.), H280	20-<25%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane	🚸 Flam. Gas 1, H220	12.5-<20%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane	🚸 Flam. Gas 1, H220	5-<10%
Additional information.			

#### · Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply.

(Contd. on page 3)

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

Trade name: MoTip Backlight Remover

For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · General information: Take affected persons out into the fresh air.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- $\cdot$  After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- **Protective equipment:** Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Mouth respiratory protective device.

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources. Ensure adequate ventilation Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.
   6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
  See Section 7 for information on safe handling.
  See Section 8 for information on personal protection equipment.
  See Section 13 for disposal information.

## SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Keep away from heat and direct sunlight.
Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
Ensure good ventilation/exhaustion at the workplace.
• Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.

- Keep ignition sources away Do not smoke.
- Keep respiratory protective device available.

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

(Contd. of page 3)

Trade name: MoTip Backlight Remover

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

\*

• **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurised containers.

Observe official regulations on storing packagings with pressurisea containers

• Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep container tightly sealed.

• Storage class: 2 B

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 123-86-4 n-butyl acetate

WEL Short-term value: 966 mg/m<sup>3</sup>, 200 ppm Long-term value: 724 mg/m<sup>3</sup>, 150 ppm

#### 106-97-8 butane

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppm Long-term value: 1450 mg/m<sup>3</sup>, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Do not eat, drink, smoke or sniff while working. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.

#### • Respiratory protection:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### • Protection of hands:

In case of contact with spray dust protective gloves made of butyl shoud be used (min. 0.4 mm thick), e.g. KCL Camatril, article no. 898 or similar products

Solvent resistant gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min

(Contd. on page 5)

GB

\*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

(Contd. of page 4)

Trade name: MoTip Backlight Remover

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Natural rubber, NR

- Eye protection: Not required.
- · Body protection: Light weight protective clothing

9.1 Information on basic physical and c	homical properties	
9.1 Information on basic physical and C General Information	nemical properties	
Appearance:		
Form:	Aerosol	
Colour:	Colourless	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Not applicable, as aerosol.	
Flash point:	Not applicable, as aerosol.	
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	365 °C (689 °F)	
Decomposition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	1.2 Vol %	
Upper:	10.9 Vol %	
Vapour pressure at 20 $\bullet$ C (68 $\bullet$ F):	8,300 hPa (6,225.5 mm Hg)	
Density at 20 °C (68 °F):	0.73 g/cm <sup>3</sup> (6.09 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	100.0 %	
VOC (EC)		
	734.5 g/l	
VOC-EU%	100.00 %	
Solids content:	0.0 %	
9.2 Other information	No further relevant information available.	

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

Trade name: MoTip Backlight Remover

(Contd. of page 5)

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

	123-86-4 n-butyl acetate	
Oral	LD50	10,800 mg/kg (rat) (OECD 401)
Dermal	LD50	10,800 mg/kg (rat) (OECD 401) >17,600 mg/kg (rabbit) >21 mg/m3 (rat)
Inhalative	LC50/4 h	>21 mg/m3 (rat)

#### · Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

(Contd. of page 6)

Trade name: MoTip Backlight Remover

-			
•	European	waste	catalogue

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances 15 01 04 metallic packaging

· Uncleaned packaging:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings. Non contaminated packagings may be recycled.

14.1 UN-Number ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	nEROSOES, frantinaore
ADR	
Class	2 5F Gases.
Label	2.1
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F- $D$ , $S$ - $U$
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litr
	Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clear
	of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre
	Segregation as for class 9. Stow "separated from" class 1
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
	$\mathbf{N}_{\alpha}$

Page 8/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

Trade name: MoTip Backlight Remover

	(Contd. of page
· 14.7 Transport in bulk according to A	nnex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: E0
• • • •	Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: E0
~ ~ ~	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

• Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H336 May cause drowsiness or dizziness.

#### • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.04.2019

Version number 7

Revision: 17.01.2019

#### Trade name: MoTip Backlight Remover

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1 Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas Flam. Liq. 3: Flammable liquids – Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* Data compared to the previous version altered. (Contd. of page 8)