

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

അ

Motorbike 4T Synth 10W-50 Street Race

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Motor oil Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR) +1 872 5888271 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP) The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %). Product can compose a film on the water surface, which can prevent oxygen exchange.

Hazardous to drinking water, on escape of even small quantities.



Page 2 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

œ

3.2 MIXtures	
Baseoil - unspecified *	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	
CAS	
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic	
Registration number (REACH)	01-2119487077-29-XXXX
Index	649-468-00-3
EINECS, ELINCS, NLP, REACH-IT List-No.	265-158-7
CAS	64742-55-8
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Asp. Tox. 1, H304
Bis(nonylphenyl)amine	
Registration number (REACH)	01-2119488911-28-XXXX
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	253-249-4
CAS	36878-20-3
content %	1-<2,5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Aquatic Chronic 4, H413
Specific Concentration Limits and ATE	ATE (oral): >10000 mg/kg
	ATE (dermal): >5000 mg/kg
	ATE (as inhalation, Aerosol): >20

Impurities, test data and additional information may have been taken into account in classifying and labelling the product. For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

* The contained mineral oil can be	* The contained mineral oil can be described by one or more of the following numbers:								
EINECS, ELINCS, NLP, REACH-	Registration number (REACH)	Chemical name							
IT List-No.									
265-157-1	01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic							
265-158-7	01-2119487077-29-XXXX	Distillates (petroleum), hydrotreated light paraffinic							
265-169-7 01-2119471299-27-XXXX Distillates (petroleum), solvent-dewaxed heavy paraffinic									
265-159-2	01-2119480132-48-XXXX	Distillates (petroleum), solvent-dewaxed light paraffinic							

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.



Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

ആ

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. The following may occur: Irritation of the eyes with long-term contact: Drying of the skin. Irritation of the skin. With oil mist formation: Irritation of the respiratory tract

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO2 Foam Dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Carbon dioxide

Oxides of phosphorus Oxides of sulphur Oxides of nitrogen Toxic gases Hot product gives off combustible vapours.

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Avoid formation of oil mist. Remove possible causes of ignition - do not smoke. Avoid inhalation, and contact with eyes or skin. If applicable, caution - risk of slipping. **6.1.2 For emergency responders** See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.



Page 4 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

Resolve leaks if this possible without risk. Prevent from entering drainage system. Prevent surface and ground-water infiltration, as well as ground penetration. If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13. Oil binder

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid formation of oil mist.

Ensure good ventilation.

ആ

Keep away from sources of ignition - Do not smoke.

Do not heat to temperatures close to flash point.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing. Protect against moisture and store closed. Do not store over 60°C.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Oil mist, mineral			Content %:
WEL-TWA: 5 mg/m3 (Mineral oil, e	xcluding metal	WEL-STEL:		
working fluids, ACGIH)				
Monitoring procedures:	-	Draeger - Oil Mist 1/a (67 33 031)		
BMGV:			Other information:	

Distillates (petroleum), hy	vdrotreated light paraffinic	Distillates (petroleum), hydrotreated light paraffinic									
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note					
	Environment - oral (animal feed)		PNEC	9,33	mg/kg feed						
Consumer	Human - inhalation	Long term, local effects	DNEL	1,19	mg/m3						
Consumer	Human - oral	Long term, systemic effects	DNEL	0,74	mg/kg bw/day						
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,97	mg/kg bw/day						



—
Page 5 of 14
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0017
Replacing version dated / version: 18.05.2020 / 0016
Valid from: 01.11.2021
PDF print date: 01.11.2021
Motorbike 4T Synth 10W-50 Street Race

GB

Workers / employees	Human - inhalation	Long term, systemic	DNEL	2.7	ma/m3	
				,.		1
		effects				1
						, J

Environmental compartment Environment - freshwater Environment - marine Environment - water, sporadic (intermittent) release Environment - sewage treatment plant Environment - sediment,		PNEC PNEC PNEC PNEC	0,1 0,01 1	mg/l mg/l mg/l	
Environment - marine Environment - water, sporadic (intermittent) release Environment - sewage treatment plant		PNEC PNEC	,	mg/l	
Environment - water, sporadic (intermittent) release Environment - sewage treatment plant		PNEC	0,01 1		
sporadic (intermittent) release Environment - sewage treatment plant			1		
release Environment - sewage treatment plant		DNEC			
release Environment - sewage treatment plant					
treatment plant		DNEC		1	
		FINEC	1	mg/l	
Environment - sediment,					
		PNEC	132000	mg/kg dw	
freshwater					
Environment - sediment,		PNEC	13200	mg/kg dw	
marine					
Environment - soil		DNEL	263000	mg/kg dw	
Environment - periodic		PNEC	1	mg/kg	
release					
Human - oral	Long term, systemic	DNEL	0,25	mg/kg	
Human - inhalation		DNEL	1,09	mg/m3	
Human - dermal	Long term, systemic	DNEL	0,31	mg/kg	
Human - dermal		DNEL	0,62	mg/kg	
Human - inhalation	Long term, systemic	DNEL	4,37	mg/m3	
		Human - oral Long term, systemic effects Human - inhalation Long term, systemic effects Human - dermal Long term, systemic effects Human - dermal Long term, systemic effects Human - dermal Long term, systemic effects	Human - oral Long term, systemic effects DNEL Human - inhalation Long term, systemic effects DNEL Human - dermal Long term, systemic effects DNEL Human - inhalation Long term, systemic DNEL	Human - oralLong term, systemic effectsDNEL0,25Human - inhalationLong term, systemic effectsDNEL1,09Human - dermalLong term, systemic effectsDNEL0,31Human - dermalLong term, systemic effectsDNEL0,62Human - dermalLong term, systemic effectsDNEL0,62Human - inhalationLong term, systemic effectsDNEL4,37	Human - oralLong term, systemic effectsDNEL0,25mg/kg bw/dayHuman - inhalationLong term, systemic effectsDNEL1,09mg/m3Human - dermalLong term, systemic effectsDNEL0,31mg/kgHuman - dermalLong term, systemic effectsDNEL0,62mg/kgHuman - dermalLong term, systemic effectsDNEL0,62mg/kgHuman - inhalationLong term, systemic effectsDNEL4,37mg/m3

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU), 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.



Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective gloves, oil resistant (EN ISO 374). If applicable Protective Neoprene® / polychloroprene gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Protective PVC gloves (EN ISO 374). Minimum layer thickness in mm: 0,4 Permeation time (penetration time) in minutes: > 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. With oil mist formation: Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

ആ

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Brown
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	Flammable
Lower explosion limit:	There is no information available on this parameter.
Upper explosion limit:	There is no information available on this parameter.
Flash point:	230 °C
Auto-ignition temperature:	There is no information available on this parameter.
Decomposition temperature:	There is no information available on this parameter.
pH:	Mixture is non-soluble (in water).
Kinematic viscosity:	123,5 mm2/s (40°C)
Kinematic viscosity:	18,48 mm2/s (100°C)
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	0,844 g/ml



Page 7 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

Relative vapour density: Particle characteristics:

9.2 Other information

Explosives: Oxidising liquids:

œ

There is no information available on this parameter. Does not apply to liquids.

Product is not explosive. No

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested. **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid** Heating, open flame, ignition sources **10.5 Incompatible materials** Avoid contact with strong oxidizing agents. **10.6 Hazardous decomposition products**

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Baseoil - unspecified

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Respiratory or skin						No (skin
sensitisation:						contact),
						Analogous
						conclusion
Symptoms:						mucous
						membrane
						irritation
Specific target organ toxicity -						Irritation of the
single exposure (STOT-SE),						respiratory tract
inhalative:						

 Distillates (petroleum), hydrotreated light paraffinic

 Toxicity / effect
 Endpoint
 Value
 Unit
 Organism
 Test method
 Notes



					conclusion13 weeks
					conclusion13
	1				Analogous
NOAEL	0,15	mg/l	Rat		conclusion Aerosol,
NUAEL	0,05	mg/i	Γαι	Inhalation Toxicity - 28-	Aerosol, Analogous
				Dose Dermal Toxicity - 90-Day)	conclusion
NOAEL	1000		Rabbit	Study)	Analogous
NOAEL	<30	mg/kg	Rat	Rodents) OECD 411 (Subchronic	Analogous conclusion
NOAEL	125	mg/kg bw/d	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in	Analogous conclusion
					Yes
			Rat	Developmental Toxicity	Negative, Analogous conclusion
		bw/d		(Reproduction/Developm ental Toxicity Screening Test)	conclusionderma
NOAEL	1000	mg/kg	Rat	OECD 421	conclusionderma Analogous
			Mouse	OECD 451	Negative, Analogous
					conclusionChine e hamster
			Mammalian	OECD 473 (In Vitro Mammalian	Negative, Analogous
			Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion
			Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous conclusion
				Irritation/Corrosion)	Not irritant, Analogous conclusion
				Dermal Irritation/Corrosion)	Analogous conclusion
			Dobbit	Inhalation Toxicity)	Analogous conclusion Not irritant,
LC50	>5.53	mg/l/4h	Rat		conclusion Aerosol,
LD50	>5000	mg/kg	Rabbit	OECD 402 (Acute	conclusion Analogous
LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral	Analogous
	LD50 LC50 NOAEL NOAEL NOAEL	LD50 >5000 LD50 >5000 LC50 >5,53 	LD50 >5000 mg/kg LD50 >5000 mg/kg LC50 >5,53 mg/l/4h I I I I I </td <td>LD50>5000mg/kgRatLD50>5000mg/kgRabbitLC50>5,53mg/l/4hRatIIIRabbitIIIRabbitIIIRabbitIIIGuinea pigIIISalmonella typhimuriumIIIMammalianNOAEL1000mg/kg bw/dRatNOAEL125mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL0,05mg/kg bw/dRat</td> <td>LD50>5000mg/kgRatOECD 401 (Acute Oral Toxicity)LD50>5000mg/kgRabbitOECD 402 (Acute Dermal Toxicity)LC50>5,53mg/l/4hRatOECD 403 (Acute Inhalation Toxicity)LC50>5,53mg/l/4hRatOECD 404 (Acute Dermal Toxicity)LC50>5,53mg/l/4hRatOECD 404 (Acute Dermal Toxicity)LC50RabbitOECD 406 (Acute Eye Irritation/Corrosion)LC50RabbitOECD 406 (Skin Sensitisation)LC50Salmonella typhimuriumOECD 471 (Bacterial Reverse Mutation Test)LC50MammalianLC50MouseOECD 473 (In Vitro Marmalian Chromosome Aberration Test)NOAEL1000mg/kg bw/dRatOECD 421 (Carcinogenicity Studies)NOAEL125mg/kg bw/dRatOECD 414 (Prenatal Developmental Toxicity Study)NOAEL1000mg/kg bw/dRatOECD 411 (Subchronic Dermal Toxicity - 30-day Study)NOAEL1000mg/kg bw/dRatOECD 411 (Subchronic Dermal Toxicity - 30-day Study)NOAEL1000mg/kg bw/dRatOECD 411 (Subchronic Dermal Toxicity - 30-day Study)NOAEL0,05mg/lRatOECD 412 (Subacute Inhalation Toxicity - 28- Day Study)</td>	LD50>5000mg/kgRatLD50>5000mg/kgRabbitLC50>5,53mg/l/4hRatIIIRabbitIIIRabbitIIIRabbitIIIGuinea pigIIISalmonella typhimuriumIIIMammalianNOAEL1000mg/kg bw/dRatNOAEL125mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL1000mg/kg bw/dRatNOAEL0,05mg/kg bw/dRat	LD50>5000mg/kgRatOECD 401 (Acute Oral Toxicity)LD50>5000mg/kgRabbitOECD 402 (Acute Dermal Toxicity)LC50>5,53mg/l/4hRatOECD 403 (Acute Inhalation Toxicity)LC50>5,53mg/l/4hRatOECD 404 (Acute Dermal Toxicity)LC50>5,53mg/l/4hRatOECD 404 (Acute Dermal Toxicity)LC50RabbitOECD 406 (Acute Eye Irritation/Corrosion)LC50RabbitOECD 406 (Skin Sensitisation)LC50Salmonella typhimuriumOECD 471 (Bacterial Reverse Mutation Test)LC50MammalianLC50MouseOECD 473 (In Vitro Marmalian Chromosome Aberration Test)NOAEL1000mg/kg bw/dRatOECD 421 (Carcinogenicity Studies)NOAEL125mg/kg bw/dRatOECD 414 (Prenatal Developmental Toxicity Study)NOAEL1000mg/kg bw/dRatOECD 411 (Subchronic Dermal Toxicity - 30-day Study)NOAEL1000mg/kg bw/dRatOECD 411 (Subchronic Dermal Toxicity - 30-day Study)NOAEL1000mg/kg bw/dRatOECD 411 (Subchronic Dermal Toxicity - 30-day Study)NOAEL0,05mg/lRatOECD 412 (Subacute Inhalation Toxicity - 28- Day Study)

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral	Analogous
					Toxicity)	conclusion
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute	Analogous
					Dermal Toxicity)	conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye	Not irritant
					Irritation/Corrosion)	



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

œ

Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact), Analogous conclusion
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Mouse	OECD 478 (Genetic Toxicology - Rodent dominant Lethal Test)	Negative, Analogous conclusion
Germ cell mutagenicity:				Mammalian	OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative, Analogous conclusion
Reproductive toxicity (Developmental toxicity):	NOAEL	150	mg/kg bw/d	Rat	OECD 414 (Prenatal Developmental Toxicity Study)	Negative
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	<100	mg/kg bw/d	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

11.2. Information on other hazards

Motorbike 4T Synth 10W-50 Street Race						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply
						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Motorbike 41 Synth 10W	-50 Street Race	e					
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							Isolate as much
degradability:							as possible with
							an oil separator.
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							n.d.a.
disrupting properties:							
12.7. Other adverse							n.d.a.
effects:							

Baseoil - unspecified							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Pimephales		
					promelas		
12.1. Toxicity to daphnia:	EC50	48h	>10000	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	>10	mg/l	Daphnia magna		



Replacing version dated / Valid from: 01.11.2021 PDF print date: 01.11.202 Motorbike 4T Synth 10W-5	1	120 / 0016					
12.2. Persistence and degradability:		28d	31	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Not readily biodegradable
Distillates (petroleum), h	vdrotreated ligh	t naraffini	c				
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	NOEC/NOEL	28d	>1000	mg/l	Oncorhynchus mykiss	QSAR	
12.1. Toxicity to fish:	LL50	96h	>100	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	Analogous conclusion
12.1. Toxicity to fish:	NOEC/NOEL	14d	1000	mg/l	Oncorhynchus mykiss	QSÁR	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	10	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	Analogous conclusion
12.3. Bioaccumulative potential:							Not to be expected
12.1. Toxicity to daphnia:	EL50	48h	> 10000	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	>=100	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Pseudokirchneriell a subcapitata	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.2. Persistence and degradability:		28d	31	%	activated sludge	OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	Not readily biodegradable Analogous conclusion
12.3. Bioaccumulative potential:	Log Pow		>6				@20°C
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

œ

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.2. Persistence and degradability:		28d	24	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	Not readily biodegradable
12.4. Mobility in soil:							Adsorption in ground.
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	Analogous conclusion
12.1. Toxicity to daphnia:	EC50	48h	>100	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	72h	> 100	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	Analogous conclusion
12.1. Toxicity to algae:	NOEC/NOEL	72h	>10	mg/l	Desmodesmus subspicatus		Analogous conclusion



Page 11 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

12.2. Persistence and		28d	1	%	activated sludge	OECD 301 B	Not readily biodegradable,
degradability:						(Ready Biodegradability -	Analogous
						Co2 Evolution	conclusion
						Test)	
12.3. Bioaccumulative	Log Pow		>7,6				A notable
potential:							biological
							accumulation
							potential has to
							be expected
							(LogPow > 3).
12.3. Bioaccumulative potential:	BCF		1730				High
12.5. Results of PBT							No PBT
and vPvB assessment							substance, No
							vPvB substance
Toxicity to bacteria:	EC50	3h	>1000	mg/l	activated sludge	OECD 209	Analogous
						(Activated Sludge,	conclusion
						Respiration	
						Inhibition Test	
						(Carbon and	
						Ammonium	
						Oxidation))	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

œ

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number or ID number:	n.a.
Transport by road/by rail (ADR/RID)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.
14.4. Packing group:	n.a.
Classification code:	n.a.
LQ:	n.a.
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	n.a.



Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race

14.4. Packing group:Marine Pollutant:14.5. Environmental hazards:

Transport by air (IATA)

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

ആ

14.5. Environmental hazards:

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard Aquatic Chronic — Hazardous to the aquatic environment - chronic

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

n.a. n.a Not applicable

n.a. n.a.

n.a. Not applicable

0 %



г®—
Page 13 of 14
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0017
Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021
PDF print date: 01.11.2021
Motorbike 4T Synth 10W-50 Street Race
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the
International Carriage of Dangerous Goods by Road)
AOX Adsorbable organic halogen compounds
approx. approximately
Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials)
ATE Acute Toxicity Estimate
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor
BSEF The International Bromine Council
bw body weight
CAS Chemical Abstracts Service
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level DOC Dissolved organic carbon
dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)
EC European Community ECHA European Chemicals Agency
ECx, ELx ($x = 0, 3, 5, 10, 20, 50, 80, 100$) Effect Concentration/Level for x % effect
EEC European Economic Community
EINECSEuropean Inventory of Existing Commercial Chemical SubstancesELINCSEuropean List of Notified Chemical Substances
EN European Norms
EPA United States Environmental Protection Agency (United States of America)
ErCx, $E\mu$ Cx, $ErLx$ (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)
etc. et cetera EU European Union
EVAL Ethylene-vinyl alcohol copolymer
Fax. Fax number
gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals
GWP Global warming potential
Koc Adsorption coefficient of organic carbon in the soil
Kow octanol-water partition coefficient
IARC International Agency for Research on Cancer IATA International Air Transport Association
IBC (Code) International Bulk Chemical (Code)
IMDG-code International Maritime Code for Dangerous Goods
incl. including, inclusive IUCLID International Uniform Chemical Information Database
IUPAC International Union for Pure Applied Chemistry
LC50 Lethal Concentration to 50 % of a test population
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient
LQ Limited Quantities
MARPOL International Convention for the Prevention of Marine Pollution from Ships
n.a. not applicable n.av. not available
n.c. not checked
n.d.a. no data available
NIOSH National Institute for Occupational Safety and Health (USA)
NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level
OECD Organisation for Economic Co-operation and Development
org. organic
OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic



Page 14 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0017 Replacing version dated / version: 18.05.2020 / 0016 Valid from: 01.11.2021 PDF print date: 01.11.2021 Motorbike 4T Synth 10W-50 Street Race PE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm PVC Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List REACH-IT List-No. Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International RID Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone Total organic carbon TOC UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wwt wet weight The statements made here should describe the product with regard to the necessary safety precautions - they are

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

ആ

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.