

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

JURID Brake Fluid LHM+

of the mixture

Registration number

None. Synonyms

Product No.: LHM and LHM Plus (LHM+)

Issue date 31-July-2015

Version number 01 **Revision date** Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hydraulic fluid in the central hydraulic systems.

Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier

Federal Mogul Corporation (BE) Company name Central Distribution Centre Address:

> Prins Boudewiinlaan 7 B-2550 Kontich, Belgium

Contact person: Product Manager GA Europe, Middle-East and Africa

e-mail: alexandru.nitu@federalmogul.com

Address: Alexandru Nitu - Calea Floreasca 169A - 014459 Bucharest-

Romania: Tel +4 03744 29842

Emergency telephone: 24hr EP (INFOTRAC): 1-800-535-5053

International: (001) 352-323-3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Aspiration hazard Category 1 H304 - May be fatal if swallowed

and enters airways.

Hazard summary May be fatal if swallowed and enters airways.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Lubricating Oils (petroleum), C15-30, Hydrotreated Neutral Oil-based



Hazard pictograms

Signal word Danger

Hazard statements

May be fatal if swallowed and enters airways.

Precautionary statements

Prevention None.

Response

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P301 + P310

Do NOT induce vomiting. P331

Store away from incompatible materials. Storage

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Lubricating Oils (petroleum), C15-30, Hydrotreated Neutral Oil-based	30 - 60	72623-86-0 276-737-9	01-2119474878-16	649-482-00-X	
Classification: Asp. Tox. 1;	H304				L
Distillates (petroleum), hydrotreated middle	25 - 30	64742-46-7 265-148-2	01-2119826592-36	649-221-00-X	
Classification: Asp. Tox. 1;	H304				N
Ethyl 3-[[bis(1-methylethoxy)phosphinothioy l]thio]propionate	0 - 1	71735-74-5 275-965-6	-	-	

Classification: Aquatic Chronic 2;H411

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Note N: The classification as a carcinogen need not apply if the full refining history is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex oil-derived substances in Part 3.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation

Move injured person into fresh air and keep person calm under observation. In case of persistent throat irritation or coughing or after inhalation of oil mist: Seek medical attention and bring along these instructions.

Skin contact

Remove contaminated clothing and wash skin with soap and water. Get medical attention if

irritation develops and persists.

Eye contact Ingestion

Flush thoroughly with water. If irritation occurs, get medical assistance.

Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Lay on the side. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delaved

Defats the skin. Be aware that symptoms of chemical pneumonia (shortness of breath) may occur several hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire.

5.1. Extinguishing media

Suitable extinguishing

media

Water spray, dry powder or carbon dioxide.

Unsuitable extinguishing

media

JURID Brake Fluid LHM+ SDS UK

913442 Version #: 01 Revision date: - Issue date: 31-July-2015

Water jet.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting

procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

Containers close to fire should be removed immediately or cooled with water.

Specific methods Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in

the workplace. Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Extinguish all ignition sources. Avoid sparks, flames and smoking. Ventilate. Avoid inhalation of oil mist and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Wear suitable protective clothing.

For emergency responders

Use personal protection recommended in Section 8 of the SDS. Do not discharge into drains, water courses or onto the ground.

6.2. Environmental precautions6.3. Methods and material for containment and cleaning up

Remove sources of ignition. Absorb spillage with oil-absorbing material. Clean contaminated area with oil-removing material. Collect in containers and seal securely.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid inhalation of oil mist and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets. Use work methods which minimise oil mist production. Wear appropriate personal protective equipment. See Section 8 for personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry. Keep container in a well-ventilated place. Keep away from

heat, sparks and open flame. Store away from incompatible materials.

7.3. Specific end use(s) Hydraulic fluid in the central hydraulic systems.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits No exposure

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL)

Predicted no effect concentrations (PNECs)

Not available.

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Use explosion-proof equipment. Adequate ventilation should be provided whenever the material is

heated or mists are generated.

Individual protection measures, such as personal protective equipment

General information Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection

Risk of splashes: Wear approved safety goggles.

Skin protection

- Hand protection Wear suitable gloves. Nitrile gloves are recommended. Be aware that the liquid may penetrate the

gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with

combination filter (type A2/P2) can be used.

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Colour Bright green.

Odour Oil smell.

Odour threshold Not available.

PH Not apllicable.

Melting point/freezing point < -50 °C (< -58 °F)

Initial boiling point and boiling

range

250 - 380 °C (482 - 716 °F)

Flash point > 110.0 °C (> 230.0 °F)

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

1 % (Estimated)

(%)

Flammability limit - upper

8 % (Estimated)

(%)

Vapour pressure < 0.1 kPa @ (20 °C)

Vapour density Not available.

Relative density 0.83 @ (20°C)

Solubility(ies) Insoluble in water. Miscible with: Ethanol.

Partition coefficient

(n-octanol/water)

> 3 (Log Pow)

Auto-ignition temperature > 350 °C (> 662 °F)

Decomposition temperature Not available.

Viscosity 18 cSt @ (40°C) Kinematic.

Explosive propertiesNot available. **Oxidizing properties**Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Stable under normal temperature conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials Strong oxidising agents. Strong acids.

10.6. Hazardous Carbon dioxide. Carbon monoxide. Nitrogen oxides. Sulphur oxides.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory

system and provoke coughing. Repeated and prolonged overexposure to oil mists may result in droplet deposition, oil granuloma formation, inflammation and increased incidence of infection in

the respiratory tract.

Skin contact Prolonged and repeated contact with used oil may dry skin and cause redness. Prolonged or

repeated contact with used oil may cause serious skin diseases, such as dermatitis. The harmful

effects may increase in used oil.

Eye contact May cause minor irritation on eye contact.

Ingestion May cause discomfort if swallowed. Swallowing or vomiting of the liquid may result in aspiration

into the lungs.

Symptoms Defats the skin. Be aware that symptoms of chemical pneumonia (shortness of breath) may occur

several hours after exposure.

11.1. Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye

Germ cell mutagenicity

irritation

May cause minor irritation on eye contact.

Respiratory sensitisation
Skin sensitisation

No data available.

Not a skin sensitiser.

No data available.

Carcinogenicity

Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

Reproductive toxicity

Specific target organ toxicity -

single exposure

No data available. No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard

May be fatal if swallowed and enters airways.

Mixture versus substance

information

Not available.

Other information No data available.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and Expected to be i

degradability

Expected to be inherently biodegradable. The product contains substances which are not expected to be biodegradable.

to be biodegradable.

12.3. Bioaccumulative potential The product contains substances, which may accumulate in sediment.

Partition coefficient n-octanol/water (log Kow)

JURID Brake Fluid LHM+ > 3, (Log Pow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

Mobility in general The product is insoluble in water and will spread on the water surface.

12.5. Results of PBT

and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers retain product residue, follow label warnings even after container is

emptied.

EU waste code 13 01 10*

Waste codes should be assigned by the user based on the application for which the product was

used.

Disposal methods/informationDisposal recommendations are based on material as supplied. Disposal must be in accordance

with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk Not established.
according to Annex II of
MARPOL 73/78 and the IBC
Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006 as amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives.

National regulations15.2. Chemical safetyNo Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration. PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.

Registry of Toxic Effects of Chemical Substances (RTECS)

HSDB® - Hazardous Substances Data Bank

Information on evaluation method leading to the

References

classification of mixture Full text of any H-statements

not written out in full under Sections 2 to 15

Training information Disclaimer

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12.

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects. Follow training instructions when handling this material.

The information provided on this data sheet was abstracted from supplier safety data sheets and standard references in occupational health and toxicology. Federal-Mogul makes no representation or warranty with respect to the information obtained from such references. The information is however, as of the date provided, true and accurate to the best of Federal-Mogul's knowledge, and should be used to make an independent determination of the methods to safeguard workers and the environment.