

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

-		
SECTION 1: Identification	n of the substance/mixture and of	the company/undertaking
1.1 Product identifier		
Trade name: SONAX XTREME	Clear View 1:100	
Application of the substance / Car care product Detergents Consumer uses: Private househ Professional uses	f the substance or mixture and uses advis	sed against
<b>1.3 Details of the supplier of th</b> <b>Manufacturer/Supplier:</b> SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0	-	
<i>Further information obtainable</i> Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Lt 58 Holton Road, Holton Heath T Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk	td Trading Park, Poole, Dorset, BH16 6LT	
<b>1.4 Emergency telephone num</b> <u>European Union:</u> +49 (0) 89 19 <u>United Kingdom:</u> 0344 892 01 Members of Public in England, S In Northern Ireland, contact you	<b>)240</b> (Poison Centre Munich) <b>11</b> (UK NPIS) Scotland and Wales can contact NHS 111/NF	HS 24 by dialling 111
SECTION 2: Hazards ide	ntification	
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin in Eye Irrit. 2 H319 Causes seriou 2.2 Label elements Labelling according to Regula	ance or mixture egulation (EC) No 1272/2008 rritation. Js eye irritation.	
GHS07		
P102 Keep out of r P280 Wear protect P305+P351+P338 IF IN EYES:	ion. vice is needed, have product container or lat reach of children. tive gloves/eye protection. Rinse cautiously with water for several minut easy to do. Continue rinsing.	
present and e	easy to do. Continue mising.	(Contd. on page 2) GB



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.05.2023

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

## Trade name: SONAX XTREME Clear View 1:100

		(Contd. of page 1)
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P501	Dispose of contents/container in accordance with local/regional/national/interegulations.	ernational
Labelling of pac	kages where the contents do not exceed 125 ml	
	-<125 ml deviates. Reduced labeling according article 29 and annex I, no. 1.	5 GB CLP-
2.3 Other hazard	S	
Results of PBT a	nd vPvB assessment	
PBT:		
According to infor classified as PBT	mation provided in the supply chain, the mix contains less than 0.1% of any s	substances
vPvB:		
According to infor classified as vPvE	mation provided in the supply chain, the mix contains less than 0.1% of any s 3.	substances
Determination of	endocrine-disrupting properties	
The substance/mi according to UK F	xture does not contain components considered to have endocrine disrupting REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or ( 018/605 at levels of 0.1% or higher.	

## SECTION 3: Composition/information on ingredients

3.2 Mixtures

**Description:** Aqueous tenside solution.

	Aliphatic alcohol, ethoxylated, sulfated,sodium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319	20-<25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol Flam. Liq. 3, H226;  STOT SE 3, H336	5-<15%
CAS: 3811-73-2 EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	<i>pyridine-2-thiol 1-oxide, sodium salt</i>	<0.1%
Regulation (EC) No 648/2004 or	n detergents / Labelling for contents	
anionic surfactants		≥15 - <30%
phenoxyethanol, perfumes (COU	MARIN, HEXYL CINNAMAL, LIMONENE), sodium pyrithione	

# SECTION 4: First aid measures

4.1 Description of first aid measures
General information: Remove soiled clothing
After inhalation: Supply fresh air.
After skin contact:
Wash the areas of skin affected with water and a mild detergent.
If skin irritation continues, consult a doctor.
After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed
Eye irritation

(Contd. on page 3)



## Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

#### Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

#### 5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special precautions are necessary if used correctly. *Information about fire - and explosion protection:* No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility: Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

Ingredients with limit values that require monitoring at the workplace:				
CAS: 107-98-2 1-Methoxy-2-propanol				
WEL (Great Britain)	Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk			
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin			
	(Contd. on page 4)			

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

# Trade name: SONAX XTREME Clear View 1:100

,	eland)	(Contd. of page Short-term value: 568 mg/m³, 150 ppm		
		Long-term value: 375 mg/m³, 100 ppm IOELV		
Regula	tory infor	<b>mation</b> in): EH40/2020		
IOELV	(EU): (EU)	) 2019/1831		
		21 CoP for the Safety, Health and Welfare at Work		
DNELs				
CAS: 1		Methoxy-2-propanol		
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)		
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)		
		50.6 mg/kg (worker) (long-term / systemic effects)		
Inhalati	ve DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)		
		553.5 mg/m <sup>3</sup> (worker) (short-term / local effects)		
		369 mg/m³ (worker) (long-term / systemic effects)		
PNECs				
	<b>07-98-2 1</b> . 100 mg/l (	Methoxy-2-propanol		
FNEC		(water (intermittent release))		
		vater (fresh water))		
		ater (sea water))		
	2.47 mg/k			
	-	ng/kg (gro) ng/kg (sediment (fresh water))		
	-	g (sediment (sea water))		
		nation: The lists valid during the making were used as basis.		
	osure co	ntrois ction measures, such as personal protective equipment		
		ve and hygienic measures:		
The us	ual precau	tionary measures are to be adhered to when handling chemicals.		
		re breaks and at the end of work.		
	atory prot	foodstuffs, beverages and feed.		
		ection'		
		ection: ormal cases		
Not req Ensure		ormal cases tilation/exhaustion at the workplace.		
Not req Ensure <b>Hand p</b>	rotection	ormal cases tilation/exhaustion at the workplace.		
Not req Ensure <b>Hand p</b> Protect	<b>rotection</b> ive gloves	ormal cases tilation/exhaustion at the workplace.		
Not req Ensure Hand p Protect The glo	<b>ive gloves</b> we materia	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation.		
Not req Ensure Hand p Protect The glo <b>Materia</b> Nitrile r	<b>ive</b> gloves we materia <b>al of glove</b> ubber, NB	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. e <b>s</b> R		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom	virotection ive gloves ive materia al of glove ubber, NB mended th	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. es		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom	vrotection ive gloves bye materia al of glove ubber, NB mended th 4]	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. es R hickness of the material: ≥ 0.4 mm		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom [EN 37 Penetro	rotection ive gloves bye materia al of glove ubber, NB mended th 4] ation time	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. e <b>s</b> R		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom [EN 37- Penetro Value fo The dea	rotection ive gloves we materia al of glove ubber, NB mended th ation time or the perr termined p	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. as R nickness of the material: ≥ 0.4 mm <b>of glove material</b> meation: Level 5 (240 - <480min) menetration times according to EN 16523-1:2015 are not performed under practical		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom [EN 37- Penetr Value f The dea conditio	rotection ive gloves we materia al of glove ubber, NB mended th ation time or the perr termined p ons. There	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. as R nickness of the material: ≥ 0.4 mm <b>of glove material</b> neation: Level 5 (240 - <480min)		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom. [EN 37- Penetr. Value fi The dei conditic recomn	rotection ive gloves ove materia al of glove ubber, NB mended th ation time or the perr termined p ons. There nended.	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. as R nickness of the material: ≥ 0.4 mm <b>of glove material</b> meation: Level 5 (240 - <480min) menetration times according to EN 16523-1:2015 are not performed under practical fore a maximum wearing time, which corresponds to 50% of the penetration time, is		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom. [EN 37- Value for The dea conditio recomn Eye/fac	rotection ive gloves we materia al of glove ubber, NB mended th ation time or the perr termined p ons. There	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. as R nickness of the material: ≥ 0.4 mm <b>of glove material</b> meation: Level 5 (240 - <480min) menetration times according to EN 16523-1:2015 are not performed under practical fore a maximum wearing time, which corresponds to 50% of the penetration time, is		
Not req Ensure Hand p Protect The glo Materia Nitrile r Recom. [EN 37- Value for The dea conditio recomn Eye/fac	rotection ive gloves ove materia al of glove ubber, NB mended th ation time or the perr termined p ons. There nended. ce protect glasses	ormal cases tilation/exhaustion at the workplace. al has to be impermeable and resistant to the product/ the substance/ the preparation. as R nickness of the material: ≥ 0.4 mm <b>of glove material</b> meation: Level 5 (240 - <480min) menetration times according to EN 16523-1:2015 are not performed under practical fore a maximum wearing time, which corresponds to 50% of the penetration time, is		

9.1 Information on basic physical and chemical properties General Information Physical state Fluid

(Contd. on page 5)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

# Trade name: SONAX XTREME Clear View 1:100

	(Contd. of page
Colour:	Blue
Odour:	Ocean-like, fresh
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	≥100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	10.0 - 11.0
Viscosity:	10.0 - 11.0
Kinematic viscosity at 40 °C	<20.5 mm²/s
	~20.5 1111175
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.04 - 1.05 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	1
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Product does not present an explosion hazard.
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

**10.5 Incompatible materials:** strong oxidizing agents

(Contd. on page 6)

ONAX

Printing date 22.05.2023

# Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

Trade name: SONAX XTREME Clear View 1:100

10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 5)

GB

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 107-98-2 1-Methoxy-2-propanol			
Oral	LD50	4,016 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	

Inhalative LC0 / 6h >7,000 ppm (rat)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

# SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxi	city:
CAS: 107-98	-2 1-Methoxy-2-propanol
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)
LC50 / 48h	23,300 mg/l (Daphnia magna)
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
CAS: 3811-7	3-2 pyridine-2-thiol 1-oxide, sodium salt
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)
The surface-	ence and degradability active substances contained in the product meet the requirement of the EU Detregent Regulation 04 ) for ultimate biodegradability for surfactants in detergents.
Aliphatic alc	ohol, ethoxylated, sulfated,sodium salt
Biodegradati	on >60 % (OECD 301B)
CAS: 107-98	-2 1-Methoxy-2-propanol
Biodegradati	on 90-100 % (OEECD 301E)
	(Contd. on page



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

### Trade name: SONAX XTREME Clear View 1:100

CAC: 2011 72 2 muriding	2 this 1 avide adjument	(Contd. of page
	-2-thiol 1-oxide, sodium sa ctivated sludge) (OECD 301	
	- / (	
12.3 Bioaccumulative po		
CAS: 107-98-2 1-Methoxy	/-2-propanol	
log Kow 0.37 (25°C)		
CAS: 3811-73-2 pyridine-	-2-thiol 1-oxide, sodium sa	alt
log Kow <-1.09 ((n-Octand	ol/Wasser) OECD 107)	
12.4 Mobility in soil No fu	urther relevant information a	vailable.
12.5 Results of PBT and PBT:	vPvB assessment	
classified as PBT	rovided in the supply chain,	the mix conatins less than 0.1% of any substances
vPvB: According to information p classified as vPvB	rovided in the supply chain,	the mix conatins less than 0.1% of any substances
12.6 Endocrine disruptin	g properties	
According to the current st		there is no data for the product regarding endocrine
12.7 Other adverse effec	ts	
Additional ecological inf	ormation:	
General notes:		
Do not allow undiluted pro	duct or large guantities of it	to reach ground water, water course or sewage syster

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

1) Disposal / product

#### 2) Disposal / contaminated packaging

20 01 29\* detergents containing hazardous substances

15 01 10\* packaging containing residues of or contaminated by hazardous substances

HP4 Irritant - skin irritation and eye damage

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	



## Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

Trade name: SONAX XTREME Clear View 1:100

	(Contd. of pag	ge 7)	
14.7 Maritime transport in bulk according to IMO			
instruments	Not applicable.		
UN "Model Regulation":	Void		

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 10.14 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritationThe classification of the mixture is generally based on the calculation methodSerious eye damage/irritationusing substance data according to Regulation (EC) No 1272/2008.

Date of previous version: 24.09.2021 Version number of previous version: 8.00

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

(Contd. on page 9)

GB



Printing date 22.05.2023

## Safety data sheet according to 1907/2006/EC, Article 31

Version: 8.01 (replaces version 8.00)

Revision: 22.05.2023

### Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 8) EINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IDELV = indicative occupational exposure limit values Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 **\* Data compared to the previous version altered.**