

# Safety data sheet

according to 1907/2006/EC, Article 31 Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

1	.1 Product identifier
7	rade name: <u>SONAX Glass Cleaning Wipes</u>
1 A C C F	Article number: 04120000 <b>.2 Relevant identified uses of the substance or mixture and uses advised against</b> <b>Application of the substance / the mixture</b> Car care product Consumer uses: Private households / general public / consumers Professional uses <b>Jses advised against</b> None
N S N D	<b>.3 Details of the supplier of the safety data sheet</b> <b>/anufacturer/Supplier:</b> SONAX GmbH /ünchener Straße 75 0-86633 Neuburg (Donau) Fel.: ++49 (0)8431/53-0
	Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 <u>Inited Kingdom:</u> Inglo American Oil Company Ltd B Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Felephone: (+44) 01929 551557 Email: info@aaoil.co.uk
	.4 Emergency telephone number: European Union: +49 (0) 89 19240 (Poison Centre Munich) Inited Kingdom: 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP

# SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the GB CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix con

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT **vPvB**:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Cloth, soaked with aqueous tenside solution containing alcohol

(Contd. on page 2)

GB

<5%



#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.03.2023

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

	(Co	ntd. of page 1)
Dangerous components: Data of the soaking liquid		
CAS: 107-98-2	1-Methoxy-2-propanol	5 - <10%
EINECS: 203-539-1	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	
Reg.nr.: 01-2119457435-35-xxxx		
CAS: 64-17-5	ethanol	1 - <3%
EINECS: 200-578-6	🚯 Flam. Liq. 2, H225; 🚯 Eye Irrit. 2, H319	

Reg.nr.: 01-2119457610-43-xxxx Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %

Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants

phenoxyethanol, sodium pyrithione, perfumes

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: No special measures required

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: No special measures required.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing agents: Water spray Carbon dioxide Fire-extinguishing powder Foam For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture No further relevant information available. In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: The normal measures for firefighting are to be taken. Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

No special measures required.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 2)

See Section 13 for disposal information.

# SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations. Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

CAS: 107-98-2 1-Methoxy-2-propanol         WEL (Great Britain)       Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk         IOELV (EU)       Short-term value: 375 mg/m³, 100 ppm Skin         CAS: 64-17-5 ethanol       MEL (Great Britain)         WEL (Great Britain)       Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information       WEL (Great Britain)         WEL (Great Britain)       Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information       WEL (Great Britain): EH40/2018         IOELV (EU)       2017/164         DNELs       CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL         DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)         53.5 mg/m³ (worker) (long-term / systemic effects)         53.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         DNEL       960 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (acute short-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (acute short-term exposure - local effects) <th colspan="4">8.1 Control parameters</th>	8.1 Control parameters					
WEL (Great Britain)       Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk         IOELV (EU)       Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin         CAS: 64-17-5 ethanol         WEL (Great Britain)       Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information WEL (Great Britain): EH40/2018         OICLV (EU): (EU) 2017/164         DNELs         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL         DNEL       3. mg/kg (consumer) (long-term / systemic effects)         Dormal       DNEL         DNEL       13. mg/kg (consumer) (long-term / systemic effects)         Dormal       DNEL         DNEL       3.9 mg/m³ (worker) (long-term / systemic effects)         DNEL       53.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dremal       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dremal       DNEL       87 mg/kg (consumer) (acute short-tem exposure	Ingredients with limit values that require monitoring at the workplace:					
Long-term value: 375 mg/m³, 100 ppm         Sk         IOELV (EU)       Short-term value: 568 mg/m³, 150 ppm         Long-term value: 375 mg/m³, 100 ppm         Skin         CAS: 64-17-5 ethanol         WEL (Great Britain)       Lng-term value: 1920 mg/m³, 1000 ppm         Regulatory information         WEL (Great Britain)       EH40/2018         IOELV (EU): (EU) 2017/164       DNELS         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL         Oral       DNEL         DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL         Inhalative       DNEL         ONEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         DNEL       55.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       86 mg/m³ (worker) (long-term systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         DNEL       266 mg/m³ (worker) (long-term exposure - systemic effects)         Inhalative       DNEL       87 mg/kg wo/kg (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       87 mg/kg wo/kg (worker) (acute sh	CAS: 107	CAS: 107-98-2 1-Methoxy-2-propanol				
IOELV (EU)       Sk       Sk         IOELV (EU)       Short-term value: 568 mg/m³, 150 ppm Dong-term value: 375 mg/m³, 100 ppm         CAS: 64-17-5 ethanol       MEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information       WEL (Great Britain) EH40/2018 IOELV (EU): (EU) 2017/164         DNELs       CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL 13.3 mg/kg (consumer) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)         Dermal       DNEL 43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       3.5 mg/m³ (consumer) (long-term / systemic effects)         DNEL       3.9 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dremal       DNEL       206 mg/m3 (worker) (acute short-term exposure - systemic effects)         Dermal       DNEL       206 mg/m3 (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m3 (worker) (acute short-term exposure - systemic effects) <t< th=""><th>WEL (Gre</th><th>at Brita</th><th></th><th></th></t<>	WEL (Gre	at Brita				
IOELV (EU)       Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin         CAS: 64-17-5 ethanol         WEL (Great Britain)       Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164       Methods (Comparison)         DNELs       CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL       3.3 mg/kg (consumer) (long-term / systemic effects) 50.6 mg/kg (worker) (long-term / systemic effects)         Dremal       DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         DNEL       3.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       553.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (worker) (long-term exposure - systemic effects)         Inhalative       DNEL       87 mg/kg (consumer) (long-term exposure - local effects)         JNEL       900 mg/m³ (worker) (acute short-term exposure - local effects)         Inhalative       DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)						
Long-term value: 375 mg/m³, 100 ppm Skin         CAS: 64-17-5 ethanol         WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164         DNELS         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL         DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)         50.7 mg/m³ (worker) (long-term / systemic effects)         DNEL       3.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       50.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dremal       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       87 mg/kg (consumer) (long-term exposure - local effects)         Inhalative       DNEL       80 mg/m³ (worker) (acute short-tem exposure - local effects)         Inhalative       DNEL						
Skin         CAS: 64-17-5 ethanol         WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information         WEL (Great Britain) EH40/2018         IOELV (EU): (EU) 2017/164         DNEL S         CAS: 107-98-2 1-Methoxy-2-propanol         Oral DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)         Dome the system of	IOELV (EU	))				
WEL (Great Britain)       Long-term value: 1920 mg/m³, 1000 ppm         Regulatory information         WEL (Great Britain):       EH40/2018         IOELV (EU): (EU) 2017/164         DNELs         Oral       DNEL         DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL         DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)         53.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       43.9 mg/m³ (worker) (long-term / systemic effects)         55.5.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         Oral       DNEL         BONEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         DNEL       206 mg/m³ (worker) (acute short-tem exposure - systemic effects)         JNBEL       950 mg/m³ (consumer) (long-term exposure - systemic effects)         JNEL       950 mg/m³ (worker) (acute short-tem exposure - systemic effects)         JNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         JNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)						
Regulatory information         WEL (Great Britain): EH40/2018         IOELV (EU): (EU) 2017/164         DNELs         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)         Dommal       DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)         DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       55.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         Oral       DNEL         Oral       DNEL         ONEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         Oral       DNEL         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL         DNEL       80 mg/m³ (worker) (long-term exposure - systemic effects)         343 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         JNBL       90 mg/m³ (worker) (long-term exposure - local effects)         JNBL       14 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         JNEL       14 mg/m³ (	CAS: 64-1	17-5 eth	hanol			
WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164         DNELs         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL 3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL 18.1 mg/kg (consumer) (long-term / systemic effects)         Dometal       S0.6 mg/kg (worker) (long-term / systemic effects)         Inhalative       DNEL         43.9 mg/m³ (consumer) (long-term / systemic effects)         55.5 mg/m³ (worker) (short-term / local effects)         DNEL       369 mg/m³ (worker) (short-term / systemic effects)         Oral       DNEL         DNEL       869 mg/m³ (worker) (long-term exposure - systemic effects)         Oral       DNEL         DNEL       870 mg/kg (consumer) (long-term exposure - systemic effects)         Jong/g bw/day (worker) (long-term exposure - systemic effects)         Jong/m³ (worker) (acute short-tem exposure - local effects)         Jong/m³ (worker) (acute short-tem exposure - local effects)         Jong/m³ (worker) (long-term exposure - systemic effects)	WEL (Gre	at Brita	in) Long-term value: 1920 mg/m³, 1000 ppm			
IOELV (EU): (EU) 2017/164         DNELs         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)       50.6 mg/kg (worker) (long-term / systemic effects)         Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         553.5 mg/m³ (worker) (short-term / local effects)       553.5 mg/m³ (worker) (short-term / systemic effects)         ORal       DNEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL       80 mg/m³ (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       80 mg/m³ (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         Inhalative       DNEL       950 mg/m³ (worker) (acute short-tem exposure - local effects)         Inhalative       DNEL       950 mg/m³ (worker) (acute short-tem exposure - systemic effects)         DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term ex	Regulatory information					
DNELs         CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)       50.6 mg/kg (worker) (long-term / systemic effects)         Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (short-term / local effects)         DNEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (worker) (long-term exposure - systemic effects)         Jonard       DNEL       87 mg/kg (worker) (long-term exposure - systemic effects)         Jonard       DNEL       80 mg/m³ (consumer) (long-term exposure - systemic effects)         Jonard       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         Jono mg/m³ (worker) (long-term exposure - systemic effects)       1,900 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (wor						
CAS: 107-98-2 1-Methoxy-2-propanol         Oral       DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)       50.6 mg/kg (worker) (long-term / systemic effects)         Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (short-term / local effects)         DNEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Jonaria       DNEL       950 mg/m³ (consumer) (long-term exposure - systemic effects)         Jonaria       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         Jonaria       DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)       950 m	-	J): (EU)	) 2017/164			
Oral       DNEL       3.3 mg/kg (consumer) (long-term / systemic effects)         Dermal       DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         DNEL       553.5 mg/m³ (worker) (short-term / local effects)         DNEL       369 mg/m³ (worker) (long-term exposure - systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         Jnhalative       DNEL       87 mg/kg (consumer) (acute short-tem exposure - systemic effects)         Jnhalative       DNEL       950 mg/m³ (worker) (acute short-tem exposure - local effects)         JNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         JNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         Stor mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic		00.0.1				
Dermal       DNEL       18.1 mg/kg (consumer) (long-term / systemic effects)         50.6 mg/kg (worker) (long-term / systemic effects)         Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         55.3.5 mg/m³ (worker) (short-term / local effects)       55.3.5 mg/m³ (worker) (long-term / systemic effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         Ja43 mg/kg bw/day (consumer) (long-term exposure - systemic effects)       343 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         JNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         JNEL       114 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs       TAS: 107-98-2 1-Methoxy-2-propanol         PNEC       100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))       10 mg/l (water (fresh water))						
Inhalative       50.6 mg/kg (worker) (long-term / systemic effects)         Inhalative       DNEL         43.9 mg/m³ (consumer) (long-term / systemic effects)         553.5 mg/m³ (worker) (short-term / local effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         Oral       DNEL         Dermal       NEL         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL         DNEL       87 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)         Inhalative       DNEL         950 mg/m³ (consumer) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         0NEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         9						
Inhalative       DNEL       43.9 mg/m³ (consumer) (long-term / systemic effects)         553.5 mg/m³ (worker) (short-term / local effects)         DNEL       369 mg/m³ (worker) (long-term / systemic effects)         CAS: 64-17-5 ethanol         Oral       DNEL         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL         DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Jata mg/kg bw/day (consumer) (long-term exposure - systemic effects)         Johnel       950 mg/m³ (consumer) (acute short-tem exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         Jp00 mg/m³ (worker) (acute short-tem exposure - local effects)       1,900 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs       CAS: 107-98-2 1-Methoxy-2-propanol       100 mg/l (STP)         100 mg/l (water (intermittent release))       10 mg/l (water (fresh water))       10 mg/l (water (fresh water))	Dermal	DNEL				
DNEL       553.5 mg/m³ (worker) (short-term / local effects)         ORA:       369 mg/m³ (worker) (long-term / systemic effects)         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         Jaka mg/kg bw/day (worker) (lon-term exposure - systemic effects)       343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         J.900 mg/m³ (worker) (long-term exposure - local effects)       1,900 mg/m³ (worker) (long-term exposure - local effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs       CAS: 107-98-2 1-Methoxy-2-propanol       100 mg/l (water (intermittent release)))         100 mg/l (water (intermittent release)))       10 mg/l (water (fresh water))						
DNEL       369 mg/m³ (worker) (long-term / systemic effects)         CAS: 64-17-5 ethanol         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)       343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (acute short-tem exposure - local effects)       1,900 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       950 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         910 mg/l (water (intermittent release))         100 mg/l (water (intermittent relea	Inhalative	DNEL				
CAS: 64-17-5 ethanol         Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         JNEL       206 mg/kg bw/day (worker) (lon-term exposure - systemic effects)         JNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         JNEL       950 mg/m³ (worker) (acute short-tem exposure - local effects)         JNEL       14 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         900 mg/l (water (intermittent release))         100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))						
Oral       DNEL       87 mg/kg (consumer) (long-term exposure - systemic effects)         Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (acute short-tem exposure - local effects)       1,900 mg/m³ (worker) (long-term exposure - systemic effects)         DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         910 mg/l (water (intermittent release))						
Dermal       DNEL       206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)         343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)         Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (acute short-tem exposure - local effects)       1,900 mg/m³ (worker) (acute short-tem exposure - local effects)         DNEL       DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)       950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs       CAS: 107-98-2 1-Methoxy-2-propanol         PNEC       100 mg/l (STP)         100 mg/l (water (intermittent release))       10 mg/l (water (fresh water))						
Inhalative       343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)         950 mg/m³ (consumer) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (acute short-tem exposure - local effects)         DNEL       14 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs         CAS: 107-98-2 1-Methoxy-2-propanol         PNEC         100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))						
Inhalative       DNEL       950 mg/m³ (consumer) (acute short-tem exposure - local effects)         1,900 mg/m³ (worker) (acute short-tem exposure - local effects)         DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs         CAS: 107-98-2 1-Methoxy-2-propanol         PNEC         100 mg/l (STP)         100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))	Dermal	DNEL				
Image: DNEL       1,900 mg/m³ (worker) (acute short-tem exposure - local effects)         Image: DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs         CAS: 107-98-2 1-Methoxy-2-propanol         PNEC         100 mg/l (STP)         100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))						
DNEL       114 mg/m³ (consumer) (long-term exposure - systemic effects)         950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs         CAS: 107-98-2 1-Methoxy-2-propanol         PNEC       100 mg/l (STP)         100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))	Inhalative	DNEL				
950 mg/m³ (worker) (long-term exposure - systemic effects)         PNECs         CAS: 107-98-2 1-Methoxy-2-propanol         PNEC       100 mg/l (STP)         100 mg/l (water (intermittent release))       100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))       10 mg/l (water (fresh water))						
PNECs         CAS: 107-98-2 1-Methoxy-2-propanol         PNEC       100 mg/l (STP)         100 mg/l (water (intermittent release))         10 mg/l (water (fresh water))		DNEL				
CAS: 107-98-2 1-Methoxy-2-propanol PNEC 100 mg/l (STP) 100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))			950 mg/m <sup>3</sup> (worker) (long-term exposure - systemic effects)			
PNEC 100 mg/l (STP) 100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))	PNECs					
100 mg/l (water (intermittent release)) 10 mg/l (water (fresh water))	CAS: 107-98-2 1-Methoxy-2-propanol					
10 mg/l (water (fresh water))	PNEC 10	0 mg/l (	(STP)			
	10	0 mg/l (	(water (intermittent release))			
1 mg/l (water (sea water))	10	<i>т</i> g/I (и	vater (fresh water))			
	1 mg/l (water (sea water))		ater (sea water))			

(Contd. on page 4) GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

o) diment (fresh water)) diment (sea water)) ge plant)			
diment (sea water)) ge plant)			
ge plant)			
ge plant)			
er (fresh water))			
er (sea water))			
iment (fresh water))			
il)			
2	er (sea water)) diment (fresh water)) oil) on: The lists valid during the r	diment (fresh water)) bil)	diment (fresh water))

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. **Respiratory protection:** Not required. **Hand protection** Not required. **Eye/face protection** Not required.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties				
General Information	operated			
Physical state	Solid			
Colour:	White			
Odour:	Citrus			
Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and boiling	Undetermined.			
	Undetermined.			
range Flammability	Flammable solid.			
Lower and upper explosion limit	Not determined			
Lower:	Not determined.			
Upper:	Not determined.			
Flash point:	Not applicable.			
Decomposition temperature:	Not determined.			
рН at 20 °С	7-8			
	(Active ingredient data )			
Viscosity:				
Kinematic viscosity	Not applicable.			
Solubility				
water:	Fully miscible.			
Partition coefficient n-octanol/water (log value)	Not determined.			
Vapour pressure:	Not applicable.			
Density and/or relative density				
Density at 20 °C:	0.99-1 g/cm <sup>3</sup>			
	(Active ingredient data )			
Vapour density	Not determined.			
Particle characteristics	See item 3.			
9.2 Other information				
Appearance:				
Form:	Solid			
Important information on protection of health and				
environment, and on safety.				
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
Change in condition				
Evaporation rate	Not determined.			
	(Contd. on page 5)			
	GB			



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

		(Contd. of page
Information with regard to physical hazard cl	lasses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

# SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

CAS: 107-98-2 1-Methoxy-2-propanol			
Oral	LD50	4,016 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rat)	
Inhalative	LC0 / 6h	>7,000 ppm (rat)	
CAS: 64-1	7-5 ethanc	51	
Oral	LD50	10,470 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50 / 4h	>20 mg/l (mouse)	
		38 mg/l (rat)	
Skin corr	osion/irrita	tion Based on available data, the classification criteria are not met.	
Serious e	ye damage	/ <i>irritation</i> Based on available data, the classification criteria are not met.	
Respirato	ry or skin	sensitisation Based on available data, the classification criteria are not met.	
Germ cell	mutageni	city Based on available data, the classification criteria are not met.	
Carcinog	enicity Bas	ed on available data, the classification criteria are not met.	
Reproduc	tive toxici	y Based on available data, the classification criteria are not met.	
STOT-sin	gle exposi	re Based on available data, the classification criteria are not met.	
STOT-rep	eated expo	osure Based on available data, the classification criteria are not met.	
Aspiratio	n hazard B	ased on available data, the classification criteria are not met.	
		(Contd. on page	



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 5)

Additional toxicological information:
---------------------------------------

Repeated dose toxicity

CAS: 64-17-5 ethanol

Oral NOAEL 1,760 mg/kg (rat) (OECD 408, 90d, target organ: liver)

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

# SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

#### Aquatic toxicity:

CAS: 107-98-2 1-Methoxy-2-propanol

LC50 / 96h >6,800 mg/l (Leuciscus idus) (DIN38412)
--

LC50 / 48h 23,300 mg/l (Daphnia magna)

- EC50 >1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
- EC50/3h >1,000 mg/l (activated sludge) (OECD 209)

#### CAS: 64-17-5 ethanol

LC50 / 48h 8,140 mg/l (Leuciscus idus)

- EC50 / 48h >10,000 mg/l (Daphnia magna)
- EC50 / 72h 275 mg/l (Chlorella vulgaris)

# 12.2 Persistence and degradability

# CAS: 107-98-2 1-Methoxy-2-propanol

Biodegradation 90-100 % (OEECD 301E)

# 12.3 Bioaccumulative potential

CAS: 107-98-2 1-Methoxy-2-propanol

log Kow ≤0.43 (25°C)

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

#### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

#### 12.7 Other adverse effects

#### Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

The product may not be released into the environment without control.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 03 01 mixed municipal waste

(Contd. on page 7)



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

(Contd. of page 6)

15 01 02 plastic packaging

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informati	on	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
UN "Model Regulation":	Void	

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 7,14 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
Date of previous version: 22.04.2021
Version number of previous version: 4.00
Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

<sup>–</sup> GB



# Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 (replaces version 4.00)

Revision: 03.05.2022

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Ochemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LD50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent IOELV = indicative occupational exposure limit values Flam. Lig. 2: Flammable liquids – Category 2 Flam. Lig. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 3 * Data compared to the previous version altered.		(Contd. of page 7)
LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal log - Category 2 Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.	NOEL = No Observed Effect Level	
EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal cose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irnt. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.	NOEC = No Observed Effect Concentration	
log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.	LC = letal Concentration	
GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	EC50 = half maximal effective concentration	
ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.		
ADR: Accord rela <sup>t</sup> if au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IDELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IDELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	ATE: acute toxicity estimate	
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 2: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>		ning the International
IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>		
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent ID51: Lethal dose, 50 percent ID52: Jethal dose, 50 percent ID52	IMDG: International Maritime Code for Dangerous Goods	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent ID50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	EINECS: European Inventory of Existing Commercial Chemical Substances	
DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.		
PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.		
LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	DNEL: Derived No-Effect Level (UK REACH)	
LD50: Lethal dose, 50 percent <sup>°</sup> IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	PNEC: Predicted No-Effect Concentration (UK REACH)	
IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	LC50: Lethal concentration, 50 percent	
Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	LD50: Lethal dose, 50 percent	
Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 <b>* Data compared to the previous version altered.</b>	IOELV = indicative occupational exposure limit values	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * <b>Data compared to the previous version altered.</b>	Flam. Liq. 2: Flammable liquids – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.	Flam. Liq. 3: Flammable liquids – Category 3	
* Data compared to the previous version altered.	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	* Data compared to the previous version altered.	
		GB