

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version: 5.00 Revision: 01.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX CLEAN&DRIVE Turbo Wax Cloth

Article number: 04140000, 04142050

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: SONAX GmbH

Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements P102 Keep out of reach of children.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Cloth, soaked with aqueous care emulsion

Dangerous components: Data of the soaking liquid

_			
Г	CAS: 34590-94-8	Dipropylene glycol monomethyl ether	10-<15%
	EINECS: 252-104-2	substance with a Community workplace exposure limit	
	Reg.nr.: 01-2119450011-60-xxxx		
Γ	EC No 934-956-3	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <	3-<5%
	Reg.nr.: 01-2119827000-58-xxxx	0.03% aromatics	
	•	Alternative CAS number: 64742-46-7	
		🕸 Asp. Tox. 1, H304	
Γ	EC No 934-954-2	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <	1-<3%
	Reg.nr.: 01-2119826592-36-xxxx	0.03% aromatics	
	_	Alternative CAS number: 64742-46-7	
		♦ Asp. Tox. 1, H304	
Г	EC No 920-107-4	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2%	1-<3%
	Reg.nr.: 01-2119453414-43-xxxx	aromatics	
	-	Alternative CAS number: 64742-47-8	
		♦ Asp. Tox. 1, H304	

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version: 5.00 Revision: 01.04.2020

Trade name: SONAX CLEAN&DRIVE Turbo Wax Cloth

(Contd. of page 1)

	(Conta. or page 1)
Regulation (EC) No 648/2004 on detergents / Labelling for contents	
aliphatic hydrocarbons	≥5 - <15%
anionic surfactants	<5%
perfumes, phenoxyethanol, sodium pyrithione	
Additional information: For the wording of the listed hazard phrases refer to section 16.	,

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required. **After inhalation:** No special measures required

After skin contact:

Generally the product does not irritate the skin.

If symptoms persist consult doctor.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

GB



Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 Revision: 01.04.2020 Printing date 28.10.2020

Trade name: SONAX CLEAN&DRIVE Turbo Wax Cloth

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

Long-term value: 308 mg/m³, 50 ppm WEL (Great Britain)

IOELV (EU) Long-term value: 308 mg/m³, 50 ppm

Skin

Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

GERMAN RCP-METHOD (EU) Long-term value: 600 mg/m

2 (II) / AGW (German TRGS 900)

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

GERMAN RCP-METHOD (EU) Long-term value: 600 mg/m³

2 (II) / AGW (German TRGS 900)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

GERMAN RCP-METHOD (EU) Long-term value: 600 mg/m3

2 (II) / AGW (German TRGS 900)

Regulatory information

WEL (Great Britain): EH40/2018 IOELV (EU): (EU) 2017/164

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Respiratory protection: Not required. Protection of hands: Not required.

Eye protection: Not required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Solid Colour: White Odour: Citrus

Odour threshold: Not determined.

Important information on protection of health and

environment, and on safety. Data of the soaking liquid

pH-value at 20 °C: 6-8

Change in condition

Auto-ignition temperature:

Melting point/freezing point: Undetermined.

100 °C (CAS: 7732-18-5 water, distilled, conductivity or Initial boiling point and boiling range:

of similar purity)

Product is not selfigniting.

Flash point: Not applicable. Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

Explosive properties: Product does not present an explosion hazard.

(Contd. on page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version: 5.00 Revision: 01.04.2020

Trade name: SONAX CLEAN&DRIVE Turbo Wax Cloth

	(Contd. of page
Explosion limits: Lower: Upper:	Not determined. Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water, distilled, conductivity of similar purity)
Density at 20 °C:	0.98 -0.99 g/cm³ (Active ingredient data)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Flow time at 20 °C	10 - 15 s (DIN EN ISO 2431/4mm)
	(Active ingredient data)
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. Acute toxicity Based on available data, the classification criteria are not met.

Aliphatic and cyclic-aliphatic hydrocarbon mixture:			
Oral	LD50	>5,000 mg/kg (rat) (structurally similar material[OECD 401 equivalent])	
Dermal	LD50	>3,160 mg/kg (rabbit) (structurally similar material[OECD 402 equivalent])	
Inhalative	LC50 / 4h	>5,266 mg/m³ (rat) (structurally similar material[OECD 403 equivalent])	
Primary irritant effect:		ot:	

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.



Aquatic toxicity:

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version: 5.00 Revision: 01.04.2020

Trade name: SONAX CLEAN&DRIVE Turbo Wax Cloth

(Contd. of page 4)

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

-	<u> </u>
	d cyclic-aliphatic hydrocarbon mixture:
LL50 / 96h	>1,028 mg/l (Scophtalamus maximus) (structurally similar material)
	>10,000 mg/l (Skeletonema costatum) (structurally similar material)
NOELR 21d	>1,000 mg/l (Oncorhynchus mykiss) (structurally similar material)

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: The product may not be released into the environment without control.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

	mixea municipai wast
15 01 02	plastic packaging

14.1 UN-Number		
ADR, IMDG, IATA	Void	
· , ,		
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of		
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Version: 5.00 Revision: 01.04.2020 Printing date 28.10.2020

Trade name: SONAX CLEAN&DRIVE Turbo Wax Cloth

(Contd. of page 5)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Asp. Tox. 1: Aspiration hazard - Category 1

Version history and indication of changes: Replaces version 4.00.

* Data compared to the previous version altered.