

Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX Iron+Rust Remover special

SONAX Iron+Rust Remover / Acidic Power Cleaner

Article number:

05136050, 05137050, 05138000 **UFI:** 4F93-006Y-000M-0NS7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Professional uses Detergents

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety
E-mail: erp@sonax.de
Phone: + +49 (0) 8431 53

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

phosphoric acid oxalic acid

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/eye protection.

(Contd. on page 2)



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PRT.

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: aqueous tenside solution with acids

| Dangerous components: | | |
|---|--|--------|
| CAS: 77-92-9 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-xxxx | citric acid September 1 | 5-<10% |
| CAS: 7664-38-2 EINECS: 231-633-2 Reg.nr.: 01-2119485924-24-xxxx | phosphoric acid Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % | 5-<10% |
| CAS: 6153-56-6 EINECS: 205-634-3 Reg.nr.: 01-2119534576-33-xxxx | oxalic acid Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312 | 3-<5% |

Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants <5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out of danger area and lay down.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 2)

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Caustic effect on skin and mucous membranes.

Eye irritation / Eye damage

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Phosphorus oxides (e.g. P2O5)

5.3 Advice for firefighters

Protective equipment:

Wear fully protective suit.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation **For non-emergency personnel** Wear protective clothing.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

When diluting always pour product into water and not vice versa.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Provide acid-resistant floor.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Observe local/state/federal regulations.

Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from frost.

Recommended storage temperature: 20 °C.

(Contd. on page 4)



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 3)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Ingredients with | Ingredients with limit values that require monitoring at the workplace: | | |
|-------------------|---|--|--|
| CAS: 7664-38-2 p | CAS: 7664-38-2 phosphoric acid | | |
| WEL (Great Britai | n) Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ | | |
| IOELV (EU) | Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ | | |
| OEL (Ireland) | Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ IOELV | | |

Regulatory information

WEL (Great Britain): EH40/2020 IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2020 CoP for the Safety, Health and Welfare at Work

| DNELs | DNELs | | |
|------------|---|--|--|
| 1 | CAS: 7664-38-2 phosphoric acid | | |
| Inhalative | Inhalative DNEL 10.7 mg/m³ (worker) (longterm systematic effects) | | |
| CAS: 615 | CAS: 6153-56-6 oxalic acid | | |
| Oral | DNEL | 1.14 mg/kg (consumer) (longterm systematic effects) | |
| Dermal | DNEL | 1.14 mg/kg bw/day (consumer) (longterm systematic effects) | |
| | | 2.29 mg/kg bw/day (worker) (longterm systematic effects) | |
| | DNEL | 0.35 mg/cm² (consumer) | |
| Inhalative | DNEL | 4.03 mg/m³ (worker) (longterm systematic effects) | |

PNECs

| 77-92-9 | |
|---------|--|
| | |
| | |

PNEC >1,000 mg/l (STP)

0.44 mg/l (water (fresh water))

0.044 mg/l (water (sea water))

PNEC 33.1 mg/kg dw (soil)

3.46 mg/kg dw (water (fresh water)) 34.6 mg/kg dw (water (sea water))

CAS: 6153-56-6 oxalic acid

PNEC 1.622 mg/l (sporadic release)

1,550 mg/l (STP)

0.1622 mg/l (water (fresh water))

0.01622 mg/l (water (sea water))

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Ensure good ventilation/exhaustion at the workplace.

If the occupational exposure limit is exceeded:

The following breathing protection is recommended:

Self-contained respiratory protective device.

(Contd. on page 5)



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 4)

Filter B

IDIN EN 14387]

Hand protection Acid resistant gloves

Material of gloves

Chloroprene rubber, CR

Recommended thickness of the material: ≥ 0.6 mm

IEN 3741

Penetration time of glove material

Value for the permeation: Level 6 (≥480min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles

[EN 166]

Body protection: Acid resistant protective clothing

SECTION 9: Physical and chemical properties

| 9.1 Information on basic phy- | sical and chemical | properties |
|-------------------------------|--------------------|------------|
|-------------------------------|--------------------|------------|

General Information

Physical state Fluid
Colour: Colourless

Odour: Odourless
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range ≥100 °C (CAS: 7732-18-5 water)

Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

pH at 20 °C 0.5-1.0

Viscosity:

Kinematic viscosity at 40 °C <20.5 mm²/s

Solubility
water: Fully miscible.

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Density and/or relative density
Density at 20 °C:

1.06 - 1.07 g/cm³

Vapour density Not determined.

9.2 Other information Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes
Explosives Void

Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void

(Contd. on page 6)



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

| | | (Contd. of page 5 |
|---|------|-------------------|
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit flammab | le | |
| gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | | |
| May be corrosive to metals. | | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions

Reacts with alkali and metals.

Reacts with oxidising agents.

May be corrosive to metals.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials:

strong oxidizing agents

caustic solutions

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

| CAS: 7 | 7-92-9 citric acid |
|---------|---|
| Oral | LD50 5,040 mg/kg (mouse) |
| | 3,000 mg/kg (rat) |
| CAS: 7 | 664-38-2 phosphoric acid |
| Dermal | LD50 2,740 mg/kg (rabbit) |
| CAS: 6 | 153-56-6 oxalic acid |
| Oral | LD50 375 mg/kg (rat) |
| Dermal | LD50 20,000 mg/kg (rabbit) |
| Skin co | orrosion/irritation Causes severe skin burns and eye damage. |
| Seriou | s eye damage/irritation Causes serious eye damage. |
| Respira | atory or skin sensitisation Based on available data, the classification criteria are not met. |
| Germ c | cell mutagenicity Based on available data, the classification criteria are not met. |
| Carcin | ogenicity Based on available data, the classification criteria are not met. |
| Reproc | luctive toxicity Based on available data, the classification criteria are not met. |
| STOT- | single exposure Based on available data, the classification criteria are not met. |
| STOT- | repeated exposure Based on available data, the classification criteria are not met. |



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 6)

Additional toxicological information:

Repeated dose toxicity
CAS: 6153-56-6 oxalic acid

Oral LOAEL 150 mg/kg (rat) (OECD 407)

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

| Aquatic toxicity: | | | |
|-------------------|---|--|--|
| CAS: 77-92 | CAS: 77-92-9 citric acid | | |
| LC50 / 96h | 440-760 mg/l (Leuciscus idus) | | |
| EC0 | 640 mg/l (scenedesmus quadricauda) | | |
| EC50 / 72h | 120 mg/l (Daphnia magna) | | |
| CAS: 7664- | CAS: 7664-38-2 phosphoric acid | | |
| LC50 / 96h | 3-3.25 mg/l (Lepomis macrochirus) | | |
| EC50 / 48h | EC50 / 48h >100 mg/l (Daphnia magna) | | |
| EC50 / 72h | EC50 / 72h >100 mg/l (Desmodesmus subspicatus) | | |
| CAS: 6153- | CAS: 6153-56-6 oxalic acid | | |
| LC50 / 96h | 160 mg/l (fish) | | |
| EC50 / 48h | 162.2 mg/l (daphnia) (OECD-Prüfrichtlinie 202) | | |
| EC50 / 72h | EC50 / 72h 20.58 mg/l (Grünalge Pseudokirchneriella subcapitata) (OECD 201) | | |

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

| CAS: 6153-56-0 | CAS: 6153-56-6 oxalic acid | |
|----------------|--------------------------------|--|
| CSB | 180 mg/g | |
| BSB | 160 mg/g | |
| Biodegradation | 89 % | |
| 12 3 Rigaccum | 12 3 Rinaccumulative notential | |

12.3 Bioaccumulative potential

CAS: 77-92-9 citric acid

log POW <1

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT.

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

| Europear | European waste catalogue | | |
|-----------|--------------------------|--|--|
| 20 01 14* | acids | | |
| HP8 | Corrosive | | |

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

| 4.1 UN number or ID number | |
|--|---|
| ADR/RID/ADN, IMDG, IATA | UN1805 |
| 14.2 UN proper shipping name | |
| ADR/RID/ADN | 1805 PHOSPHORIC ACID, SOLUTION |
| MDG, IATA | PHOSPHORIC ACID, SOLUTION |
| 14.3 Transport hazard class(es) | |
| ADR/RID/ADN | |
| <u> </u> | |
| * | |
| Class | 8 (C1) Corrosive substances. |
| Label | 8` ´ |
| IMDG, IATA | · <u>·</u> |
| | |
| Class | 8 Corrosive substances. |
| Label | 8 |
| 14.4 Packing group | |
| ADR/RID/ADN, IMDG, IATA | III |
| 14.5 Environmental hazards: | |
| Marine pollutant: | No |
| 14.6 Special precautions for user | Warning: Corrosive substances. |
| 4.7 Maritime transport in bulk according | to IMO |
| instruments | Not applicable. |
| Transport/Additional information: | |
| : ADR/RID/ADN | |
| Limited quantities (LQ) | 5L |
| Transport category | 3 |
| Tunnel restriction code | E |
| JN "Model Regulation": | UN1805, PHOSPHORIC ACID, SOLUTION, 8, III |



Printing date 21.03.2023 Version: 7.00 (replaces version 6.01) Revision: 17.08.2022

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

| Classification according to Regulation (EC) No 1272/2008 | | |
|--|--|--|
| Corrosive to metals On basis of test data | | |
| | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. | |

Date of previous version: 06.07.2022 Version number of previous version: 6.01

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.