

Printing date 28.10.2020

Version: 5.02

Revision: 06.07.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: SONAX PROFILINE WHEEL RIM CLEANER Article number: 06506000.03, 06507050.03, 06509000.02 1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) **Product category** PC35 Washing and cleaning products (including solvent based products) Application of the substance / the mixture Car care product 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0 Further information obtainable from: Product safety E-mail: erp@sonax.de Phone: + +49 (0) 8431 53 217 1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger Hazard-determining components of labelling: phosphoric acid hydrochloric acid Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. (Contd. on page 2) GB

SONAX®

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients 3.2 Mixtures Description: aqueous tenside solution with acids Dangerous components: CAS: 7664-38-2 15 - <20% phosphoric acid Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 EINECS: 231-633-2 Reg.nr.: 01-2119485924-24-xxxx Špecific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % *Eye Irrit.* 2; *H*319: 10 % ≤ C < 25 % CAS: 7647-01-0 hydrochloric acid 5 - <10% EINECS: 231-595-7 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; STOT SE 3, H335 Reg.nr.: 01-2119484862-27-xxxx Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25 \%$ Skin Irrit. 2; H315: 10 % ≤ C < 25 % *Eye Irrit.* 2; *H*319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % CAS: 79-33-4 I-(+)-lactic acid 3 - <5% EINECS: 201-196-2 📀 Eye Dam. 1, H318; 🚯 Skin Irrit. 2, H315 Reg.nr.: 01-2119474164-39-xxxx CAS: 15763-76-5 sodium-p-cumene sulphonate 1 - <3% EINECS: 239-854-6 Alternative CAS numbers: 28348-53-0, 32073-22-6 Reg.nr.: 01-2119489411-37-xxxx 🕦 Eye Irrit. 2, H319 CAS: 25307-17-9 2,2'-(9-octadecenylimino)bisethanol < 1.00% EINECS: 246-807-3 📀 Skin Corr. 1B, H314; 🚯 Aquatic Acute 1, H400; Aquatic Reg.nr.: 01-2119510876-35-xxxx Chronic 1, H410; 🚯 Acute Tox. 4, H302 Regulation (EC) No 648/2004 on detergents / Labelling for contents <5% non-ionic surfactants Additional information:

15763-76-5 (REACh registered CAS)

previous & alternative CAS: 28348-53-0 / EC number: 248-983-7

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out of danger area and lay down. Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

After swallowing:

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



Printing date 28.10.2020

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

(Contd. of page 2)

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed Eye irritation / Eye damage

Caustic effect on skin and mucous membranes.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Hydrogen chloride (HCI) Phosphorus oxides (e.g. P2O5) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. When diluting always pour product into water and not vice versa. **Information about fire - and explosion protection:** The product is not flammable.

7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Provide acid-resistant floor. Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with alkalis (caustic solutions). Further information about storage conditions: Store receptacle in a well ventilated area. Keep container tightly sealed. Protect from frost. Recommended storage temperature: 20 °C.

(Contd. on page 4)

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

7.3 Specific end use(s) No further relevant information available.

(Contd.	of page 3)
---------	------------

		Exposure controls/personal protection		
8.1 Contro	-			
-		limit values that require monitoring at the workplace:		
CAS: 7664-38-2 phosphoric acid				
WEL (Great Britain)		in) Short-term value: 2 mg/m³ Long-term value: 1 mg/m³		
IOELV (EU		Short-term value: 2 mg/m³ Long-term value: 1 mg/m³		
CAS: 7647	7-01-0	hydrochloric acid		
WEL (Grea	at Brita	in) Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm (gas and aerosol mists)		
IOELV (EU))	Short-term value: 15 mg/m³, 10 ppm Long-term value: 8 mg/m³, 5 ppm		
Regulator	y infor	mation WEL (Great Britain): EH40/2011		
DNELs				
	-	phosphoric acid		
Inhalative	DNEL	0.73 mg/m³ (consumer) (long-term exposur - local effects)		
		1 mg/m³ (worker) (long-term exposure - local effects)		
CAS: 7647	7-01-0	hydrochloric acid		
Inhalative	DNEL	15 mg/m³ (worker short-term)		
		8 mg/m³ (worker long-term)		
CAS: 1576	63-76-5	sodium-p-cumene sulphonate		
Oral	DNEL	3.8 mg/kg bw/day (consumer) (longterm systematic effects)		
Dermal	DNEL	3.8 mg/kg bw/day (consumer) (longterm systematic effects)		
		7.6 mg/kg bw/day (worker) (longterm systematic effects)		
Inhalative	DNEL	13.2 mg/m³ (consumer) (longterm systematic effects)		
		53.6 mg/m ³ (worker) (longterm systematic effects)		
CAS: 2530)7-17-9	2,2'-(9-octadecenylimino)bisethanol		
Oral		0.179 mg/kg bw/day (consumer) (long-term exposure - systemic effects)		
Dermal		0.179 mg/kg bw/day (consumer) (long-term exposure - systemic effects)		
		0.25 mg/kg bw/day (worker) (long-term exposure - systemic effects)		
Inhalative	DNEL	0.621 mg/m ³ (consumer) (long-term exposure - systemic effects)		
		1.76 mg/m ³ (worker) (long-term exposure - systemic effects)		
PNECs				
	7_01_0	hydrochloric acid		
		poradic release)		
	μg/i (sμ μg/l (S			
		eshwater (Süßwasser))		
		ediment (sea water))		
		+)-lactic acid		
PNEC 1.3	•	·		
		0 2,2'-(9-octadecenylimino)bisethanol		
		sewage plant)		
		mg/l (water (fresh water))		
		mg/l (water (sea water))		
		/kg (sediment (fresh water)) g/kg (sediment (sea water))		
	~~~			



Printing date 28.10.2020

Printing date 28.10.2020

SONAX

#### Version: 5.02

Revision: 06.07.2020

#### Trade name: SONAX PROFILINE WHEEL RIM CLEANER

(Contd. of page 4) 5 mg/kg (soil) Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Suitable technical control devices Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn. Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Respiratory protection: Ensure good ventilation/exhaustion at the workplace. If the occupational exposure limit is exceeded: The following breathing protection is recommended: Filter P2 [DIN EN 14387] Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Chloroprene rubber, CR Recommended thickness of the material: ≥ 0.65 mm [EN 374] Penetration time of glove material Value for the permeation: Level 6 (>480min) Eye protection:



Tightly sealed goggles

[EN 166]

SECTION 9: Physical and chemical properties			
9.1 Information on basic physical and General Information Appearance:	d chemical properties		
Form:	Fluid		
Colour:	Colourless		
Odour:	Characteristic		
Odour threshold:	Not determined.		
pH-value at 20 °C:	0.0 - 0.5		
Change in condition Melting point/freezing point: Initial boiling point and boiling rang	Undetermined. g <b>e:</b> ≥100 °C		
Flash point:	Not applicable.		
Decomposition temperature:	Not determined.		
Auto-ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapour pressure:	Not determined.		
		(Contd. on page 6)	



Printing date 28.10.2020

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

	(Contd. of page
Density at 20 °C:	1.10 - 1.11 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
	Not determined.
Viscosity:	
Flow time at 20 °C	10 - 15 s (DIN EN ISO 2431/4mm)
9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.
10.2 Chemical stability Stable under normal conditions.
10.3 Possibility of hazardous reactions
When diluting, always add acid to water, never vice versa.
Reacts with alkali and metals.
10.4 Conditions to avoid See Section 7 for information on safe handling.
10.5 Incompatible materials:
Store away from metals.
caustic solutions
strong oxidizing agents
10.6 Hazardous decomposition products:
Corrosive gases/vapours
Hydrogen chloride (HCI)
Phosphorus oxides (e.g. P2O5)

### SECTION 11: Toxicological information

Acute t	<b>11.1 Information on toxicological effects Acute toxicity</b> Based on available data, the classification criteria are not met.					
LD/LC5	LD/LC50 values relevant for classification:					
		-2 phosphoric acid				
Oral	LD50	1530 mg/kg (rat)				
Dermal	LD50	2740 mg/kg (rabbit)				
CAS: 7	647-01	-0 hydrochloric acid				
Dermal	LD50	>5010 mg/kg (rabbit)				
CAS: 7	9-33-4	I-(+)-lactic acid				
Oral	LD50	4875 mg/kg (mouse)				
		3730 mg/kg (rat)				
Dermal	LD50	>2000 mg/kg (rabbit)				
CAS: 1	CAS: 15763-76-5 sodium-p-cumene sulphonate					
Oral	LD50	>7000 mg/kg (rat)				
Dermal	LD50	2000 mg/kg (rat)				
CAS: 2	CAS: 25307-17-9 2,2'-(9-octadecenylimino)bisethanol					
Oral	LD50	> 300 - 2000 mg/kg (rat) (OECD 401)				
Primary	ı irrital	nt effect:				
		n/irritation e skin burns and eye damage.				
		lamage/irritation e skin burns and eye damage. (Contd. on page 7)				



Printing date 28.10.2020

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

		(Contd. of page
Resp	piratory or skin	sensitisation Based on available data, the classification criteria are not met.
Repe	eated dose toxic	zity
CAS	: 15763-76-5 so	dium-p-cumene sulphonate
Oral	NOAEL	>936 mg/kg (rat)
	NOAEL 90-92d	>440 mg/kg/d (OECD 411 Subcronic Dermal Toxicity: 90-day Stucy)
None repro <b>Gerr</b> <b>Carc</b>	e of the ingredien oduction. <b>m cell mutageni</b> c <b>inogenicity</b> Bas	ogenity, mutagenicity and toxicity for reproduction) Its are known to have effects which are carcinogenic, mutagenic or harmful to city Based on available data, the classification criteria are not met. Ited on available data, the classification criteria are not met. Ity Based on available data, the classification criteria are not met.
STO	T-single exposu	<i>ire</i> Based on available data, the classification criteria are not met.
STO	T-repeated expo	osure Based on available data, the classification criteria are not met.
Aspi	iration hazard B	ased on available data, the classification criteria are not met.
SE(		ological information
SEC	STION 12. EC	
Prod	<b>Toxicity</b> luct is considered ronments.	t to be harmful to aquatic organisms. May have long-term harmful effects in aquatic

CAS: 7664-3	38-2 phosphoric acid
EC50 / 48h	>100 mg/l (Daphnia magna)
EC50 / 72h	>100 mg/l (Desmodesmus subspicatus)
CAS: 7647-	01-0 hydrochloric acid
LC50 / 96h	24.6 mg/l (Lepomis macrochirus)
EC50 / 48h	0.492 mg/l (Daphnia magna)
EC50 / 72h	0.78 mg/l (Pseudokirchneriella subcapitata)
CAS: 79-33-	-4 I-(+)-lactic acid
LC50 / 48h	320 mg/l (fish)
	240 mg/l (dp)
EC50	3500 mg/l (Scenedesmus Capricornutum/Süsswasseralge)
CAS: 15763	-76-5 sodium-p-cumene sulphonate
LC50 / 96h	>1000 mg/l (fish) (EPA OPPTS EPA OTS 797)
EC50/3h	>1000 mg/l (bacteria) (OECD 209)
EC50 / 48h	>1000 mg/l (Daphnia magna) (EPA OPPTS EPA OTS 797)
	>100 mg/l (daphnia) (OECD 202)
EC50 / 96 h	>230 mg/l (algae) (EPA OPPTS EPA OTS 797)
	31 mg/l (algae) (EPA OPPTS)
CAS: 25307	-17-9 2,2'-(9-octadecenylimino)bisethanol
	> 0.1 - 1 mg/l (fish)
	> 0.01 -0.1 mg/l (daphnia)
	> 0.01 - 0.1 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
	> 0.001 - 0.01 mg/l (Daphnia magna) (OECD 211)
	> 0.01 - 0.1 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
The surface-	t eactive substances contained in the product meet the requirement of the EU Detregent Regulat 04 ) for ultimate biodegradability for surfactants in detergents.
CAS: 79-33-	-4 l-(+)-lactic acid
CSB	0.9 mg/mg

Printing date 28.10.2020

SONAX®

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

	(Contd. of pag
BSB	0.45 mg/g
	0.6 mg/g ()
	3-76-5 sodium-p-cumene sulphonate
-	ation 60-100 % (OECD 301 B Ready Biodegradability CO2 Evolution)
CAS: 2530	)7-17-9 2,2'-(9-octadecenylimino)bisethanol
CSB	3880 mg/g
Biodegrad	ation > 60 % (OECD 301 D)
12.3 Bioad	cumulative potential
CAS: 79-3	3-4 I-(+)-lactic acid
log POW ·	0.62 log POW
The product 12.5 Resu PBT: Not a vPvB: Not	ct does not contain organically bounded halogens (AOX-free). ct does not contain organic complexing agents. Its of PBT and vPvB assessment applicable. applicable. r adverse effects No further relevant information available.
SECTIO	N 13: Disposal considerations
Waste clas	e <b>treatment methods</b> sified as hazardous according to Annex III to Directive 2008/98/EC. <b>ndation</b> Waste must be disposed of while observing the local, official regulations.
European	waste catalogue
20 01 29*	detergents containing dangerous substances
	<b>I packaging:</b> packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning. 15 01 02: plastic packaging **Recommended cleansing agents:** Water

14.1 UN-Number ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (PHOSPHORIC ACID, HYDROCHLORIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(PHOSPHORIC ACID, HYDROCHLORIC ACID)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
a contraction of the second se	
Class	8 Corrosive substances.
Label	8



Printing date 28.10.2020

Version: 5.02

Revision: 06.07.2020

Trade name: SONAX PROFILINE WHEEL RIM CLEANER

	(Contd. of page 8
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	
ADR	
Transport category Tunnel restriction code	2 E
UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, HYDROCHLORIC ACID), 8, II

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

EC/1907/2006 (REACh) EC/1272/2008 (CLP) EC/648/2004

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. Classification according to Regulation (EC) No 1272/2008 Corrosive to metals On basis of test data Skin corrosion/irritation The classification of the mixture is generally based on Hazardous to the aquatic environment - long-term the calculation method using substance data according to Regulation (EC) No 1272/2008. (chronic) aquatic hazard Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) DGR: Przepisy dotyczące towarów niebezpiecznych - Dangerous Goods Regulations by IATA ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient (Contd. on page 10)

GB



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020

#### Version: 5.02

Revision: 06.07.2020

#### Trade name: SONAX PROFILINE WHEEL RIM CLEANER

	(Contd. of page 9	9)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals		
ATE: acute toxicity estimate		
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Inte	rnational Carriage	e
of Dangerous Goods by Road)		
IMDG: International Maritime Code for Dangerous Goods		
IATA: International Air Transport Association		
EINECS: European Inventory of Existing Commercial Chemical Substances		
ELINCS: European List of Notified Chemical Substances		
CAS: Chemical Abstracts Service (division of the American Chemical Society)		
DNEL: Derived No-Effect Level (REACH)		
PNEC: Predicted No-Effect Concentration (REACH)		
LC50: Lethal concentration, 50 percent		
LD50: Lethal dose, 50 percent		
IOELV = indicative occupational exposure limit values		
Met. Corr.1: Corrosive to metals – Category 1		
Acute Tox. 4: Acute toxicity - oral – Category 4		
Skin Corr. 1B: Skin corrosion/irritation – Category 1B		
Skin Irrit. 2: Skin corrosion/irritation – Category 2		
Eye Dam. 1: Serious eye damage/eye irritation – Category 1		
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2		
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1		
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3		
Version biotem and indication of above and produce version 5.04		
Version history and indication of changes: Replaces version 5.01.		
* Data compared to the previous version altered.		
· · ·		~ ~