## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : TEKMA ULTIMA+ 10W40 Product code : 70850

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

4-stroke engine lubricant

### 1.3. Details of the supplier of the safety data sheet

Registered company name : MOTUL Address : 119, Boulevard Felix Faure. 93300 AUBERVILLIERS CEDEX FRANCE Telephone: 33.1.48.11.70.00. Fax: 33.1.48.33.28.79. Telex: . Email : motul\_hse@motul.fr

1.4. Emergency telephone number : +44 (0) 1235 239 670.

#### Association/Organisation : ORFILA.

#### Other emergency numbers

BRAZIL : +55 11 3197 5891 / COLOMBIA : +57 1 508 7337 / ARGENTINA : +54 11 5984 3690 / CHILE : +562 2582 9336 Ireland : +353 1 8092566

UNITED STATES: 001 866 928 0789 / CANADA: 001 800 579 7421 / MEXICO : +52 55 5004 8763 / MIDDLE EAST - AFRICA : +44 1235 239671

24 hours a day, 7 days a week

### **SECTION 2 : HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

#### **Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 64742-54-7		L	25 <= x % < 50
EC: 265-157-1			
REACH: 01-2119484627-25			
DISTILLATES (PETROLEUM),			
HYDROTREATED HEAVY PARAFFINIC			
CAS: 64742-54-7	GHS08	L	25 <= x % < 50
EC: 265-157-1	Dgr		
REACH: 01-119484627-25	Asp. Tox. 1, H304		
DISTILLATES (PETROLEUM),			
HYDROTREATED HEAVY PARAFFINIC			
CAS: 64742-65-0	GHS08		2.5 <= x % < 10
EC: 265-169-7	Dgr		
	Asp. Tox. 1, H304		

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)	Version 4.1 (30-10-2019) - Page 2/7
TEKMA ULTIMA+ 10W40 - 70850	
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC	

(Full text of H-phrases: see section 16)

### Information on ingredients :

Note L: The carcinogen classification does not apply because the substance contains less than 3 % w/w of dimethyl sulphoxide (DMSO) measured using the IP 346 method.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

### In the event of exposure by inhalation :

Remove the victim to fresh air. If the symptoms persist, call a physician.

In the event of splashes or contact with eyes :

Wash immediately and abundantly with water, including under the eyelids.

In the event of splashes or contact with skin :

Immediately remove all soiled clothing.

Wash immediately and abundantly with soap and water.

### In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

### No data available.

**4.3.** Indication of any immediate medical attention and special treatment needed No data available.

### **SECTION 5 : FIREFIGHTING MEASURES**

### Non-flammable.

### 5.1. Extinguishing media

### Suitable methods of extinction

### Dry agent, foam, carbon dioxide. Unsuitable methods of extinction

High volume water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Spilled product may make surfaces slippery.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

No data available.

### **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

### 7.1. Precautions for safe handling

Always wash hands after handling.

Avoid contact with eyes.

No special precaution apart from the observance of hygiene rules

### Fire prevention :

Prevent access by unauthorised personnel. Take precautionary measures against static discharges by bonding and grounding equipment. No smoking.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Ensure good ventilation at the workplace

### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used. Do not breathe fumes, vapour, spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store between 5°C and 40°C in a dry, well ventilated place.

Only use hydrocarbon-resistant containers, joints and pipes.

### Storage

Keep out of reach of children.

### Packaging

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

#### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### No data available.

### Derived no effect level (DNEL) or derived minimum effect level (DMEL):

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS: 64742-65-0) Final use: Workers.

Exposure method:	Inhalation.
Potential health effects:	Long term systemic effects.
DNEL :	5.4 mg de substance/m3

### Final use:

Exposure method: Potential health effects: DNEL :

# Consumers.

Long term local effects. 1.2 mg de substance/m3

### Predicted no effect concentration (PNEC):

 DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS: 64742-65-0)

 Environmental compartment:
 Salt water predators (oral).

 PNEC :
 9.33 mg/kg

#### 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, if possible with extractor fans at work posts and appropriate general extraction. Personnel shall wear regularly laundered overalls.

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Type of gloves recommended :
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Recommended properties :
- Impervious gloves in accordance with standard EN374
- Body protection
  - Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

### - Respiratory protection

Breathing apparatus only when aerosol or spray are formed.

### **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

### General information :

Physical state :	Fluid liquid.
Color:	Amber
Important health, safety and environmental informat	ion
pH :	Not relevant.
Flash Point Interval :	FP > 100°C.
Vapour pressure (50°C):	Below 110 kPa (1.10 bar).
Density :	<1
Water solubility :	Insoluble.
Viscosity :	91.8 mm2/s à 40°C

#### 9.2. Other information

No data available.

### SECTION 10 : STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Keep away from heat and from sources of ignition

Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Strong oxidants

Acids

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

### **SECTION 11 : TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

### Acute toxicity :

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7) Oral route : LD50 > 5000 mg/kg

Species : Rat

Inhalation route (n/a) :       LCS         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Oral route :       LDS         Dermal route :       2,00         Spe         Dermal route :       2,00         Inhalation route (n/a) :       LCS         11.1.2. Mixture       Skin corrosion/skin irritation :         Repeated or prolonged contact with the preparation may cause absorption through the skin.       Serious damage to eyes/eye irritation :         Mild eye irritation       Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory shay cause lung damage if swallowed       Section 12 : ECOLOGICAL INFORMATION         12.1. Toxicity       12.1. Substances       DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F       Fish toxicity :         Crustacean toxicity :       ECG         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F       Fish toxicity :         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F       Fish toxicity :         Crustacean toxicity :       ECG         Dur	0 > 5000 mg/kg cies : Rat 00 < LD50 <= 5000 mg/kg cies : Rabbit 0 > 5.53 mg/l se removal of natural fat from the skin resulting in non allergic contact dermatitis a ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Specific Spe	cies : Rat ARAFFINIC (CAS: 64742-54-7) 0 > 5000 mg/kg cies : Rat 00 < LD50 <= 5000 mg/kg cies : Rabbit 0 > 5.53 mg/l se removal of natural fat from the skin resulting in non allergic contact dermatitis a ystem in very susceptible persons." ARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Oral route :       LDS         Dermal route :       2,00         Spe       Inhalation route (n/a) :       LCS         11.1.2. Mixture       Skin corrosion/skin irritation :       LCS         Repeated or prolonged contact with the preparation may cause absorption through the skin.       Serious damage to eyes/eye irritation :         Serious damage to eyes/eye irritation :       Mild eye irritation         Aspiration hazard :       "Inhalation of vapours may cause irritation of the respiratory s May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION       12.1. Toxicity         12.1.1. Substances       DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Urr       Crustacean toxicity :       ECF         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F       Fish toxicity :         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F       Fish toxicity :         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F       Fish toxicity :         Crustacean toxicity :       ECF         Durr       Durr         Crustacean toxicity :       ECG         Durr       Durr         Crustacean toxicity :       ECG         Durr       Durr         Crustacean toxicity :       ECG         Dur       Dur	0 > 5000 mg/kg cies : Rat 00 < LD50 <= 5000 mg/kg cies : Rabbit 0 > 5.53 mg/l se removal of natural fat from the skin resulting in non allergic contact dermatitis a ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Spe Inhalation route (n/a) : LC5 11.1.2. Mixture Skin corrosion/skin irritation : Repeated or prolonged contact with the preparation may cause absorption through the skin. Serious damage to eyes/eye irritation : Mild eye irritation Aspiration hazard : "Inhalation of vapours may cause irritation of the respiratory s May cause lung damage if swallowed SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : LC3 DUR Crustacean toxicity : EC7 DUR Algae toxicity : EC7 DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : EC7 DUR Crustacean toxicity : EC7 DUR Crustacean toxicity : EC7 DUR	cies : Rabbit 0 > 5.53 mg/l se removal of natural fat from the skin resulting in non allergic contact dermatitis a ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
11.1.2. Mixture         Skin corrosion/skin irritation :         Repeated or prolonged contact with the preparation may cause absorption through the skin.         Serious damage to eyes/eye irritation :         Mild eye irritation         Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory s         May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1.1. Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECG         Qure         Algae toxicity :       ECG         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECG         Dur         Crustacean toxicity :       ECG         Dur       Crustacean toxicity :         Crustacean toxicity :       LCS         Dur       Dur         Crustacean toxicity :       ECG         Dur       Dur         Crustacean toxicity :       ECG         Dur       Dur	se removal of natural fat from the skin resulting in non allergic contact dermatitis a ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Skin corrosion/skin irritation :         Repeated or prolonged contact with the preparation may cause absorption through the skin.         Serious damage to eyes/eye irritation :         Mild eye irritation         Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory so May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1.1 Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECC         Crustacean toxicity :       ECC         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECC         Duration       ECC         Crustacean toxicity :       ECC         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECC         Duration       ECC         Crustacean toxicity :       ECC         Duration       ECC         Crustacean toxicity :       ECC         Duration       ECC         Response       ECC         Duration       ECC         Duration       ECC         Duration       ECC         Duration       ECC         Duration       ECC <td>ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 &gt; 100 mg/l ation of exposure : 96 h 50 &gt; 100 mg/l</td>	ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Repeated or prolonged contact with the preparation may cause absorption through the skin.         Serious damage to eyes/eye irritation :         Mild eye irritation         Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory so May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1. Toxicity         12.1.1 Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY P         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY P         Fish toxicity :       ECR         Dur         Crustacean toxicity :       ECR         Dur         Crustacean toxicity :       ECR         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       ECR         Dur       Dur	ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Repeated or prolonged contact with the preparation may cause absorption through the skin.         Serious damage to eyes/eye irritation :         Mild eye irritation         Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory so May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1. Toxicity         12.1.1 Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY P         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY P         Fish toxicity :       ECR         Dur         Crustacean toxicity :       ECR         Dur         Crustacean toxicity :       ECR         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       ECR         Dur       Dur	ystem in very susceptible persons." PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Serious damage to eyes/eye irritation :         Mild eye irritation         Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory so         May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1.1 Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECr         Dur         Crustacean toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       ECR         Dur         Crustacean toxicity :       ECR         Dur       Dur	PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Mild eye irritation         Aspiration hazard :         "Inhalation of vapours may cause irritation of the respiratory so         May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1. Toxicity         12.1.1 Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECF         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECF         Dur         Crustacean toxicity :       ECF         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       LCS         Dur         Crustacean toxicity :       ECF         Dur         Crustacean toxicity :       ECS         Dur       Dur	PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Aspiration hazard : "Inhalation of vapours may cause irritation of the respiratory s May cause lung damage if swallowed ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1 Substances DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : Crustacean toxicity : Algae toxicity : DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : Crustacean toxicity : Crus	PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
"Inhalation of vapours may cause irritation of the respiratory s         May cause lung damage if swallowed         SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1.1. Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :         Crustacean toxicity :         Algae toxicity :         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :         Crustacean toxicity :         ECr         Dur         Crustacean toxicity :         ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :         Crustacean toxicity :         Dur	PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
May cause lung damage if swallowed  EECTION 12 : ECOLOGICAL INFORMATION  12.1. Toxicity  12.1.1. Substances  DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity :  Crustacean toxicity :  DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity :  Crustacean toxici	PARAFFINIC (CAS: 64742-54-7) 0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
SECTION 12 : ECOLOGICAL INFORMATION         12.1. Toxicity         12.1.1. Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :         Crustacean toxicity :         Algae toxicity :         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :         ECr         Dur         Crustacean toxicity :         ECr         Dur         Crustacean toxicity :         ECr         Dur         Crustacean toxicity :	0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
12.1. Toxicity         12.1.1. Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Crustacean toxicity :       ECS         Algae toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECS         Dur	0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
12.1. Toxicity         12.1.1. Substances         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Crustacean toxicity :       ECS         Algae toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECS         Dur	0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
<b>12.1.1. Substances</b> DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur.         Crustacean toxicity :       ECS         Dur.         Algae toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur.         Crustacean toxicity :       LCS         Dur.         Crustacean toxicity :       ECR         Dur.	0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : LCS Dur Crustacean toxicity : ECS Dur Algae toxicity : ECr Dur DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : LCS Dur Crustacean toxicity : ECS	0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Fish toxicity :       LC5         Crustacean toxicity :       EC5         Algae toxicity :       EC7         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LC5         Dur         Crustacean toxicity :       EC6         Dur         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LC5         Dur         Crustacean toxicity :       EC6         Dur	0 > 100 mg/l ation of exposure : 96 h 50 > 100 mg/l
Crustacean toxicity :       EC         Algae toxicity :       EC         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LC5         Dur         Crustacean toxicity :       EC         Dur         Crustacean toxicity :       EC         Dur	ation of exposure : 96 h 50 > 100 mg/l
Crustacean toxicity : ECS Dur Algae toxicity : ECr DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : LCS Dur Crustacean toxicity : ECS	50 > 100 mg/l
Algae toxicity :       ECr         Algae toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECS         Dur	
Algae toxicity :       ECr         Algae toxicity :       ECr         DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F         Fish toxicity :       LCS         Dur         Crustacean toxicity :       ECS         Dur	
Dur DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : LC5 Dur Crustacean toxicity : EC5 Dur	ation of exposure : 48 h
Dur DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F Fish toxicity : LC5 Dur Crustacean toxicity : EC5 Dur	50 > 100 mg/l
Fish toxicity : LC5 Dur Crustacean toxicity : EC5 Dur	ation of exposure : 72 h
Fish toxicity : LC5 Dur Crustacean toxicity : EC5 Dur	2000EEINIC (CAS: 64742.54-7)
Dur Crustacean toxicity : EC5 Dur	0 > 100  mg/l
Dur	ation of exposure : 96 h
Dur	
	50 > 100 mg/l
Algae toxicity : ECr	ation of exposure : 48 h
	50 > 100 mg/l
Dur	ation of exposure : 72 h
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	
12.2.1. Substances	
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F	ADAEEINIC (CAS: 64742.54.7)
Biodegradability : Rap	
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY F	ARAFFINIC (CAS: 64742-54-7) idly degradable.
Biodegradability : Rap	idly degradable.

## <u>ک</u> ک 12.3. Bioaccumulative potential

12.3.1. Substances

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7) Octanol/water partition coefficient : log Koe < 6

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC (CAS: 64742-54-7) Octanol/water partition coefficient : log Koe < 6

### 12.4. Mobility in soil

Not very mobile in soil.

The product is insoluble in water and will spread on the surface

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

Do not dispose of the product in the natural environment, effluents or surface waters.

### German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

WGK 1 : Slightly hazardous for water.

#### **SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

-----

### **SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

### 14.1. UN number

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

- -
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user
- •

### SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)
- Container information:


No data available.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.
  - Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



### 15.2. Chemical safety assessment

Product is not classified health and environmental hazard. Exposure scenarios are not required.

#### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H304

May be fatal if swallowed and enters airways.

#### Abbreviations :

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.