



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL Turbo Extra SAE 20W-50

Article No.:

1113125

UFI:

N12R-KXED-EP02-DS6Y

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

Germany

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

1.4. Emergency telephone number

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Contract ID: RAV) , +49 5203 9719 0 (Mo-Do 7.30 Uhr - 16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

*

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased; Zinc bis[O-(2-ethylhexyl)] bis[O-(isobutyl)] bis(dithiophosphate); Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified

hazard statements for health hazards

H319 Causes serious eye irritation.



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

Supplemental hazard information

EUH208	Contains Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts, Benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts. May produce an allergic reaction.
--------	--

Precautionary statements Prevention

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 Danger H304	30 - < 60 weight-%
CAS No.: 26566-95-0 EC No.: 247-810-2	Zinc bis[O-(2-ethylhexyl)] bis[O-(isobutyl)] bis(dithiophosphate) Aquatic Chronic 2, Eye Dam. 1 Danger H318-H411	0 - < 2 weight-%
CAS No.: 148520-84-7 EC No.: 800-941-4	Benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts Skin Sens. 1B Warning H317	0 - < 1 weight-%
CAS No.: 70024-69-0 EC No.: 274-263-7 REACH No.: 01-2119492616-28	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts Skin Sens. 1B Warning H317	0 - < 1 weight-%
EC No.: 701-251-5 REACH No.: 01-2119524004-56	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased Aquatic Chronic 4, Repr. 1B Danger H360-H413	0 - < 1 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Causes serious eye irritation. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Rinse mouth thoroughly with water. Do NOT induce vomiting. Consult a doctor immediately.

Self-protection of the first aider:

Use personal protection equipment. No direct artificial respiration to be given by first aider.

* **4.2. Most important symptoms and effects, both acute and delayed**

May produce an allergic reaction. Serious eye damage/eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide (CO₂)
Extinguishing powder
alcohol resistant foam

Use water spray jet to protect personnel and to cool endangered containers. Water spray jet

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

When hot, product develops flammable vapours. Combustible

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Gases/vapours, toxic

During heating or in case of fire, toxic gases is possible.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination.

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class: 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 300 mg/m ³ ② 600 mg/m ³ ⑤ (C9-C14 Aliphaten)
VLA (FR)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 1,000 mg/m ³ ② 1,500 mg/m ³ ⑤ (hydrocarbures C9-C12)
NO	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 50 ppm (275 mg/m ³) ⑤ (White Spirit (aromatinnhold < 22 %))
DFG (DE)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 5 mg/m ³ ② 20 mg/m ³ ⑤ (Aerosol, alveolengängige Fraktion)
MAK (AT)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 200 mL/m ³ ② 400 mL/m ³ ⑤ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/Isohexanen von weniger als 25 %)
MAK (AT)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 170 mL/m ³ ② 340 mL/m ³ ⑤ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/Isohexanen von 25 % oder mehr)
WEL (GB)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 1,200 mg/m ³ ⑤ (> or = C7, Normal and branched chain alkanes)
WEL (GB)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 800 mg/m ³ ⑤ (> or = C7, Cycloalkanes)
DFG (DE)	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 50 ppm (350 mg/m ³) ② 100 ppm (700 mg/m ³) ⑤ (Dampf)
RU	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 100 mg/m ³ ③ 300 mg/m ³
CH	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 50 ppm (350 mg/m ³) ② 100 ppm (700 mg/m ³) ⑤ (Dampf)
SI	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 700 mg/m ³
RO	Distillates (petroleum), hydro treated light CAS No.: 64742-47-8	① 700 mg/m ³ ② 1,000 mg/m ³

8.1.2. Biological limit values

No data available



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Zinc bis[O-(2-ethylhexyl)] bis[O-(isobutyl)] bis(di thiophosphate) CAS No.: 26566-95-0	6.6 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	11.75 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	3.33 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	0.14 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	133.6 mg/m ³	① DNEL worker ② Acute - inhalation, systemic effects
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	0.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	80 mg/kg bw/day	① DNEL worker ② Acute - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	1 mg/l	① PNEC aquatic, freshwater
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	1 mg/l	① PNEC aquatic, marine water
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	1,000 mg/l	① PNEC sewage treatment plant
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	16.667 mg/kg bw/day	① PNEC secondary poisoning
Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts CAS No.: 70024-69-0	10 mg/l	① PNEC aquatic, intermittent release
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	500 µg/l	① PNEC aquatic, freshwater
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	40 µg/l	① PNEC aquatic, marine water
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	100 mg/l	① PNEC sewage treatment plant
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	43,500 mg/kg bw/day	① PNEC sediment, freshwater
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	3,480 mg/kg bw/day	① PNEC sediment, marine water
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	5 mg/l	① PNEC aquatic, intermittent release
Distillates (petroleum), hydrotreated middle; Gas oil - unspecified CAS No.: 64742-46-7	17 mg/kg	① PNEC secondary poisoning

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment





Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

Eye/face protection:

During transfer: Eye glasses with side protection
 Wear eye/face protection. DIN EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: $\geq 0,4$ mm

Breakthrough time: 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well.

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value $5 \text{ mg} / \text{m}^3$, ACGIH STEL - value of $10 \text{ mg} / \text{m}^3$

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: brown

Odour: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
pH	6.5	20 °C		
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	not determined			
Decomposition temperature	not determined			
Flash point	244 °C			
Evaporation rate	not determined			
Auto-ignition temperature	not determined			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	not determined			
Vapour density	not determined			
Density	890 kg/m ³	15 °C		
Bulk density	not determined			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	174 mm ² /s	40 °C		



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Risk of explosion if heated under confinement.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidizing agent, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide Carbon monoxide Nitrogen oxides (NOx)

Further information

No information available.

SECTION 11: Toxicological information

* 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified	LD₅₀ oral: 5,000 mg/kg (Rat) OECD 401 LD₅₀ dermal: 5,000 mg/kg (Rabbit) OECD 402 LC₅₀ Acute inhalation toxicity (dust/mist): 5.53 mg/l 4 h (Rat) OECD 403
26566-95-0	Zinc bis[O-(2-ethylhexyl)] bis[O-(isobutyl)] bis(dithiophosphate)	LD₅₀ oral: 2,900 mg/kg (rats) LD₅₀ dermal: >5,000 mg/kg (rabbits)
70024-69-0	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts	LD₅₀ oral: >5,000 mg/kg (Rat) LD₅₀ dermal: >2,000 mg/kg (Rabbit)
	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	LD₅₀ oral: 5,000 mg/kg LD₅₀ dermal: 4,000 mg/kg

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Contains Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts, Benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

Additional information:

No data available

SECTION 12: Ecological information

* 12.1. Toxicity

CAS No.	Substance name	Toxicological information
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified	LC₅₀ : 100 mg/l 4 d (fish) NOEC : 100 mg/l 4 d (fish) EC₅₀ : 10,000 mg/l 2 d (crustaceans) LC₅₀ : 10,000 mg/l 4 d (crustaceans) NOEC : 100 mg/l 3 d (Algae/water plant)
26566-95-0	Zinc bis[O-(2-ethylhexyl)] bis[O-(isobutyl)] bis(dithiophosphate)	LC₅₀ : 4.4 mg/l 4 d (fish) NOEC : 32 mg/l 2 d (crustaceans) EC₅₀ : 75 mg/l 2 d (crustaceans) ErC₅₀ : 410 mg/l 3 d (Algae/water plant, Scenedesmus subspicatus)
70024-69-0	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts	LC₅₀ : >1,000 mg/l 4 d (fish) EC₅₀ : >1,000 mg/l 2 d (crustaceans, Daphnia magna (Big water flea)) ErC₅₀ : >1,000 mg/l 3 d (Algae/water plant)
	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	LC₅₀ : 1,000 mg/l 4 d (fish) EC₅₀ : 1,000 mg/l 2 d (crustaceans) EC₅₀ : 500 mg/l 4 d (Algae/water plant) NOEC : 500 mg/l 4 d (Algae/water plant)

Assessment/classification:

The product has not been tested.

Additional ecotoxicological information:

Do not allow uncontrolled discharge of product into the environment.

12.2. Persistence and degradability

Biodegradation:

Not readily biodegradable (according to OECD criteria)

* 12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OW}	Bioconcentration factor (BCF)
70024-69-0	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts	22.12	
	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased		2.2 Species: OECD 305

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

* **12.5. Results of PBT and vPvB assessment**

CAS No.	Substance name	Results of PBT and vPvB assessment
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
26566-95-0	Zinc bis[O-(2-ethylhexyl)] bis[O-(isobutyl)] bis(dithiophosphate)	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
148520-84-7	Benzene, mono-C10-13-alkyl derivatives, fractionation bottoms, heavy ends, sulfonated, calcium salts	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
70024-69-0	Benzenesulfonic acid, mono-C20-24-alkyl derivs., calcium salts	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

The product has not been tested.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code packaging:

Remark:

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant			
14.4. Packing group			
not relevant			
14.5. Environmental hazards			
not relevant			



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.6. Special precautions for user			
not relevant			

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
 No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

15.1.2. National regulations



[DE] National regulations

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung Luft (TA-Luft)

Remark:

To follow: 5.2.5

Water hazard class

WGK:

2 - deutlich wassergefährdend

Source:

Self-classification (mixture; calculation rule).
 Identification number 436

Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868
 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltöIV)



[DK] National regulations

Other regulations, restrictions and prohibition regulations

Lister over stoffer og processer, der anses for at være kræftfremkaldende



[FR] National regulations

Other regulations, restrictions and prohibition regulations

Tableaux de maladies professionnelles
 Nomenclature des installations classées pour la protection de l'environnement



[NL] National regulations

Other regulations, restrictions and prohibition regulations

Lijst van kankerverwekkende, mutagene, en voor de voortplanting giftige stoffen SZW
 Algemeene beoordelingsmethodiek Water (ABM)
 Nederlandse emissierichtlijn (NeR)



Revision date: 12 Oct 2020 Version: 6 Print date: 1 Dec 2020

[CH] National regulations

Other regulations, restrictions and prohibition regulations

Mengenschwelle (Schweiz - StFV)

Gefahrencode

Brandverhütung, BVD (Schweiz)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

* 16.1. Indication of changes

2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
4.2.	Most important symptoms and effects, both acute and delayed
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on toxicological effects
12.1.	Toxicity
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
16.1.	Indication of changes
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS

substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances

hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360	May damage fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.



Revision date: 12 Oct 2020 **Version:** 6 **Print date:** 1 Dec 2020

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version