

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL Kupferpaste

Article No.:

1340109

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

grease

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

D

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

* **1.4. Emergency telephone number**

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Contract ID: RAV) , +49 5203 9719 0 (Mo-Do 7.30 Uhr - 16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 1)	H410: Very toxic to aquatic life with long lasting effects.	Calculation method.

* **2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS09

Environment

Signal word: Warning

Hazard components for labelling:

Copper flakes (with a coating of aliphatic acid)

Hazard statements for environmental hazards	
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information: -

Precautionary Statements Prevention	
P273	Avoid release to the environment.



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

Precautionary Statements Response

P391 Collect spillage.

Precautionary Statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7440-50-8 EC No.: 231-159-6	Copper flakes (with a coating of aliphatic acid) Acute Tox. 3, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1, Eye Irrit. 2 H302-H319-H331-H400-H410 M-factor (acute): 10 M-factor (chronic): 1	2.5 - < 10 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

In case of eye irritation consult an ophthalmologist.

After ingestion:

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water.
 Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Extinguishing powder, Carbon dioxide (CO₂), Water mist, Water spray jet, alcohol resistant foam.
 Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

No information available.

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO₂), Gases/vapours, toxic



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
Use water spray jet to protect personnel and to cool endangered containers.
Do not inhale explosion and combustion gases.

5.4. Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use personal protection equipment.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product.

Protective equipment:

Use personal protection equipment. Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety.

6.1.2. For emergency responders

Personal protection equipment:

Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Immediately inform the responsible authorities in entry into waterways or sewage system.

* 6.3. Methods and material for containment and cleaning up

For containment:

Take up mechanically. Dispose of waste according to applicable legislation.

For cleaning up:

Treat the recovered material as prescribed in the section on waste disposal. Never return spills in original containers for re-use. Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it.

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

* 6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Keep cool. Protect from sunlight.
Avoid contact with skin, eyes and clothes.
Keep container tightly closed in a cool, well-ventilated place.

Fire prevent measures:

Take precautionary measures against static discharges.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

* **7.2. Conditions for safe storage, including any incompatibilities**

Technical measures and storage conditions:

No special measures are necessary.

Packaging materials:

Keep only in the original container.

Requirements for storage rooms and vessels:

Keep in a cool, well-ventilated place.

To follow: TRGS 510

Hints on storage assembly:

not required

Storage class: 10 - 13 - Other combustible and non-combustible substances

Further information on storage conditions:

Store in a cool dry place.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

* **8.1. Control parameters**

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
WEL (GB)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Smoke)
WEL (GB)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (Dusts and mist calculated as Cu)
BE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Poussières et brouillard, exprimé en Cu)
CZ	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³
CZ	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ② 0.2 mg/m ³
PL	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³
MY	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Debu-debu dan kabus dikira sebagai Cu)
MY	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Asap)
NO	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ (Røyte)
NO	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Støv)
IE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Smoke)
FI	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.02 mg/m ³ ⑤ Cu



Revision date: 6 Feb 2020 **Version:** 5 **Print date:** 7 Feb 2020

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
LT	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (īkvepiama frakcija)
LT	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (alveolinē frakcija)
SE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (beräknad som Cu; inhalerbar fraktion)
SE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (beräknad som Cu; respirabel fraktion)
SK	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (alveolárna frakcia)
IE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (Dusts and mist calculated as Cu)
SK	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (vdýchnuteľná frakcia)
Québec (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Dusts and mist calculated as Cu)
NL	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ② 0.03 mg/m ³ ⑤ (inadembare fractie)
ES	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ (fracción respirable, Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el partícul as para la medición de aerosoles)
VLA (FR)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Fumée)
VLA (FR)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (Poussières)
BG	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ (съединения, разтворим Изчисление Ba)
BG	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (съединения, разтворим Изчисление Ba), (неорганичен)
HR	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (Bakar prašina)
HR	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³
DK	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (beregnet som Cu)
DK	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
BE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Fumée)
FI	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ (Kupari, huurut ja hienojakoinen;kuparipöly)
OSHA (US)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ (Smoke; calculated as Cu)
RO	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	② 0.2 mg/m ³ ⑤ (Fum, calculat ca Cu)
RO	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.5 mg/m ³ ② 1.5 mg/m ³ ⑤ (Pulbere)
ACGIH (US)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Smoke)
EE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (kogu tolm)
EE	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (peentolm)
Alberta (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Smoke)
Alberta (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Dusts and mist)
LV	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.5 mg/m ³ ② 1 mg/m ³
BC (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Smoke)
BC (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³
MAK (AT)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 4 mg/m ³ ⑤ (einatembare Fraktion, max. 4x15 min./Schicht)
MAK (AT)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ② 0.4 mg/m ³ ⑤ (alveolengängige Fraktion max. 4x15 min./Schicht)
HU	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 4 mg/m ³
HU	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ② 0.4 mg/m ³ ⑤ (Füst)
TW	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (煙霧)
TW	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (粉塵 和 霧)



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
KR	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (분진 와(과) 연무)
KR	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ (연기)
IS	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ heildarryk
IS	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ⑤ örfínt ryk
CN	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ 粉尘
CN	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (烟)
RU	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.5 mg/m ³ ③ 1 mg/m ³
GR	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Καπνός)
GR	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ② 2 mg/m ³ ⑤ (Σκόνες)
Ontario (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Dusts and mist calculated as Cu)
OSHA (US)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Dusts and mist calculated as Cu)
NIOSH (US)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³
ACGIH (US)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 1 mg/m ³ ⑤ (Dusts and mist calculated as Cu)
Québec (CA)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.2 mg/m ³ ⑤ (Smoke, calculated as Cu)
DFG (DE)	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.01 mg/m ³ ② 0.02 mg/m ³ ⑤ (alveolengängige Fraktion)
CH	Copper flakes (with a coating of aliphatic acid) CAS No.: 7440-50-8	① 0.1 mg/m ³ ② 0.2 mg/m ³ ⑤ (einatembare Fraktion)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

* 8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

8.2.2. Personal protection equipment



Eye/face protection:

Wear eye/face protection. DIN EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: $\geq 0,4$ mm

Breakthrough time (maximum wearing time) 480 min

Breakthrough times and swelling properties of the material must be taken into consideration.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing.

Respiratory protection:

not required

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Colour: copper

Odour: characteristic

Safety relevant basis data

parameter		at °C	Method	Remark
pH	not determined			
Melting point	not determined			
Freezing point	not determined			
Initial boiling point and boiling range	not determined			
Decomposition temperature	not determined			
Flash point	not determined			
Evaporation rate	not determined			
Auto-ignition temperature	> 350 °C			
Upper/lower flammability or explosive limits	not determined			
Vapour pressure	0.1 hPa	20 °C		
Vapour density	not determined			
Density	not determined			
Bulk density	not determined			
Water solubility	The study does not need to be conducted because the substance is known to be insoluble in water.			
Partition coefficient: n-octanol/water	not determined			
Dynamic viscosity	not determined			
Kinematic viscosity	not determined			



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

* 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
7440-50-8	Copper flakes (with a coating of aliphatic acid)	LD₅₀ oral: 500 mg/kg (ATE)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Frequently or prolonged contact with skin may cause dermal irritation.

Serious eye damage/irritation:

slightly irritant but not relevant for classification.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

* 12.1. Toxicity

CAS No.	Substance name	Toxicological information
7440-50-8	Copper flakes (with a coating of aliphatic acid)	LC₅₀: 0.665 mg/l 4 d (fish) LC₅₀: 0.044 mg/l 2 d (crustaceans) EC₅₀: 0.57 mg/l 3 d (Algae/water plant)



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Additional ecotoxicological information:

Toxic to fish.

Do not allow uncontrolled discharge of product into the environment.

* 12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
7440-50-8	Copper flakes (with a coating of aliphatic acid)	Yes, slowly	

Abiotic degradation:

No information available.

Additional information:

Do not allow to enter into surface water or drains.

* 12.3. Bioaccumulative potential

Bioconcentration factor (BCF):

No information available.

12.4. Mobility in soil

No information available.

* 12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
7440-50-8	Copper flakes (with a coating of aliphatic acid)	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code packaging:

Remark:

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information









The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
UN 3077	UN 3077	UN 3077	UN 3077



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

Land transport (ADR/ RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI / IATA-DGR)
14.2. UN proper shipping name			
ENVIRONMENTALLY- HAZARDOUS- SUBSTANCE, SOLID,- N.O.S. (Copper flakes- (with a coating of ali- phatic acid))	ENVIRONMENTALLY- HAZARDOUS- SUBSTANCE, SOLID,- N.O.S. (Copper flakes- (with a coating of ali- phatic acid))	ENVIRONMENTALLY- HAZARDOUS- SUBSTANCE, SOLID,- N.O.S. (Copper flakes- (with a coating of ali- phatic acid))	ENVIRONMENTALLY- HAZARDOUS- SUBSTANCE, SOLID,- N.O.S. (Copper flakes- (with a coating of ali- phatic acid))
14.3. Transport hazard class(es)			
 9	 9	 9	 9
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
		 MARINE POLLUTANT	



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.6. Special precautions for user			
<p>Special provisions: Special provision 375: In the case of quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging, this hazardous material is subject to the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN not subject to transport regulations.</p> <p>2.10.2.7 IMDG Code: This dangerous goods is subject to compliance with regulations in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging Of the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN do not comply with transport regulations.</p> <p>A917 IATA-DGR: not restricted as per special provision A197 (in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging).</p> <p>Limited quantity (LQ): 5 kg</p> <p>Excepted Quantities (EQ): E1</p> <p>Hazard identification number (Kemler No.): 90</p> <p>Classification code: M7</p> <p>Remark:</p>	<p>Special provisions: Special provision 375: In the case of quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging, this hazardous material is subject to the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN not subject to transport regulations.</p> <p>2.10.2.7 IMDG Code: This dangerous goods is subject to compliance with regulations in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging Of the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN do not comply with transport regulations.</p> <p>A917 IATA-DGR: not restricted as per special provision A197 (in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging).</p> <p>Limited quantity (LQ): 5 kg</p> <p>Excepted Quantities (EQ): E1</p> <p>Classification code: M7</p> <p>Remark:</p>	<p>Special provisions: Special provision 375: In the case of quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging, this hazardous material is subject to the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN not subject to transport regulations.</p> <p>2.10.2.7 IMDG Code: This dangerous goods is subject to compliance with regulations in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging Of the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN do not comply with transport regulations.</p> <p>A917 IATA-DGR: not restricted as per special provision A197 (in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging).</p> <p>Limited quantity (LQ): 5 kg</p> <p>Excepted Quantities (EQ): E1</p> <p>EmS-No.: F-A, S-F</p> <p>Remark:</p>	<p>Special provisions: Special provision 375: In the case of quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging, this hazardous material is subject to the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN not subject to transport regulations.</p> <p>2.10.2.7 IMDG Code: This dangerous goods is subject to compliance with regulations in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging Of the general packing regulations 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 ADR / RID / ADN do not comply with transport regulations.</p> <p>A917 IATA-DGR: not restricted as per special provision A197 (in quantities of up to 5 L (UN 3082) or up to 5 kg (UN 3077) per inner or individual packaging).</p> <p>Excepted Quantities (EQ):</p> <p>Remark:</p>

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

* 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Störfallverordnung

for substances contained in the product:

Hazard categories:

- E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Technische Anleitung Luft (TA-Luft)

Remark:

To follow: 5.2.5.

Water hazard class (WGK)

WGK:

3 - stark wassergefährdend

Source:

Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (BGV)

Berufsgenossenschaftliche Informationen (BGI) 868

Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

* 16.1. Indication of changes

1.4.	Emergency telephone number
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
5.1.	Extinguishing media
6.1.	Personal precautions, protective equipment and emergency procedures
6.3.	Methods and material for containment and cleaning up
6.5.	Additional information
7.1.	Precautions for safe handling
7.2.	Conditions for safe storage, including any incompatibilities
8.1.	Control parameters
8.2.	Exposure controls
11.1.	Information on toxicological effects
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment



Revision date: 6 Feb 2020 Version: 5 Print date: 7 Feb 2020

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes
16.5.	Relevant R-, H- and EUH-phrases (Number and full text)

16.2. Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive
 1999/45/EEC - Dangerous Preparations Directive
 EC 1907/2006 - REACH Regulation
 1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006
 Regulation (EC) No 1907/2006 (REACH), Annex II
 European Chemicals Agency (ECHA), C & L classification and labeling inventory
 European Chemicals Agency (ECHA), ECHA CHEM Registered substances
 OECD The Global Portal to Information on Chemical Substances (ChemPortal)
 Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances
 Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (<i>Aquatic Chronic 1</i>)	H410: Very toxic to aquatic life with long lasting effects.	Calculation method.

* 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version