



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

RAVENOL HTC Hybrid Technology Coolant Concentrate

Article No.:

1410120

* **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture:

Antifreeze agent

* **1.3. Details of the supplier of the safety data sheet**

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Ravensberger Schmierstoffvertrieb GmbH

Jöllenbecker Str. 2

33824 Werther

D

Telephone: +49 5203 9719 0

Telefax: +49 5203 9719 40

E-mail: kontakt@ravenol.de

Website: www.ravenol.de

E-mail (competent person): technik@ravenol.de

* **1.4. Emergency telephone number**

Abt. Technik (Produktsicherheit), 24h: +49 700 24 112 112 (Contract ID: RAV) , +49 5203 9719 0 (Mo-Do 7.30 Uhr - 16.30 Uhr, Fr 7.30 Uhr - 13.15 Uhr) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
STOT-repeated exposure (STOT RE 2)	H373: May cause damage to organs through prolonged or repeated exposure. (...)	
Acute toxicity (oral) (Acute Tox. 4)	H302: Harmful if swallowed.	

* **2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS08

Health hazard



GHS07

Exclamation mark

Signal word: Warning

Hazard components for labelling:

Disodium tetraborate, Pentahydrate; ethane-1,2-diol

hazard statements for health hazards	
H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure. (kidneys)

Supplemental Hazard information (EU): -



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statements Prevention

P264	Wash hands thoroughly after handling.
------	---------------------------------------

Precautionary statements Response

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/Emergency telephone number.
P314	Get medical advice/attention if you feel unwell.

Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 107-21-1 EC No.: 203-473-3 REACH No.: 01-2119456816-28-0000	ethane-1,2-diol Acute Tox. 4, STOT RE 2 Warning H302-H373	80 - < 98 Wt %
CAS No.: 12179-04-3 EC No.: 215-540-4 REACH No.: 01-2119490790-32-0000	Disodium tetraborate, Pentahydrate <i>Candidate List of Substances of Very High Concern for Authorisation!</i> Eye Irrit. 2, Repr. 1B H319-H360FD	0.1 - < 3 Wt %

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

In case of respiratory tract irritation, consult a physician. Provide fresh air. Get immediate medical advice/attention.

In case of skin contact:

In case of skin irritation, consult a physician. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. If unconscious place in recovery position and seek medical advice. Harmful if swallowed. May cause damage to organs.(kidneys)

Self-protection of the first aider:

First aider: Pay attention to self-protection! Use personal protection equipment. No direct artificial respiration to be given by first aider.



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

4.2. Most important symptoms and effects, both acute and delayed

Reference to other sections:

SECTION 2: Hazards identification

SECTION 11: Toxicological information

4.3. Indication of any immediate medical attention and special treatment needed

Observe risk of aspiration if vomiting occurs. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

alcohol resistant foam

Carbon dioxide (CO₂)

Extinguishing powder

Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media:

Full water jet

* 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, toxic. The product itself does not burn.

Hazardous combustion products:

Nitrogen oxides (NO_x) Carbon monoxide Carbon dioxide (CO₂)

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4. Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Do not breathe vapour.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Eliminate all ignition sources if safe to do so. Remove persons to safety. Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Use appropriate respiratory protection.

6.2. Environmental precautions

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Immediately inform the responsible authorities in entry into waterways or sewage system.

6.3. Methods and material for containment and cleaning up

For containment:

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

SECTION 7: Handling and storage

SECTION 8: Exposure controls/personal protection

SECTION 13: Disposal considerations

6.5. Additional information

Clear spills immediately.



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

SECTION 7: Handling and storage

* 7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Harmful if swallowed. Do not breathe gas/vapour. Keep out of reach of children. Wash hands before breaks and after work.

Fire prevent measures:

No special fire protection measures are necessary.

Measures to prevent aerosol and dust generation:

Provide adequate ventilation.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing.

* 7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep locked up and out of reach of children.

Requirements for storage rooms and vessels:

Keep/Store only in original container. Shafts and sewers must be protected from entry of the product.

Hints on storage assembly:

Do not store together with: Food and feedingstuffs

Storage class: 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.
 Antifreeze / Coolant

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
CH	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m ³) ② 20 ppm (52 mg/m ³) ⑤ (kann über die Haut aufgenommen werden)
BE	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ③ 40 ppm (104 mg/m ³) ⑤ (Aérosol)
CZ	ethane-1,2-diol CAS No.: 107-21-1	① 19.7 ppm (50 mg/m ³) ② 39.4 ppm (100 mg/m ³)
PL	ethane-1,2-diol CAS No.: 107-21-1	① 15 mg/m ³ ② 50 mg/m ³
NO	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (kan absorberes gjennom huden)
TRGS 900 (DE)	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m ³) ② 20 ppm (52 mg/m ³) ⑤ (kann über die Haut aufgenommen werden)



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
IE	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m ³ ⑤ (may be absorbed through the skin)
IE	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (vapour, may be absorbed through the skin)
MY	ethane-1,2-diol CAS No.: 107-21-1	③ 39.4 ppm (100 mg/m ³)
FI	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (50 mg/m ³) ② 40 ppm (100 mg/m ³) ⑤ (kan absorberas genom huden)
LT	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (25 mg/m ³) ② 20 ppm (50 mg/m ³) ⑤ (garų ir Aerozolis)
SE	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (25 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (kan absorberas genom huden)
SK	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (rátajte so vstrebávaním cez pokožku)
MAK (AT)	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m ³) ⑤ (kann über die Haut aufgenommen werden)
DK	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m ³ ② 20 mg/m ³
DK	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m ³) ② 20 ppm (52 mg/m ³) ⑤ (kan optages gennem huden)
MAK (AT)	ethane-1,2-diol CAS No.: 107-21-1	② 20 ppm (52 mg/m ³) ⑤ (max. 8x5 min./Schicht, Momentanwert, kann über die Haut aufgenommen werden)
BG	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (трябва да се очаква абсорбиране през кожата)
HR	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³)
ES	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (puede ser absorbido a través dérmica)
RO	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³)
EE	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³)
LV	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (var absorbet caur adu)
Alberta (CA)	ethane-1,2-diol CAS No.: 107-21-1	③ 100 mg/m ³
BC (CA)	ethane-1,2-diol CAS No.: 107-21-1	③ 100 mg/m ³ ⑤ (Aerosol)



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
BC (CA)	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m ³ ② 20 mg/m ³ ⑤ (particles)
BC (CA)	ethane-1,2-diol CAS No.: 107-21-1	③ 50 mg/m ³ ⑤ (vapor)
IOELV (EU)	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (may be absorbed through the skin)
VRI (FR)	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (peut être absorbé par la peau)
WEL (GB)	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (vapour, may be absorbed through the skin)
SI	ethane-1,2-diol CAS No.: 107-21-1	① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (računati je treba z možnostjo prodiranja skozi kožo)
TW	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m ³ ⑤ (蒸汽)
TW	ethane-1,2-diol CAS No.: 107-21-1	③ 50 ppm (127 mg/m ³) ⑤ (霧)
WEL (GB)	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m ³ ⑤ (may be absorbed through the skin)
KR	ethane-1,2-diol CAS No.: 107-21-1	③ 40 ppm (100 mg/m ³) ⑤ (증기 와(과) 연무)
IS	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (efnið getur auðveldlega borist inn í líkamann gegnum húð)
IS	ethane-1,2-diol CAS No.: 107-21-1	① 10 ppm (26 mg/m ³) ⑤ (úðaefni, efnið getur auðveldlega borist inn í líkamann gegnum húð)
CN	ethane-1,2-diol CAS No.: 107-21-1	① 20 mg/m ³ ② 40 mg/m ³
HU	ethane-1,2-diol CAS No.: 107-21-1	① 52 mg/m ³ ② 104 mg/m ³
RU	ethane-1,2-diol CAS No.: 107-21-1	① 5 mg/m ³ ③ 10 mg/m ³
GR	ethane-1,2-diol CAS No.: 107-21-1	① 50 ppm (125 mg/m ³) ② 50 ppm (125 mg/m ³)
NL	ethane-1,2-diol CAS No.: 107-21-1	① 52 mg/m ³ ② 104 mg/m ³ ⑤ (damp)
ACGIH (US)	ethane-1,2-diol CAS No.: 107-21-1	② 10 mg/m ³ ⑤ (inhalable fraction Aerosol)
NL	ethane-1,2-diol CAS No.: 107-21-1	① 10 mg/m ³ ⑤ (deeltjes)



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
ACGIH (US)	ethane-1,2-diol CAS No.: 107-21-1	① 25 ppm ② 50 ppm ⑤ (vapor)
Québec (CA)	ethane-1,2-diol CAS No.: 107-21-1	③ 50 ppm (127 mg/m ³)
CH	sodium benzoate CAS No.: 532-32-1	① 10 mg/m ³ ② 20 mg/m ³ ⑤ (einatembare Fraktion)
CH	sodium benzoate CAS No.: 532-32-1	① 0.2 ppm (1 mg/m ³) ② 0.8 ppm (4 mg/m ³) ⑤ (alveolengängige Fraktion)
TRGS 900 (DE)	sodium benzoate CAS No.: 532-32-1	① 10 mg/m ³ ② 20 mg/m ³ ⑤ (einatembare Fraktion), (kann über die Haut aufgenommen werden)
RU	sodium benzoate CAS No.: 532-32-1	③ 5 mg/m ³
MY	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³ ⑤ (kontang atau pentahidrat)
MY	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³ ⑤ Dekahidrat
BE	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 6 mg/m ³
PL	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 0.5 mg/m ³ ② 2 mg/m ³ ⑤ (Pyły)
NO	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
NO	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³
IE	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³
LT	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 5 mg/m ³
LT	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 10 mg/m ³
SE	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ③ 5 mg/m ³ ⑤ (kan absorberas genom huden)
WEL (GB)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
CH	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 0.8 mg/m ³ ② 0.8 mg/m ³ ⑤ (einatembare Fraktion)



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
ES	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 ppm (6 mg/m ³)
VLA (FR)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
VLA (FR)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³
ES	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 6 mg/m ³
HR	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
HR	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³
DK	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
DK	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ⑤ (kan optages gennem huden)
EE	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 5 mg/m ³
Alberta (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³ ⑤ anhydrous
Alberta (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³ ⑤ Decahydrate
Alberta (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³ ⑤ pentahydrate
LV	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 10 mg/m ³
BC (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 6 mg/m ³
DFG (DE)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 0.75 mg/m ³ ② 0.75 mg/m ³
KR	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³ ⑤ 붕사
IS	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
IS	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ⑤ (efnið getur auðveldlega borist inn í líkamann gegnum húð)
KR	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³ ⑤ 무수물
KR	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³ ⑤ 펜타수화물



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
RU	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	③ 2 mg/m ³
GR	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 10 mg/m ³
Ontario (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 6 mg/m ³ ⑤ (inhalable fraction)
FI	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 0.5 mg/m ³
RU	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	③ 10 mg/m ³
NIOSH (US)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
ACGIH (US)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 2 mg/m ³ ② 6 mg/m ³ ⑤ (inhalable fraction)
Québec (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 1 mg/m ³
NIOSH (US)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³
Québec (CA)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 5 mg/m ³
TRGS 900 (DE)	Disodium tetraborate, Penta hydrate CAS No.: 12179-04-3	① 0.5 mg/m ³ ② 1 mg/m ³ ⑤ (einatembare Fraktion)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
ethane-1,2-diol CAS No.: 107-21-1	35 mg/m ³	① DNEL worker ② inhalative, short-term, local, (acute)
ethane-1,2-diol CAS No.: 107-21-1	7 mg/m ³	① DNEL Consumer ② inhalative, short-term, local, (acute)
ethane-1,2-diol CAS No.: 107-21-1	106 mg/kg bw/day	① DNEL worker ② dermal, long-term, systemic
ethane-1,2-diol CAS No.: 107-21-1	53 mg/kg bw/day	① DNEL Consumer ② dermal, long-term, systemic
sodium benzoate CAS No.: 532-32-1	3 mg/m ³	① DNEL worker ② inhalative, long-term, systemic
sodium benzoate CAS No.: 532-32-1	0.1 mg/m ³	① DNEL worker ② inhalative, short-term, local, (acute)
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	6.7 mg/m ³	① DNEL worker ② inhalative, long-term, systemic



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Substance name	DNEL value	① DNEL type ② Exposure route
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	3.4 mg/m ³	① DNEL Consumer ② inhalative, long-term, systemic
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	316.4 mg/kg bw/day	① DNEL worker ② dermal, long-term, systemic
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	159.5 mg/kg bw/day	① DNEL Consumer ② dermal, long-term, systemic
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	0.79 mg/kg bw/day	① DNEL Consumer ② oral, long-term, systemic
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	0.79 mg/kg bw/day	① DNEL Consumer ② Acute - oral, systemic effects

Substance name	PNEC Value	① PNEC type
ethane-1,2-diol CAS No.: 107-21-1	10 mg/l	① PNEC aquatic, freshwater
ethane-1,2-diol CAS No.: 107-21-1	1 mg/l	① PNEC aquatic, marine water
ethane-1,2-diol CAS No.: 107-21-1	199.5 mg/l	① PNEC sewage treatment plant
ethane-1,2-diol CAS No.: 107-21-1	37 mg/kg	① PNEC sediment, freshwater
ethane-1,2-diol CAS No.: 107-21-1	3.7 mg/kg	① PNEC sediment, marine water
ethane-1,2-diol CAS No.: 107-21-1	1.53 mg/kg	① PNEC soil
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	2.9 mg/l	① PNEC aquatic, freshwater
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	2.9 mg/l	① PNEC aquatic, marine water
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	10 mg/l	① PNEC sewage treatment plant
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	5.7 mg/kg	① PNEC soil
Disodium tetraborate, Pentahydrate CAS No.: 12179-04-3	13.7 mg/l	① PNEC aquatic, intermittent release

* **8.2. Exposure controls**

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment



Eye/face protection:

During transfer: Eye glasses with side protection
 DIN-/EN-Norms: DIN EN 166



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

Skin protection:

Hand protection
 Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)
 Thickness of the glove material: >= 0,3 mm
 Breakthrough time (maximum wearing time) 480 min
 Breakthrough times and swelling properties of the material must be taken into consideration.
 The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.
 For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.
 Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing

Respiratory protection:

Usually no personal respiratory protection necessary.

Thermal hazards:

No data available.

Other protection measures:

Wash hands before breaks and after work.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

* **9.1. Information on basic physical and chemical properties**

Appearance

Physical state: Liquid **Colour:** blue
Odour: characteristic

Safety relevant basis data

parameter		at °C	Method	Remark
pH	7.5	20 °C		Mix 50/50% with water
Melting point	<i>not determined</i>			
Freezing point	-37 °C			Mix 50/50% with water
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	<i>not determined</i>			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	1,130 kg/m ³	20 °C		
Bulk density	<i>not determined</i>			
Water solubility	completely miscible			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. hygroscopic.



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

responds with: Oxidising agent, strong, Strong acid

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

* 10.5. Incompatible materials

Oxidising agent, strong
 Acid, concentrated

* 10.6. Hazardous decomposition products

The product is stable under storage at normal ambient temperatures.

SECTION 11: Toxicological information

* 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
107-21-1	ethane-1,2-diol	LD₅₀ oral: 4,700 mg/kg (Rat) LD₅₀ dermal: 10,600 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): >2.5 mg/l 6 h (Rat)

Acute oral toxicity:

Pamatojoties uz pieejamajiem datiem, klasifikācijas kritēriji nav izpildīti.

Acute dermal toxicity:

No information available for acute dermal and inhalative toxicity.

Acute inhalation toxicity:

No information available for acute dermal and inhalative toxicity.

Skin corrosion/irritation:

Pamatojoties uz pieejamajiem datiem, klasifikācijas kritēriji nav izpildīti.

Serious eye damage/irritation:

Pamatojoties uz pieejamajiem datiem, klasifikācijas kritēriji nav izpildīti.

Respiratory or skin sensitisation:

Pamatojoties uz pieejamajiem datiem, klasifikācijas kritēriji nav izpildīti.

Germ cell mutagenicity:

No indications of human germ cell mutagenicity exist.

Carcinogenicity:

No indication of human carcinogenicity.

Reproductive toxicity:

No indications of human reproductive toxicity exist.

STOT-repeated exposure:

May cause damage to kidneys through prolonged or repeated exposure if swallowed.

Aspiration hazard:

Observe risk of aspiration if vomiting occurs.

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
107-21-1	ethane-1,2-diol	LC₅₀: 8,050 - 72,900 mg/l 4 d EC₅₀: >100 mg/l 2 d (Daphnia magna (Big water flea)) ErC₅₀: 6,500 - 13,000 mg/l 4 d NOEC: 72,860 mg/l -∞ h NOEC: 8,590 mg/l -∞ h

Aquatic toxicity:

The product has not been tested.



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
107-21-1	ethane-1,2-diol	Yes, rapidly	

Biodegradation:

Readily biodegradable. The information about ecology refers to the main components.

Additional information:

The product has not been tested.

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OW}	Bioconcentration factor (BCF)
107-21-1	ethane-1,2-diol	-1.36	

Accumulation / Evaluation:

The product has not been tested.

12.4. Mobility in soil

No data available

* **12.5. Results of PBT and vPvB assessment**

CAS No.	Substance name	Results of PBT and vPvB assessment
107-21-1	ethane-1,2-diol	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	

* **14.1. UN-No.**

No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
--	--	--	--

* **14.2. UN proper shipping name**

No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
--	--	--	--

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019


Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)
14.5. Environmental hazards		
not relevant		
14.6. Special precautions for user		
not relevant		

* **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
 No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU legislation
Other regulations (EU):
 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

15.1.2. National regulations
 **[DE] National regulations**

Restrictions of occupation
 Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
 Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Störfallverordnung
for substances contained in the product:
 This product is not assigned to a hazard category.

Water hazard class (WGK)
WGK:
 1 - schwach wassergefährdend

Source:
 Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe
 Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (BGV)
 Berufsgenossenschaftliche Informationen (BGI) 868
 Berufsgenossenschaftliche Regeln (BGR) 189, 190, 192, 195

15.2. Chemical Safety Assessment
 Chemical safety assessments for substances in this mixture were not carried out.

15.3. Additional information
 Tactile warning according to EN/ISO 11683. Child-resistant fastenings (EN/862/ISO 8317).

SECTION 16: Other information

* **16.1. Indication of changes**

1.2.	Relevant identified uses of the substance or mixture and uses advised against
1.3.	Details of the supplier of the safety data sheet
1.4.	Emergency telephone number
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
5.2.	Special hazards arising from the substance or mixture
6.1.	Personal precautions, protective equipment and emergency procedures
7.1.	Precautions for safe handling



Revision date: 17-Sep-2019 Version: 3 Print date: 17-Sep-2019

7.2.	Conditions for safe storage, including any incompatibilities
8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
10.5.	Incompatible materials
10.6.	Hazardous decomposition products
11.1.	Information on toxicological effects
12.5.	Results of PBT and vPvB assessment
14.1.	UN number
14.2.	UN proper shipping name
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
16.1.	Indication of changes

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
STOT-repeated exposure (<i>STOT RE 2</i>)	H373: May cause damage to organs through prolonged or repeated exposure. (...)	
Acute toxicity (oral) (<i>Acute Tox. 4</i>)	H302: Harmful if swallowed.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure. (...)

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version