

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier
Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C
Article number: 01355050 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Car care product Anti-Freeze and de-icing products Detergents Consumer uses: Private households / general public / consumers Professional uses Uses advised against There is currently no information available on this.
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0
<i>Further information obtainable from:</i> Product safety <i>E-mail: erp@sonax.de</i> Phone: + +49 (0) 8431 53 217 <u>United Kingdom:</u> Anglo American Oil Company Ltd 58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT Telephone: (+44) 01929 551557 Email: info@aaoil.co.uk
1.4 Emergency telephone number: <u>European Union:</u> +49 (0) 89 19240 (Poison Centre Munich) <u>United Kingdom:</u> 0344 892 0111 (UK NPIS) Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111 In Northern Ireland, contact your local GP
SECTION 2: Hazards identification

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation. Additional information: Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB. Determination of endocrine-disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

(Contd. on page 2)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

(Contd. of page 1)

3.2 Mixtures Description: Aqueous formulation	n of alcohol, glycol and tensides.	
Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-xxxx	ethanol	15-<209
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28-xxxx	ethanediol 🚯 STOT RE 2, H373; 🚸 Acute Tox. 4, H302	5-<10%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	5-<10%
Regulation (EC) No 648/2004 on	detergents / Labelling for contents	
anionic surfactants		<5%
perfumes		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents: Water spray Fire-extinguishing powder Carbon dioxide Alcohol resistant foam For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide (CO) Carbon dioxide (CO2) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear fully protective suit. Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment. Additional information Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 3)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wear protective clothing.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. **Information about storage in one common storage facility:**

Store away from foodstuffs.

Observe local/state/federal regulations. Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Protect from heat and direct sunlight.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 64-17-5 etha	imit values that require monitoring at the workplace:	
) Long-term value: 1920 mg/m³, 1000 ppm	
•		
OEL (Ireland)	Short-term value: 1000 ppm	
CAS: 107-21-1 eth	nanediol	
WEL (Great Britair	 Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour 	
IOELV (EU)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin	
OEL (Ireland)	Short-term value: 40 mg/m³, 104 ppm Long-term value: 52 mg/m³, 20 ppm Sk, IOELV	
CAS: 56-81-5 glyc	cerol	
WEL (Great Britain	n) Long-term value: 10 mg/m³	
OEL (Ireland)	Long-term value: 10 mg/m³	



Safety data sheet according to 1907/2006/EC, Article 31

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

Regulator	v infor	(Contd. of page
		in): EH40/2020
OEL (Irela	nd): 20	21 CoP for the Safety, Health and Welfare at Work
IOELV (EU	J): (EU)	2019/1831
DNELs		
CAS: 64-17-5 ethanol		
Oral	DNEL	87 mg/kg (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	206 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		343 mg/kg bw/day (worker) (lon-term exposure - systemic effects)
Inhalative	DNEL	950 mg/m³ (consumer) (acute short-tem exposure - local effects)
		1,900 mg/m³ (worker) (acute short-tem exposure - local effects)
	DNEL	114 mg/m³ (consumer) (long-term exposure - systemic effects)
		950 mg/m³ (worker) (long-term exposure - systemic effects)
CAS: 107		
Dermal	DNEL	53 mg/kg bw/day (consumer) (long term (chronic) / systemic)
		106 mg/kg bw/day (worker) (long term (chronic) / systemic)
Inhalative	DNEL	7 mg/m³ (consumer) (long term (chronic) / local)
		35 mg/m³ (worker) (long term (chronic) / local)
PNECs		
CAS: 64-1	7-5 eth	nanol
PNEC 58	0 mg/l ((sewage plant)
0.9)6 mg/l	(water (fresh water))
0.7	'9 mg/l	(water (sea water))
PNEC 3.6	i mg/kg	(sediment (fresh water))
0.6	3 mg/k	g (soil)
CAS: 107	21-1 e	thanediol
PNEC 19	9.5 mg/	1 (STP)
10	mg/l (v	vater (intermittent release))
10	<i>mg/I (</i> и	vater (fresh water))
1 r	ng/l (wa	ater (sea water))
PNEC 1.5	i3 mg/k	g (gro)
	-	(sediment (fresh water)) (dry weight)
3.7	′ mg/kg	(sediment (sea water)) (dry weight)
Additiona	l inforr	nation: The lists valid during the making were used as basis.
8.2 Expos Suitable t		ntrois al control devices
		tilation. This can be achieved by localised extraction or general ventilation. If this is not
sufficient t		the concentration below the occupational exposure limit, suitable breathing protection is to
be worn.	Inroto	ation massures, such as personal protective assument
		ction measures, such as personal protective equipment ve and hygienic measures:
		tionary measures are to be adhered to when handling chemicals.
Keep awa	y from t	foodstuffs, beverages and feed.
		re breaks and at the end of work.
Respirato		rection: prmal cases
Ensure good ventilation/exhaustion at the workplace. Hand protection Not required in normal cases.		
Hand pro	echon	

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

(Contd. of page 4)

9.1 Information on basic physical and chemical pro	operties
General Information	sperices
Physical state	Fluid
Colour:	Blue
Odour:	Citrus
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	78-200 °C
Flammability	Combustible liquid.
Lower and upper explosion limit	
Lower:	3.5 Vol % (CAS: 64-17-5 ethanol)
Upper:	15 Vol % (CAS: 64-17-5 ethanol)
Flash point:	36 °C (DIN 51755)
Decomposition temperature:	Not determined.
pH at 20 °C	6.5-7.5
Viscosity:	0.0 7.0
Kinematic viscosity at 40 °C	<20.5 mm²/s
Solubility	-20.0 1111170
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	Not determined.
Density and/or relative density Density at 20 °C:	$0.00.1 a/cm^3$
Vapour density	0.99-1 g/cm³ Not determined.
9.2 Other information	Sustained combustibility test ISO 9038/UN manual
	tests and criteria (32.5.2):
	no self-sustained combustion
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Not determined.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	}
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids Byrophoric solids	Vold Void
Pyrophoric solids	
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	\/- :-/
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

- GB



Safety data sheet according to 1907/2006/EC, Article 31

Revision: 23.10.2023

Printing date 25.10.2023

Version: 2.00 (replaces version 1.00)

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

(Contd. of page 5)

- GB

10.2 Chemical stability Stable under normal conditions.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:				
CAS: 64-1	7-5 ethano	1		
Oral	LD50	10,470 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rabbit)		
Inhalative LC50 / 4h >20 mg/l (mouse)				
		38 mg/l (rat)		
	21-1 ethan			
Oral	LD50	7,712 mg/kg (rat)		
	LD50	>3,500 mg/kg (mouse)		
Inhalative	LC50 / 6 h	>2.5 mg/l (rat)		
Skin corro	osion/irritat	tion Based on available data, the classification criteria are not met.		
Serious e	ye damage	<i>irritation</i> Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation Based on available data, the classification criteria are not met.				
Germ cell	mutagenic	ity Based on available data, the classification criteria are not met.		
Carcinogenicity Based on available data, the classification criteria are not met.				
Reproduc	tive toxicit	y Based on available data, the classification criteria are not met.		
STOT-sing	gle exposu	re Based on available data, the classification criteria are not met.		
STOT-rep	eated expo	sure Based on available data, the classification criteria are not met.		
Aspiratior	n hazard Ba	ased on available data, the classification criteria are not met.		
Additiona	l toxicolog	ical information:		
Repeated	dose toxic	ity		
	7-5 ethano			
		ng/kg (rat) (OECD 408, 90d, target organ: liver)		
		other hazards		
		g properties Int state of scientific knowledge, there is no data for the product regarding endocrine		
disrupting properties with health effects.				
None of the ingredients is listed.				

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Γ	Aquatic toxicity:				
F	CAS: 64-17-5 ethanol				
F	LC50 / 48h	8,140 mg/l (Leuciscus idus)			
	EC50 / 48h	>10,000 mg/l (Daphnia magna)			
	EC50 / 72h	275 mg/l (Chlorella vulgaris)			
		(Contd. on page 7)			



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

(Contd. of page 6) CAS: 107-21-1 ethanediol LC50 / 96h 72,860 mg/l (Pimephales promelas) EC20 / 0.5 h >1,995 mg/l (activated sludge) EC50 / 48h >100 mg/l (Daphnia magna) EC50 / 96 h 6,500-13,000 mg/l (Pseudokirchneriella subcapitata) NOEC / 7 d 8,590 mg/l (Ceriodaphnia Dubia) (EPA 600/4-89/001) 15,380 mg/l (Pimephales promelas) (EPA 600/4-89/001) 12.2 Persistence and degradability The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents. 12.3 Bioaccumulative potential CAS: 107-21-1 ethanediol log POW <1.36 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB 12.6 Endocrine disrupting properties According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment. 12.7 Other adverse effects Additional ecological information: General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR/RID/ADN, IMDĠ, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR/RID/AĎŇ, IMDG, IATA	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

	(Contd. of page
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
Transport/Additional information:	Sustained combustibility test ISO 9038/UN manual of tests and criteria (32.5.2): no self-sustained combustion
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 25.09 % Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. Date of previous version: 05.06.2023 Version number of previous version: 1.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Flam. Liq. 2: Flammable liquids – Category 2 (Contd. on page 9)

– GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 25.10.2023

Version: 2.00 (replaces version 1.00)

Revision: 23.10.2023

Trade name: SONAX WinterBeast AntiFreeze + Clear View -18 °C

Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 * **Data compared to the previous version altered.**

GB

(Contd. of page 8)